MindView 3 for Windows – User Guide

Introduction	7
Trademarks and Credits	7
MatchWare License Agreement	8
Welcome	11
Outlining written documents	11
Working with timelines	11
Working on presentations and web sites	12
Using the ready-made templates	12
What's new in MindView 3	13
Important terms	15
MindView Installation	17
Stand-alone installation	17
Administrative installation (system administrators only)	17
Creating an administrative installation	17
Applying a patch package to an administrative installation	18
I roubleshooting	18
Changing the location of the activation file	18
Storing several activation files on the server	18
Problem applying a patch	18
Support	19
Getting help	19
Online Help	19
The FAQ Knowledge Base	19
Service Packs	19
MatchWare Web Site	19
Reporting a problem	10
	13
Quick Start	20
Quick Start	
Quick Start	20 20 20
Quick Start	19 20 20 21
Quick Start	19 20 20 21 21
Quick Start	20 20 20 21 21 22
Quick Start Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document	20 20 21 21 21 22 23
Quick Start Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map	20 20 21 21 21 22 23 23
Quick Start Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style	20 20 21 21 21 22 23 23 23
Quick Start Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting pictures	20 20 21 21 21 22 23 23 23 23
Quick Start Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting pictures Inserting icons	20 20 21 21 21 23 23 23 23 23 23 24
Quick Start Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting pictures Inserting pictures Inserting icons Inserting a text note	20 20 21 21 21 22 23 23 23 23 23 23 24 25
Quick Start Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting pictures Inserting icons Inserting a text note Inserting comments	20 20 21 21 21 22 23 23 23 23 24 25
Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting icons Inserting a text note Inserting comments Attaching a file	20 20 21 21 22 23 23 23 23 23 23 25 26
Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting icons Inserting comments Attaching a file Creating a branch connection	20 20 21 21 21 23 23 23 23 23 23 23 23 23 24 25 26 27
Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting icons Inserting a text note Inserting comments Attaching a file Creating a branch connection Formatting the branches	20 20 21 21 21 22 23 23 23 23 23 23 23 23 23 23 23 23 23 23 23 23 23 23 22 27 27
Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting ictures Inserting a text note Inserting a file Creating a file Creating a branch connection Formatting the branches	20 20 21 21 21 22 23 23 23 23 23 23 23 23 23 23 24 25 26 27 27
Quick Start Guick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting pictures Inserting comments Attaching a file Creating a branch connection Formatting the branches	20 20 21 21 21 21 23 23 23 23 23 23 23 23 24 25 26 27 27 27 29 29
Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting pictures Inserting a text note Inserting a text note Inserting a branch connection Formatting the branches Setting up Setting up Setting up your workspace	20 20 21 21 21 22 23 23 23 23 23 23 23 23 25 25 27 27 27 29 29 29 29
Quick Start Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting pictures Inserting comments Attaching a file Creating a branch connection Formatting the branches User Guide Setting up Setting up your workspace Customizing the Quick Access Toolbar	20 20 21 21 21 21 23 23 23 23 23 23 23 23 23 23 23 25 25 26 27 27 29 29 29 30
Quick Start Pirst step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting pictures Inserting torus Inserting torus Inserting torus Inserting pictures Inserting a text note Inserting a file Creating a branch connection Formatting the branches User Guide Setting up Setting up your workspace Customizing the Quick Access Toolbar Minimizing the ribbon	20 20 21 21 21 22 23 24 25 25 27 27 27 23 23 23 23 23 23 23 23 23 23 24 25 27 27 27 27 27 27 23 23 23 23 23 23 24 25 27
Quick Start Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting pictures Inserting comments Inserting a text note Inserting a file Creating a branch connection Formatting the branches User Guide Setting up Setting up your workspace Customizing the Quick Access Toolbar Minimizing the ribbon Using access keys and shortcut keys	20 20 21 21 21 22 23 23 23 23 23 23 23 23 23 23 23 23 23 23 23 23 23 24 25 25 27 27 29 29 29 29 30 30 30
Quick Start Guick Start First step: Creating the Mind Map Entering the subject Inserting the subject Inserting the subject Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting pictures Inserting icons Inserting comments Attaching a file Creating a branch connection Formatting the branches User Guide Setting up Setting up Setting up up your workspace Customizing the Quick Access Toolbar. Minimizing the ribbon. Using access keys and shortcut keys Using the MindView panels	20 20 21 21 21 22 23 23 23 23 23 23 23 23 24 25 26 27 27 29 29 30 30 30 30
Quick Start Quick Start First step: Creating the Mind Map Entering the subject Inserting the subject Inserting the subject Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting pictures Inserting comments Inserting a text note Inserting a file Creating a branch connection Formatting the branches User Guide Setting up Setting up Setting up Using the Ribon Using the MindView panels Setting up your preferences	
Quick Start Quick Start First step: Creating the Mind Map Entering the subject Inserting the main branches Inserting the sub-branches Saving the document Second step: Enhancing the Mind Map Choosing a style Inserting icons Inserting comments Attaching a file Creating a branch connection Formatting the branches User Guide Setting up Setting up Setting up Setting up Setting up Setting up your workspace Customizing the ribbon Using access keys and shortcut keys Using the MindView panels Setting up your preferences Proofing options	

Advanced options	35
Customize options	36
Resources	36
Pen input options	36
Creating a Mind Man	37 37
Creating a minu map	37
Using an existing template	38
Saving a Mind Map	39
Recovering a backup file (*.bak)	39
Auto-recovery	40
Saving your document as a template	40
Opening a Mind Map	41
Opening documents created with previous versions of MindView	41
Entering a branch label	41
Replacing the default label	41
Eulury a laber	42 12
Inserting blanches	42 42
Inserting branches at the same level	43
Inserting a sub-branch	43
Inserting a pre-branch	
Formatting a branch	44
Copying branches from an external application	44
Expanding and collapsing a branch	44
Navigating between branches	45
Deleting a branch	45
Designing a Mind Map	45
View properties	46
Viewing a Mind Map	46
Zooming in and out	47
Zooming in	48
Zooming out	40 18
Fitting the map to the workspace	40 18
Selecting a zoom factor	48
Viewing the map in full screen mode.	49
Inserting text notes	49
Creating a text note	49
Adding a text note	50
Formatting a text note	50
Creating a hyperlink	51
Creating a table	52
Spellchecking a text note	53
Selecting a text note	53
Deleting a text note	53
Electing comments	33
Ploaling comments	55
Inserting icons	
Inserting an icon on a branch	56
Deleting an icon	57
Inserting pictures	58
Inserting a picture	58
Dragging a picture	59
Detaching a picture	59
Replacing a picture	60
Deleting a picture	60
Picture properties	60
Inserting timeline data	60
CHOUSINY a UNESCALE	וס כא
Linening uales and lines	02

Advanced options	63
Printing a Mind Map	
Using the Print Preview dialog	
Moving or resizing the map within the Preview area.	
Further tasks	67
Formatting a branch	67
Selecting several branches	67
Branch properties	68
Moving a branch	69
Moving a branch or a sub-branch at a different level	69
Cutting conving and pasting a branch	70
Moving a main branch to a different position by disabling Auto-Layout	70
Focusing on a branch	70
Filtering a Mind Man	72
Defining a filter	72
Clearing a filter	73
Applying a filter	73
Editing a filter	73
Deleting a filter	73
Attaching a liner	73
Attaching objects	73
	74
Activating an object	74
Object properties	74
Object properties	74
Creating hyperinks	75
Activating a hyperlink on a root of branch	75
Activating a hyperlink	70
	70
Hyperlink properties.	76
Creating branch connections	76
Creating a branch connection	/ /
Changing the curve of a branch connection	/ /
Activating a branch connection	78
Making a branch connection start or end on a different branch	78
Deleting a branch connection	78
Finding and replacing text	79
Finding text	79
Replacing text	79
Desktop search	80
Inserting a new root	80
Inserting a new root in the view	80
Attaching a newly created map to an existing map	80
Moving a newly created map in a separate document	81
Detaching a branch	81
Detaching a branch to the same document	81
Detaching a branch to a new document	81
Packing a Mind Map	81
Unpacking a Mind Map	82
Merging packed Mind Maps in a master map	82
Sending a Mind Map	82
Using the Multimedia Catalog	82
Overview of the Multimedia Catalog	83
Browsing the Multimedia Catalog	84
Using the Favorites category.	84
Searching the Multimedia Catalog	84
Adding elements to the Multimedia Catalog	86
Renaming an element	86
Deleting an element	86
Creating a category within the User Area	86
Connecting a category to an external folder within the User Area	87
Resetting the Multimedia Catalog	88

Using the Properties dialog	. 88
Editing properties in the Properties dialog	. 89
Using the Overview panel	. 89
Using the Object list	. 90
Manipulating objects in the Object list	. 90
Views	. 91
Using different views	. 91
Mind Mapping views	. 92
Using the Mind Map view	. 92
Using the Top Down view	. 92
Using the Left/Right view	. 93
Timeline view	. 95
Using the Timeline view	. 95
Accessing the Timeline view	. 95
Elements of the Timeline view	.95
Using the Timeline Outline	.96
Using the Timeline	.97
Viewing the Timeline	. 99
Exporting the Timeline	100
Printing the Timeline	101
Outline view	102
Using the Outline view	102
Accessing the Outline view	102
Flements of the Outline view	102
Lising the Outline	102
Viewing the Outline	104
Printing the Outline	104
Snellchecking	105
I lsing the shellchecker	105
Snellchecking as you type	105
Spellchecking the document	100
Spellchecking the currently selected element	100
Choosing a different dictionary	107
Spellsbecking antions	107
Using the AutoCorrect list	107
Using the custom dictionaries	109
Exporting	109
Introduction	111
Additional foldera	111
Additional folders	111
	112
Expoil modes	112
Relationship between Minu view and word elements and objects	113
Using Quick Expon	114
Using Advanced Export	114
	117
Export modes	110
Relationship between Mind View and PowerPoint elements and objects	118
Using Quick Export	119
Using Advanced Export	119
Exporting to HTML: Overview	122
Export modes	123
Relationship between MindView and HTML elements and objects	123
Exporting to HTML: Quick Export	124
Exporting to HIML: Export Wizard	126
Selecting a template	126
Preview	128
Selecting the objects to export	136
Placing the objects on the page	138
Exporting	141
FTP Upload Manager	142
Starting the FTP Upload Manager	142
Uploading your web site	143

Exporting to Mediator: Overview	14	14
Export modes	14	15
Relationship between MindView and Mediator elements and objects	14	16
Exporting to Mediator: Quick Export	14	1 6
Exporting to Mediator: Export Wizard	14	19
Selecting the window size	15	50
Selecting a template	15	50
Preview	15	52
Selecting the objects to export	15	59
Exporting	15	59
Exporting to RTF.		51
Export modes	16	51
Relationship between MindView and RTF elements and objects		51
Using Quick Export	16	32
Using Advanced Export	16	32
Exporting as picture	16	34
Importing	16	36
Introduction	16	36
Importing from Microsoft Word	16	36
Procedure	16	36
Relationship between Word and MindView elements and objects	16	37
Limitations	16	38
Importing from Microsoft DowerDoint	10	30
Procedure	10	30
Fibeeutie	10)9 7∩
Relationship between RewerReint and Mind\/iew elements and chiests	17 71	70
	/ 7	71
Littilduotis	/۱ ۲ ا	ו 70
	/۱ ۱٦	~ Z
Ploteaule Deletionship between Medicter and MindView elements and chieste	/۱ ۲ ا	72 72
	/۱ ۲ ا	ິ 72
LITHINATIONS	/۱ ۲ ا	3 75
Working in Pen Mode	17 	°Э 7Г
Enabling pen input	17 	'5 70
Using Pen Mode	17	6
Using gestures	17	' / 70
Using the Tablet PC Input Panel	17	'ð
Using an interactive whiteboard	17	8
Reference	17	9
Properties	17	<u>'9</u>
Overview	17	′9
View	17	′9
View properties: General tab	17	'9
View properties: Branches tab	18	30
Root	18	30
Root properties: General tab	18	30
Root properties: Text tab	18	31
Root properties: Picture tab		24
	18	51
Branch	18 18	31 32
Branch properties: General tab	18 18 18	32 32 32
Branch properties: General tab Branch properties: Text tab	18 18 18 18	32 32 33
Branch properties: General tab Branch properties: Text tab Branch properties: Text tab Branch properties: Picture tab	18 18 18 18 18	32 32 33 33
Branch properties: General tab Branch properties: Text tab Branch properties: Picture tab Text note	18 18 18 18 18 18	32 32 33 33 33
Branch Branch properties: General tab Branch properties: Text tab Branch properties: Picture tab Text note Text note properties: General tab	18 18 18 18 18 18	32 32 33 33 34 34
Branch Branch properties: General tab Branch properties: Text tab Branch properties: Picture tab Text note Text note properties: General tab Floating comment	18 18 18 18 18 18 18	32 32 33 33 34 34
Branch Branch properties: General tab Branch properties: Text tab Branch properties: Picture tab Text note Text note properties: General tab Floating comment Floating comment properties: General tab	18 18 18 18 18 18 18	32 32 33 33 34 34 34 34
Branch Branch properties: General tab Branch properties: Text tab Branch properties: Picture tab Text note Text note properties: General tab Floating comment Floating comment properties: General tab Floating comment properties: Text tab.	18 18 18 18 18 18 18 18	32 32 33 33 34 34 34 34 35
Branch Branch properties: General tab Branch properties: Text tab Branch properties: Picture tab Text note Text note properties: General tab Floating comment Floating comment properties: General tab Floating comment properties: Text tab Floating picture.	18 18 18 18 18 18 18 18 18	32 32 33 33 34 34 34 34 35 35
Branch Branch properties: General tab Branch properties: Text tab Branch properties: Picture tab Text note Text note properties: General tab Floating comment properties: General tab Floating comment properties: Text tab. Floating picture Floating picture properties: General tab	18 18 18 18 18 18 18 18 18 18	32 32 33 33 34 34 34 35 35 35
Branch Branch properties: General tab Branch properties: Text tab Branch properties: Picture tab Text note Text note properties: General tab Floating comment properties: General tab Floating comment properties: Text tab. Floating picture Floating picture properties: General tab Floating picture properties: General tab Floating picture properties: General tab Floating picture properties: General tab	18 18 18 18 18 18 18 18 18 18	32 32 33 33 34 34 34 35 35 35 35 35 35
Branch Branch properties: General tab Branch properties: Text tab. Branch properties: Picture tab Text note Text note properties: General tab Floating comment Floating comment properties: General tab Floating picture Floating picture Floating picture properties: General tab Floating picture properties: Picture tab Attachment	18 18 18 18 18 18 18 18 18 18 18	32 32 32 32 32 32 32 32 32 32 32 32 32 3

Index	
Keyboard shortcuts	
Branch connection properties: General tab	
Branch connection	
Hyperlink properties: General tab	
Hyperlink	

Introduction

Trademarks and Credits

MatchWare, MatchWare Mediator, MatchWare MindView and MatchWare ScreenCorder are trademarks or registered trademarks of MatchWare A/S.

Mind Map and Mind Mapping are registered trademarks of the Buzan Organisation.

Microsoft, Microsoft Office, Microsoft Word, Microsoft PowerPoint, Microsoft Project, Microsoft Outlook, Microsoft FrontPage, Microsoft Windows, Windows Media Player, Windows Explorer and Internet Explorer are trademarks or registered trademarks of Microsoft Corporation.

The 2007 Microsoft Office Fluent User Interface is subject to protection under U.S. and international intellectual property laws and is used by MatchWare A/S under license from Microsoft.

Netscape is a registered trademark of Netscape Communications.

Flash is a trademark of Adobe Systems Inc. (formerly Macromedia, Inc.).

Other brand or product names are trademarks or registered trademarks of their respective holders.

Special thanks to Marcia Daniels for helping to create some of the MindView curriculum-based templates.

Marcia Daniels is a science and technology teacher with 15 years of public and private school experience, currently teaching at Mill Springs Academy in Atlanta, Georgia, USA.



Copyright © 2009 MatchWare A/S. All rights reserved.



MatchWare License Agreement

This program is copyrighted © 2002-2009 by MatchWare A/S. All rights reserved.

MatchWare and MatchWare MindView are trademarks or registered trademarks of MatchWare A/S. Other brand or product names are trademarks or registered trademarks of their respective holders.

Information given in this documentation can be changed and represents no obligation on MatchWare, its Publishers or Agents. This documentation is copyrighted © 2002-2009 by MatchWare A/S. All rights reserved. This documentation is not to be copied, photocopied, reproduced, translated or transferred to an electronic media or machine sensible form without a written authorization from MatchWare or its Publishers.

IMPORTANT You should read the following MatchWare License Agreement (EULA) carefully. If you install, copy, download, or use this software product you agree to be bound by the terms of this agreement. If you do not agree with the conditions, you are not entitled to install and use the software, and should immediately return the software package and all other material in this package along with proof of payment, to the authorized dealer from whom you obtained it for a full refund of the price you paid. Do not make any illegal copies.

MatchWare License Agreement

USE

This is a legal agreement between you, the end user, and MatchWare A/S ("MatchWare"). The enclosed software program ("Software") is licensed, not sold, to you by MatchWare for use under the term of this license.

Prior to using the license to the Software you must assign it to a device, which becomes the "licensed device". A hardware partition, blade, external hard drive, Flash drive etc. is considered to be a separate device.

You may install and use one copy of the Software on the licensed device. Further, the primary user of the licensed device may install and use another copy of the Software on a laptop.

This Software may be freely moved from one computer or location to another, so long as there is no possibility of it being used by more than one person at a time. You may make one (1) backup copy of the Software.

A Terminal Server is a computer allowing other Client computers to run applications on the Terminal Server such as but not limited to a Microsoft Terminal Server and a Citrix Server. If the Software is installed on a Terminal Server you need a license for each Client computer that can run the Software.

You may add users by paying for a separate license for each device you wish to add. When installing the Software on a server which allows multiple, concurrent users to access and run the Software, you must license (purchase) additional licenses for each computer.

When using Remote Desktop technologies you may access and use the Software provided that only the primary user of the device hosting the remote desktop session accesses and uses the Software with a remote access device. You are not permitted to use the Software on both the device hosting the remote desktop session and the access device at the same time.

You may not rent, lease, loan or license this Software or any copy.

You may not reverse-engineer, disassemble, decompile, modify or create derivative work of this Software.

ACTIVATION

Mandatory activation is required when using the Software. When activating the Software certain information about the Software and the device will be sent to MatchWare. This information includes version, language, product ID of the Software, device internet protocol address and hardware configuration. By using the Software you consent to the transmission of this information.

EDUCATIONAL LICENSES

Commercial use of Educational Licenses of this Software is prohibited.

You agree to not use an Educational License to engage in commercial activities including, without limitation, the following activities:

- offering for sale any products or services;
- soliciting for advertisers or sponsors;
- conducting raffles or contests that require any type of entry fee;
- displaying a sponsorship banner of any kind, including those that are generated by banner or link exchange services; and
- displaying banners for services that provide cash or cash-equivalent prizes to users in exchange for hyperlinks to their web sites.

Some educational multi-user licenses offer home use rights for teachers (and students). Any additional DVDs purchased to facilitate such home use may not be installed or used on the respective educational institution premises, buildings or campus.

TRANSFER OF THE SOFTWARE

You may transfer all of your rights to use the Software to another person, provided that you transfer to that person the entire software package, DVDs, documentation, and this statement, and transfer or destroy all copies in any form. Once you transfer the Software you no longer have any rights to use it. Only the person to whom the Software is transferred may use it in accordance with the copyright law, international treaty and this statement.

If you have purchased an upgrade version of the Software, it constitutes a single product with the MatchWare Software that you upgraded. For instance, the upgrade and the Software that you upgraded cannot both be available for use by two different persons at the same time and cannot be transferred separately.

COPYRIGHT

All intellectual property rights in the Software and user documentation are owned by MatchWare A/S or its suppliers and are protected by United Kingdom copyright laws, other applicable copyright laws and international treaty provisions. MatchWare A/S retains all rights not expressly granted.

CLIPART

This Software may contain clipart ("Clipart") such as images, sounds, video clips etc. All intellectual copyright for the Clipart is owned by MatchWare A/S or licensed by MatchWare A/S.

MatchWare grants you a non-exclusive, non-sublicensable right to use the Clipart in presentations or web sites created with this Software, including in runtime versions of the Software. There is no royalty due for such use to MatchWare. The Clipart may not be sublicensed or made available to any person or entity that does not have a legal license of this Software.

RUNTIME VERSIONS

In some MatchWare products (including this Software) you have the opportunity to make runtime versions or web sites of your applications. Your runtime versions or web sites and the distribution of them are subject to all of the following conditions:

- You may not remove or alter any MatchWare copyright, trademark, or any other proprietary rights.
- You may not use MatchWare's or any of its suppliers' names, logos, or trademarks to market your runtime version. You may state that your runtime version was made using this MatchWare product.
- You will remain solely responsible to anyone receiving your runtime versions or web site for support, service, upgrades, or technical assistance. The recipients will have no right to contact MatchWare for such services or assistance.
- You will indemnify and hold MatchWare, its related companies and its suppliers harmless from and against any claims or liabilities arising out of the distribution of your runtime versions.

LIMITED WARRANTY

MatchWare warrants the physical media and physical documentation provided by MatchWare to be free of defects in materials and workmanship for a period of ninety (90) days from the original purchase date. MatchWare will replace defective media or user documentation at no charge, provided you return the item within the warranty period. If MatchWare is unable to replace defective media or user documentation, MatchWare will refund the amount you paid for the Software. These are your sole remedies for any breach of warranty.

LIMITATION OF LIABILITY

The entire and exclusive liability and remedy for breach of this limited warranty shall be limited to replacement of defective media or documentation and shall not include or extend to any claim for or right to recover any other damages, including but not limited to, loss of profit, data, or use of the Software or special, incidental or consequential damages, or other similar claims, even if MatchWare has been advised of the possibility of such damages. MatchWare makes no representation or warranty that the software or documentation are "error free" or meet any of the user's particular standards, requirements, or needs. In no event shall MatchWare's liability exceed the amount paid by you for the Software. To the extent that applicable law does not allow the exclusion or limitation of implied warranties or limitation of liability for incidental or consequential damages the above limitation or exclusion may not apply to you.

U.S. GOVERNMENT RESTRICTED RIGHTS

This Software and documentation are provided with RESTRICTED RIGHTS. The Software and documentation are developed at private expense and no part of them is in the public domain. Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph c(1) and (2) of the Commercial Computer Software Restricted Rights clause at FAR 52.277-19 or subparagraph c(1) (ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227 - 7013. Manufacturer is MatchWare A/S, Vestergade 48F, 8000 Århus C, Denmark.

GENERAL

This agreement is governed by English law and any dispute connected with this agreement and/or the Software is subject to the exclusive jurisdiction of the English courts. The export of this product is governed by U.S and UK export regulations.

Welcome

Welcome to **MatchWare® MindView**TM, the perfect tool for businesses, educators and students who need to organize information! Easy to learn and easy to use, MindView is a highly effective way of **brainstorming**, **developing** and **structuring ideas visually**. Ideal for use by individuals, small teams or large groups, MindView generates illustrated **Mind Maps**® which you can use in presentations, reports, web sites and more. With a comprehensive range of export options to Microsoft® Office applications, MatchWare® Mediator, HTML and other formats, MindView is an effective and versatile concept development tool.

Mind Maps are illustrated frameworks of organized, prioritized, linked ideas that develop or relate to a subject or concept.



Mind Maps have been demonstrated to help individuals and businesses achieve higher levels of performance by increasing productivity and organization skills.

Outlining written documents

Using the Mind Mapping technique makes it very easy to outline your written documents such as meeting agendas, proposals and marketing plans. MindView allows you to brainstorm ideas for your main topics in a completely free and non-linear way. One of the great benefits of using MindView, as opposed to brainstorming on a piece of paper, is that MindView allows you to reorganize your ideas in the right order by dragging and dropping them in the Mind Map once you have finished listing them.

When you export your Mind Map to **Microsoft® Word**, you can choose from a variety of creative templates designed to give your document a professional look instantly. Main ideas are exported as main headings, subideas are exported as sub-headings and so on. All the text notes, comments, pictures and other elements which you have placed on the Mind Map are also exported. This means that you can actually start writing your report while brainstorming in MindView, as the complete text is included in the exported Word document.

Once you start developing your document in Word, you may realize that you have forgotten some key ideas that you would like to brainstorm in MindView first. All you need to do in that case is to import your Word document back into MindView, add the new ideas to your Mind Map, and then re-export to Word.

Working with timelines

The MindView Timeline view is a great way of displaying time-related information such as company history, marketing plans, production plans and historical data. Simply add dates or times to your branches and switch to the Timeline view to see the information displayed along a horizontal time axis. Different timescales (for example standard, weekly or daily) let you tailor the timeline to suit your needs. You can zoom in or out, expand or contract the timeline scale, and condense empty stretches of the timeline by inserting break marks.



Working on presentations and web sites

MindView has been optimized for storyboarding and planning web sites and multimedia presentations, which you can then export to **Microsoft® PowerPoint**, **MatchWare® Mediator** or **HTML**:

- When storyboarding presentations, an idea in your Mind Map represents a slide (PowerPoint) or a page (Mediator) in your presentation, a sub-idea represents a sub-page or sub-slide and so on.
- You can attach files to branches (ideas) in the Mind Map, such as Flash files, pictures, text, sounds and videos. These files are included when you export to PowerPoint, Mediator or HTML and displayed on their respective pages.
- MindView lets you create hyperlinks, branch connections and other interactivity that is also included when exporting.
- The Export Wizards include a range of ready-made templates with built-in navigation, which you are free to customize and save for further use.
- MindView allows basic web editing during the HTML export. You can for instance place the various elements where required on each individual page. No coding or scripting necessary!
- Once exported, you can import your Mediator or PowerPoint presentation back into MindView if you need to storyboard more pages or slides.

Using the ready-made templates

MindView provides you with detailed business and educational templates for use in any of the standard Mind Mapping views or the Timeline view.

You can base your own documents on any of these templates, and customize them as required to meet your particular needs. Comments and suggestions for expansion are given in their notes and pop-up comments.

What's new in MindView 3

MindView 3 has many new features, which are fully described in the User Guide part of this documentation. Here is a brief description of the most important enhancements.

New interface: MindView 3 has a brand new user interface based on the Microsoft Office Fluent[™] interface used in Microsoft Office 2007 (also referred to as the Ribbon), which helps you create, present and share impressive mind maps much more efficiently than you could in earlier versions of MindView. This new interface has several major advantages:

- Its features and commands are organized in task-oriented tabs and groups of related options, enabling you to find what you need quickly, using an intuitive and visual approach.
- Rather than applying single properties one by one, you can select predefined styles for your branches and map elements from easily accessible galleries, making it much easier and much faster to create great-looking documents.
- The live preview feature lets you review the effect of the various formatting options before you commit to them, resulting in a significant time gain.

For more information on this new interface, see "Setting up your workspace".

Map layouts and styles: For each view, MindView 3 offers you a choice of predefined layouts, styles and galleries, letting you change the overall look of the map and apply branch shapes, branch colors and other coordinated attributes in one step. Simply hover over the contents of a particular gallery to visualize the effect of the different options on your map, then click your choice to apply it.

Timeline layouts: MindView 3 gives you the choice of several timeline layouts, letting you change the overall appearance of your timeline in one step to the format that suits your purpose best. Once you've selected your timeline layout, you can easily customize it further by selecting a different color scheme, applying a numbering scheme, turning duration bars on or off and so on. Individual colors can also be applied to each event (branch) for emphasis.

Timeline editing: MindView now lets you enter events directly on the timeline. Simply double-click the time axis and a dialog box will pop up, prompting you for the name of the event and its associated time. You can also move events directly on the timeline simply by dragging them to a different time position.

For more information, see "Using the Timeline view".

Numbering schemes: MindView 3 comes with various numbering schemes that let you visualize how your map branches are ordered and make it easy to understand how they will be exported. On a timeline, a numbering scheme is useful for identifying branches (events) that belong together.

New icons: MindView 3 features new sets of branch icons, including dynamic icons denoting priorities, completion levels and other values which you can quickly increase or decrease by simply clicking the icon. See "Inserting icons" for more information.

Branch boundaries: MindView 3 allows you to do extensive customization of the boundaries surrounding your sets of branches and sub-branches. You can for instance apply color gradients of different directions to the area within the boundary, change the width or type of the boundary line, while always seeing the effect produced on the live preview before applying the option.

Focus mode: MindView's new Focus mode is designed to help you present your Mind Map. As soon as you click the branch you want to concentrate on, the map becomes centered on that branch. If necessary, the zoom factor is also increased automatically for maximum legibility. This lets you present and review your Mind Map by focusing on each branch in turn while discussing all the issues involved, returning to the normal mode of working at the end of the presentation.

See "Viewing a Mind Map" for more information.

Advanced filter: The new MindView filter lets you define criteria, and then locate the branches of your document that meet these criteria by hiding all the other branches. Using filters, you can for instance display only branches containing a specific label, or timeline events starting at a specific date. You can combine a range of criteria in the same filter, define different filters and save filters for future use.

See "Filtering a Mind Map" for more information.

New export templates: To ensure that your maps maintain their professional appearance when exported, MindView 3 includes new and innovative templates for Word and PowerPoint, as well as for HTML.

Pack & E-mail: MindView 3 lets you create a complete packed version of your Mind Map, ready to be sent via email, shared over the network or distributed via DVD or CD-ROM. When packing a map, all the external files that are attached to it (floating pictures, branch pictures, attachments and so on) are integrated within the packed map file.

Once a map is packed, you can continue working with it as normal. Any attached file you activate from within the map opens in the relevant external application, letting you edit it as you wish. When you close this external application, all the changes you have made are saved in the version of the attachment that is integrated to the packed map file.

See "Packing a Mind Map" for more information.

The new Send function creates a message in your default mail program, containing not only the packed map, but also a link to a free MindView viewer in case your recipients do not have MindView installed on their computer.

See "Sending a Mind Map" for more information.

Desktop search: MindView 3 supports Windows Search on Windows XP and above, letting you locate specific data within the Mind Maps stored on your hard disk and identify the relevant files instantly. All the data contained within your MindView documents is searched, including branch text, comments and searchable embedded files (such as Word documents).

For more information, see "Finding and replacing text".

Collaboration: MindView 3 supports SharePoint, the Microsoft browser-based collaboration and document management platform as well as WebDAV, the set of extensions to HTML that allows users to collaboratively edit and manage files on remote web servers. MindView is therefore able to open and save documents directly on a WebDAV or SharePoint server.

Tablet PC/ Interactive whiteboard support: MindView 3 now supports pen input as well as standard keyboard/mouse input, letting you insert digital ink data such as handwritten text and hand-drawn pictures on your branches. Although MindView's pen input features let you treat your computer mouse as a pen, they are designed for use with dedicated pen input devices such as tablet PC's, external digitizers, touch screens and interactive whiteboards. The only requirement is that the operating system on which MindView is installed must also support pen input (e.g. Windows XP Tablet PC Edition, all editions of Windows Vista with the exception of the Home Basic and Starter editions, Windows 7).

See "Working in Pen Mode" for more information.

Important terms

Many of the terms used in MindView belong to the standard Windows terminology. Some terms, however, are specific to MindView or related to the Mind Map concept and may be unfamiliar to you.

Attachments and hyperlinks

MindView allows you to attach various objects to the root or branches of your Mind Map, such as text documents, pictures, videos, sounds, Flash[™] files or URL links, which you can activate from within the Mind Map. These objects are listed in the MindView Object list, and can all be exported when exporting your map to a different format. See "Attaching objects" and "Creating hyperlinks" for more information.

Branch connections

A branch connection is used to indicate visually that two branches are conceptually related. This relationship is identified on a map by an arrow-headed line joining the source branch to the end branch. See "Creating branch connections" for more information.

Comments

Comments are short notes that you can add to the root of your map, to a branch or to the workspace itself. See "Inserting comments" for more information.

Document

Each MindView document you create opens in a separate tab bearing the name of the document. A MindView document can contain several maps. You can also keep several documents open at the same time in MindView. MindView documents are saved with the extension .mvdx. See "Creating a Mind Map" for more information.

Export

Once you have finished the design of your document, you can export it to other formats, such as a Microsoft® PowerPoint presentation, a Microsoft® Word or .RTF document, a MatchWare Mediator document or a picture. You can also export to HTML.

See the section "Exporting" for more information.

Import

Not only can you export your document to PowerPoint, Word, or Mediator, but you can re-import the exported document into MindView as a new document, while preserving much of the additional work you might have done on the document in these external applications. You can also import into MindView documents originally created in PowerPoint, Word, or Mediator.

See the section "Importing" for more information.

Icons

MindView lets you place icons on the branches of your Mind Map to attract attention or illustrate a particular idea. Using icons, you can for instance represent visually the status of a particular topic, its importance, and so on. See "Inserting icons" for more information.

Left/Right view

This view represents your Mind Map as a list of topics placed either on the right of the root (Right view) or on the left of the root (Left view). It is a good choice when you need to present data in a list form and want to be able to fully explore each point in the list before going on to the next point. See "Using different views" for more information.

Main branch

The main branches are the branches that are directly connected to the root. They represent the main topics related to the subject of your Mind Map. See "Inserting branches" for more information.

Mind Map

A Mind Map is made up of its root, all its branches and sub-branches and all inserted elements (icons, comments, text notes and so on) and attached objects (text files, picture files, video files, hyperlinks and so on). Note that MindView allows you to create several different maps in the same document.

Mind Map view

This is the default view when creating a new Mind Map. It represents the map with the root in the center, and all the main branches radiating from it in a clockwise direction. This is a good view to use when brainstorming ideas for a Mind Map without worrying about evaluating or structuring them. See "Using different views" for more information.

Outline view

The Outline view represents the map as a hierarchical list which you can expand and collapse as required. It allows easy navigation through the document from top to bottom and gives you another way to brainstorm ideas. For detailed information about working in the Outline view, see "Using the Outline view".

Pack & Unpack

This feature allows you to distribute your Mind Map to other users very easily. With a few mouse clicks, you can create a packed map containing all the pictures and files you may have attached to it, ready to be accessed over the network or distributed by email. See "Packing a Mind Map" for more information.

Pre-branch

A pre-branch is a branch that you insert before the currently selected branch. See "Inserting branches" for more information.

Root

The root is the central block that appears when you create a new Mind Map. It represents the subject of the map. Any branch that you attach directly to the root is a main branch. See "Inserting branches" for more information.

Sub-branch

Any branch belonging to a main branch is called a sub-branch. Each sub-branch can have its own sub-branches. Sub-branches represent various levels of sub-topics. See "Inserting branches" for more information.

Templates

MindView comes with a large number of educational, business and personal templates on which you can base your own Mind Maps. You can also save your own Mind Maps as templates for future use. See "Saving a Mind Map" for more information. Templates are saved with the extension .mvtx.

Text notes

Text notes, unlike comments, are comprehensive notes that you can enter using the Text Note editor and associate with the root or any branch of your map. See "Inserting text notes" for more information.

Timeline view

The Timeline view lets you see all the branches of your Mind Map that contain time information displayed in chronological order along a horizontal time axis. Different timescales (for example standard, geological and historic) let you tailor the timeline to suit your needs. For more information on the Timeline, see "Using the Timeline view".

Top Down view

This view represents your Mind Map as a hierarchical pyramid, with the root at the top, the main branches underneath, the sub-branches below the main branches and so on. It is a useful representation for structured data which needs to be viewed in a hierarchical manner, in other words from the higher level to the lowest levels. See "Using different views" for more information.

MindView Installation

Stand-alone installation

- Insert the DVD in the drive.
- > Follow the instructions on the screen when the MindView Install program starts.

If the MindView Install program does not start automatically:

- Choose Start Run.
- > Type the following:

X:\start.exe

where X represents the DVD drive letter.

Administrative installation (system administrators only)

The Windows® Installer can perform an administrative installation of an application or product to a network for use by a workgroup. An administrative installation installs a source image of the application onto the network that is similar to a source image on a DVD. The administrative installation package can then be pushed by system administrators to client computers in a domain via Group Policies. This is only possible from Windows 2000 Server onwards.

To find out more about Windows® Installer and administrative installations, please refer to the Microsoft web site.

Creating an administrative installation

Administrators can create an administrative installation from the command line by using the /a command line option.

- Choose Start Run.
- \succ Type the following:

msiexec.exe /a X:\install\setup.msi

where X represents the DVD drive letter.

(please check the location of the setup.msi on the DVD)

- Specify the following in the dialog that appears:
 - Where you want to unpack the .msi file
 - The user name and company name to use as default
 - The serial number

Ś

- (optional) Check 'Force activation when MindView is run' if you want MindView to be automatically activated the first time the program runs.
- (optional) Check 'Automatically activate during installation' if you want to activate MindView during installation.

These two activation options are "silent" (i.e. they do not display any messages).

W The above options are stored in a file called "admin.ini" in the destination folder. You can edit this file using a text editor like Notepad if you want to change the options without making a new administrative installation.

Applying a patch package to an administrative installation

- Choose Start Run.
- ➤ Type:

msiexec.exe /p <path to .msp file> /a <path to administrative .msi file>

Members of the workgroup using MindView must then reinstall the application from the new administrative source image to receive the update.

To completely reinstall the application and cache the updated .msi file on their computer, users may enter either of the following commands:

- msiexec.exe /fvomus //server/<administrative .msi file>
- msiexec.exe /I //server//<administrative .msi file> REINSTALL=ALL REINSTALLMODE=vomus

Troubleshooting

Changing the location of the activation file

By default, the activation data is stored in:

C:\Documents and Settings\All Users\Application Data\mwas\MindView3.0.mwas

In some rare situations, client computers may be setup with restricted access to the above folder, and this will cause the activation file not to be saved. If you have a client server system setup in this way, you can move the activation file to another location by adding an entry to the admin.ini file as follows:

[Activation]

mwas=c:\different folder with write access\MindView3.0.mwas

Storing several activation files on the server

You can store several activation files in the same folder of the server by adding an entry to the admin.ini file as follows:

[Activation]

mwas=\\server\activations\MindView3.0_%COMPUTERNAME%.mwas

Where:

server = the name of the server

activations = the share name on the server

%COMPUTERNAME% will be replaced with the client computer name

Problem applying a patch

Q. Nothing happens when I double-click the patch file (ex. patch.msp).

A. The .msp file extension may be allocated to an application other than the Windows installer.

In this case, you can apply the patch as follows:

- Chose Start Run.
- > Type the following command:

msiexec.exe /p c:\temp\patch.msp

(assuming that you have copied the .msp file to c:\temp)

Support

Getting help

The MindView documentation is provided as online help in the program. It can also be found in PDF format in the MindView installation folder.

Online Help

You can access the online help system by pressing F1 or by clicking the small question mark 0 on the top right of the MindView window.

To obtain help on a particular dialog, click the small question mark ? No on the top right of the dialog in question.

The FAQ Knowledge Base

For additional information, please refer to our FAQ Knowledge Base:

http://faq.matchware.com/en/

As well as answering the most commonly asked technical questions concerning the MatchWare products, this database allows you to post comments and send questions to MatchWare.

Service Packs

If you encounter a problem that you are not able to solve by referring to the FAQ, check that you have installed the latest MindView service pack available. MatchWare releases service packs regularly to provide enhancements and correct errors reported by its users.

You can find service packs for MatchWare products at:

http://www.matchware.com/en/support/default.htm

MatchWare Web Site

The MatchWare web site contains extensive information on all the products offered, as well as tutorials, templates and reviews. Updates are posted regularly. To see what is currently available, please visit:

http://www.matchware.com/en

Reporting a problem

To report a problem, bug or any other error in MindView, please send a message to MatchWare via our FAQ Knowledge Base:

http://faq.matchware.com/en/

MatchWare is registered with the Windows® Quality Online Services. In the unfortunate event of an application failure, the Windows Error Reporting system will capture relevant product data and enable you to forward this data to MatchWare automatically.

Quick Start

Quick Start

This Quick Start takes you through all the basic steps required to build a Mind Map from scratch and enhance it with design effects, icons, comments, pictures, attachments and so on.

The map we are going to create here is about planning a weekly meeting.



The complete Mind Map, "Weekly Meeting.mvdx", can be found in the MindView program folder, in "...\MatchWare\MindView 3.0\QuickStart".

First step: Creating the Mind Map

In this first step of our Quick Start example, we are going to create all the branches we require for our meeting agenda.

We start by creating a new MindView document.





If you have closed the Welcome dialog, you can create a new document by pressing Ctrl + N.

The New Document dialog opens.

New Document			2 ×
New Map Templates			
Mind Map	Top Down	Left Outline	ldea Idea Idea Idea Idea Idea Idea Idea I
			Open Cancel

In this Quick Start, we will use the Mind Map view, which is the default view in MindView.

> On the New Map tab, select the Mind Map thumbnail and click **Open**.

Your new map appears with the root block ready for you to fill in.

Subject

Entering the subject

> Type "Weekly Meeting" and press Enter.

Weekly Meeting

The default file name "Weekly Meeting" is now shown on the document tab.

<table-of-contents> Weekly Meeting* 🛛

The asterisk to the right of the name indicates that the document contains data which has not yet been saved.

Inserting the main branches

r <mark>–</mark>

We are now going to insert a few branches, corresponding to various topics we would like to include in our agenda, namely:

- A section for the opening remarks
- A section on budget issues

- A section on the upcoming office relocations
- A section for the closing remarks

Let's start by inserting the first branch.

> Press Enter.

The first branch is now visible. Its default label is "Idea".

- > Type "Opening remarks" and press **Enter**.
- > Press Enter again to insert the second branch.
- > Type "Budget" and press Enter.
- > Insert two more branches by pressing Enter and label them "Relocations" and "Closing remarks".

As you can see, branches are inserted in a clockwise direction around the root.



Inserting the sub-branches

 $rac{1}{2}$ We now want to insert some sub-branches, corresponding to the sub-topics of our main topics.

- To add the first sub-branch to the Opening remarks topic, click the corresponding branch to select it and press Insert.
- > Type "Welcome" and press Enter.
- > Press Enter again to add the second sub-branch.
- > Type "Objectives" and press Enter.
- > Type "Previous minutes" and press Enter.
- Now select the "Budget" branch and press **Insert** to add its first sub-branch.
- > Continue in the same way until you have added all the other sub-branches shown below.



V To correct typing errors, click the branch label and press F2. Then place the cursor at the required position, press Delete or Backspace to remove the incorrect characters, type the correct ones and press Enter.

Saving the document

Let us save the work we have done so far before going on to the second step.

- > Click the **Save Document** icon \blacksquare in the Quick Access Toolbar or press **Ctrl** + **S**.
- > In the Save As dialog that opens, choose a folder, enter a file name for your new Mind Map and click Save.

The default file name, derived from the subject of the map, is "Weekly Meeting.mvdx".

Second step: Enhancing the Mind Map

In this second step of our Quick Start example, we are going to enhance our meeting agenda by adding a variety of visual elements and multimedia objects to it.

Choosing a style

MindView contains galleries of predefined layouts and styles, which allow you to apply branch shapes, branch colors and other coordinated attributes in one step.

Click the **Design** tab in the main menu.

This tab contains all the design options applicable to the current view, in this case the Mind Map view.

> Browse through the Layouts gallery to choose your preferred layout.

As you browse through the options, MindView shows you an immediate preview of their effect on the map. To apply a particular option, just click it. As we are designing a standard Mind Map, we are going to keep the default layout.

- Browse through the Styles gallery to choose your preferred style.
- (optional) To further customize the visual aspect of your map, explore the options available in the Effects and Properties panels.

All the design options you choose here apply to the entire map. You can come back to this Design tab at any stage to change or add design options to your map. You might even prefer to leave the design phase to the end, once you have put in place all the contents of your map.

As well as specifying global design options, MindView lets you apply different design effects to individual branches of the map, as we will see at the end of this Quick Start.

Inserting pictures



Figure 1 It is considered good Mind Mapping practice to insert a picture in the root block to illustrate the theme of the map, so we are going to do just that:

- Click the View tab in the main menu.
- Click Show/Hide | Multimedia Catalog.

The Multimedia Catalog opens.

Click the 'Search for' field of the Multimedia Catalog and type "meeting".

Various pictures appear in the Multimedia Catalog display area.

Search for:	meeting	
Search in:	All	✓ S
🔤 🗐 Favo	orites	^
Rec	ent	
Sea Sea	rch Results (5	found)
		~
4	<u>2</u>	

> Drag the picture of the meeting over the root block and let go of the mouse button.

The root block now contains a picture of a meeting.

This type of picture, which "sits" on the branch to which it belongs, is called a "branch picture".



We also have a picture of a removal truck which we are going to insert as a "floating picture" to illustrate the Relocations branch.

- Click the Relocations branch to select it.
- Click the **Insert** tab in the main menu.
- > Choose **Pictures** | **Floating Picture**.
- Browse to "...\MatchWare\MindView 3.0\QuickStart" in the Program Files folder, select the file "Truck.png" and click Open.

A picture of a truck now appears on the map. You can move this picture wherever convenient by dragging it with the mouse. Note that a thin line connects it to the branch to which it belongs.



Inserting icons

Inserting icons on the map is a useful way of attracting attention or illustrating a particular idea.

- Select the Budget branch.
- Click the **Insert** tab in the main menu.
- Click the small arrow under the **Icons** icon at the far right.
- Click the dollar sign icon in the Standard icon palette.



The icon now appears next to the branch label name.



Select the Relocations branch and add the red flag icon to it to indicate that the deadline for the office move is approaching.



Inserting a text note



• The MindView Text Note editor lets you add comprehensive text notes to any branch of your map.

We want to add a note to the Closing remarks branch to explain why we might want to broaden the list of attendees for the next meeting.

- > If it is not already visible, open the Text Note editor by choosing View | Show/Hide | Text Note Editor.
- > Select the Closing remarks branch and type the following text (or any other) in the Text Note editor.



As soon as you click the Text Note editor window, an **Edit** tab appears at the right of the ribbon to help you format your note.

▶ Format the text to your liking and click outside the Text Note editor.

A paperclip icon \Downarrow now appears to the right of the Closing remarks branch label, indicating that this branch contains an object.

- Closing remarks

Inserting comments

We would also like to insert a couple of shorter comments and reminders in our map.

We start by adding a "floating comment" to the Relocations branch to indicate that the planning deadline is approaching. Floating comments stay visible on the screen at all times.

- Click the Relocations branch to select it.
- > Choose **Insert** | **Text** | **Floating Comment** in the main menu.

A floating comment box opens with the default text "Insert Floating Comment".

- > Enter the text of the floating comment as shown below and press Enter.
- > (optional) Move the floating comment by dragging it wherever convenient.



We are now going to insert a "pop-up" comment in our Opening remarks branch as a reminder to welcome new staff. Pop-up comments are normally hidden.

Select the Opening remarks branch. This time, rather than using the main menu, press F11 (MindView's more commonly used commands have function key equivalents).

A yellow comment box opens.

> Enter the text of the comment as shown below and click outside the yellow box.



The comment box disappears, but a yellow comment icon now appears next to the branch label, indicating that this branch contains a pop-up comment. You can view the comment at any time by moving the mouse pointer over the icon, and edit it by clicking the icon.



Attaching a file

Since we have developed a spreadsheet to help us plan next year's budget, we are going to include it as a file attachment on our map.

- Click the Budget branch to select it.
- Choose Insert | Links | Attachment in the main menu.
- Browse to "...\MatchWare\MindView 3.0\QuickStart", select "Budget.xls" and click OK.

A paperclip icon \Downarrow now appears to the right of the Budget branch label, indicating that this branch contains attached objects.

> To view the attachment, move the pointer over the paperclip icon.

The object pop-up list appears.



Assuming Microsoft® Excel is installed on your computer, all you have to do to view the spreadsheet is to click the attachment in this list.

The attachment is also listed in the Object list for the branch.

> To view the Object list, choose View | Show/Hide | Object List in the main menu.

Object List	џ	×
🔊 Budget.xls		

Creating a branch connection

Since we want to consider this year's underspent areas when planning next year's budget, we want to create a visual link between the two topics on the map.

Choose Insert | Links | Branch Connection in the main menu.

The mouse pointer changes shape.

Move the mouse pointer to the Underspent areas branch, click it, drag the pointer to the Next year branch until it gets highlighted and let go of the mouse button.

A line now joins the Underspent areas branch to the Next year branch, indicating that the two branches are related.



The paperclip icon appears to the right of the Underspent areas branch, denoting the presence of the branch connection.

If you select the Underspent areas branch again, you will notice that the branch connection is also listed in its Object list. By default, it bears the name of the branch where the connection ends.



Formatting the branches

¹ To finish off our map, we are going to add boundaries around the main branches.

At the start of this topic, we have seen how to choose global design options for the view using the **Design** tab.

If required, you can also apply specific design options to individual branches using the Format tab.

Click the Opening remarks branch to select it.

> Click the **Format** tab that appears at the right of the ribbon.

This tab contains all the commands that are specific to the selected object, in this case the Opening remarks branch.

- Click the **Boundary** icon in the Boundary group.
- (optional) To choose a fill color for the boundary, click the small arrow under the Fill Color icon. This also lets you apply a color gradient, choose the direction of the gradient and change the start and end color of the gradient.
- (optional) To choose an outline style for the boundary, click the small arrow under the **Outline** icon. This lets you choose a different color for the outline, a different width or a different line type.

Properties		
	d General Text	⊳
	Text Opening remark	s
	Fill Type Solid 💌]
	Fill Color 1	
	Outline Color	
	Outline Width 0	
	Line Color	
	Line Width 3	
	Boundary 🔽	
	Boundary Fill Type Solid 💌]
	Boundary Fill Color 1	
Welcome	Boundary Outline Color	
Opening remarks m Objectives	Boundary Outline Width 1	
	Boundary Outline Roundne 10	
Previous minutes	Boundary Outline Dash Sty Solid	-
	Include in Export	

You can of course also use the Format tab to customize your branches further, by changing their shape, the color of their background and/or outline, the color and width of the line joining the branch to its parent branch and so on.

V If after experimenting with all these options, you want to restore your branches to the default style you chose for the view at the start of this topic, just press **Reset Style**.

Our simple Quick Start example is now complete. In a very short time you have created and enhanced your first MindView Mind Map. You have also learnt the most common operations in MindView. Please refer to the User Guide for more information about any of the features described here.

User Guide

Setting up

Setting up your workspace

The MindView window is made up of several components:



- The **MindView Button** is displayed in the upper left corner of the MindView window. It opens the **MindView Menu**, which contains commands affecting the entire document, such as New, Open, Save, Print or Export.
- The **Quick Access Toolbar** is a component of the Microsoft Office 2007 interface. It is a customizable toolbar that is available at all times, regardless of the menu tab currently open on the ribbon. By default, it is located in the upper left corner of the MindView window, next to the MindView Button.
- The **Ribbon** is also a component of the Microsoft Office 2007 interface. Its tabs, corresponding to the main activities in MindView, contain all the necessary commands, options and icons, organized in groups. It is designed to help you quickly find the commands that you need to complete a task.

The **Design** tab that appears at the right of the ribbon is a special tab. It contains all the design options applicable to the current view.

When a particular branch or map element is selected, a **Format** tab may appear after the Design tab. It contains all the commands that are specific to the selected object.

- Two **Panels** are displayed by default on the right of the MindView window.
- The Workspace is the area you use to design your document.

Customizing the Quick Access Toolbar

The Quick Access Toolbar contains the most frequently used commands. By default, it is located in the upper left corner of the MindView window, next to the **MindView Button**.



To move the Quick Access Toolbar closer to the workspace area:

Click the Customize Quick Access Toolbar arrow on the right of the toolbar.

> Choose Show Below the Ribbon.

You can also add the commands you use most frequently to the Quick Access Toolbar, or remove commands you use less often. See "Setting up your preferences" for more information.

Minimizing the ribbon

MindView lets you minimize the ribbon to increase the workspace available:

- > Click the **Customize Quick Access Toolbar** arrow on the right of the toolbar.
- > Choose Minimize the Ribbon.
- To use the ribbon while it is minimized, click the tab you want to use, and then click the command you want to use.

As soon as you have made your choice, the ribbon returns to its minimized form.

To restore the ribbon, click the Customize Quick Access Toolbar arrow again and uncheck Minimize the Ribbon.

You can also minimize the ribbon as follows:

- Double-click the current tab.
- > To restore the ribbon, just double-click any of its tabs.

/ You can also press **Ctrl + F1** to minimize or restore the ribbon.

The layout of the commands, options and icons in the ribbon changes when the width of the MindView application window is reduced. Controls normally represented by large icons may for instance now be represented by small icons. If the width of the application window is greatly reduced, a group may be represented only by its icon.



> To view the contents of such a collapsed group, just click its icon.

Using access keys and shortcut keys

To select a command from the ribbon, all you need to do is click the relevant tab to open it, then choose the command.

You can also use access keys for this purpose. Access keys are different from shortcut keys.

- Access keys are used to navigate through the interface and select its different commands using the keyboard. Each command shown in the MindView Button menu, the Quick Access Toolbar and the Ribbon has an access key.
- Shortcut keys are key combinations such as F1 or Ctrl + O used to perform frequently used commands. Shortcut keys are not related to the organization of the commands in the interface. You will find a list of all the shortcut keys used in MindView in "Keyboard shortcuts".
- To select a command using an access key, start by pressing the Alt or F10 key. You will now see the first layer of access keys you can use at that point displayed as small labels underneath each tab or command.



> Press the access key for the tab or command you require to see the second layer of access keys.

For instance, pressing H above will open the Home tab and display its access keys, as shown below.



> Press the key or keys corresponding to the command you want to select.

For instance, pressing B above will insert a branch in your map.

Using the MindView panels

Two panels are shown by default on the right of the workspace:

• The Time Info panel

This panel lets you enter dates and times on the branches of your Mind Map to create timelines.

For more information on this panel, see "Inserting timeline data".

• The Multimedia Catalog

This catalog contains an extensive collection of high quality clipart pictures which you can add to your map to illustrate the topics.

See "Inserting pictures" and "Using the Multimedia Catalog" for more information.

MindView includes other panels which you can show or hide using the View | Show/Hide command.

• The Text Note editor

The Text Note editor, which is placed by default at the bottom of the workspace, lets you associate comprehensive notes to the root or any branch of your map.

See "Inserting text notes" for more information.

The Timeline Outline

This panel is only used in the Timeline view. It shows all the branches of your map as a hierarchical list which you can expand and collapse as required.

The Properties dialog

This dialog shows the properties of the MindView element currently selected, for example the root, a branch or a floating comment. If nothing is selected the properties of the current view are shown.

See "Using the Properties dialog" for more information.

The Overview panel .

The Overview panel allows you to bring the different parts of your map into view.

See "Using the Overview panel" for more information.

The Object list

This lists all the objects placed on the currently selected branch of your map.

See "Using the Object list" for more information.

Resizing panels

To resize a panel, move the pointer on one of its edges until it changes to a double arrow and drag with the \triangleright mouse in the required direction.

Undocking panels

The Time Info panel and the Multimedia Catalog panel are always anchored on the right of the workspace.

All the other panels open by default on the left of the workspace, except for the Text Note editor, which opens at the bottom.

You can however move any of these panels freely on the workspace or dock them to a different position:

 \triangleright To undock a panel, just drag its title bar away from its current position until it is completely free, then let go of the mouse button.

You can also double-click the title bar of the panel to undock it and double-click it again to redock it. If you want to undock a panel and move it freely on the workspace without it "snapping" to a docked position, press the Ctrl key and hold it down while dragging the title bar of the panel.

Docking panels

You can dock an undocked panel to the left, top or bottom edge of the workspace as follows:

Drag the title bar of the panel and move it in the direction required until you see the arrow shapes left \triangleright appear on the edges of the workspace.

and down

Drag the panel on top of the required arrow until you see a darker shade of blue outline the new position. Release the mouse button if you are happy with this new position, else continue dragging to the required position.

You can also dock a panel above, below or on the side of another panel. To do this:

 \triangleright Drag the title bar of the panel and move it in the direction of the target panel until you see a three-arrow shape appear.



You now have different possibilities:

• Moving the panel over the left, up or down arrow will dock it on the corresponding side of the underlying panel.

Here for instance, the Object list is being docked to the left of the Properties dialog.



• Moving the panel to the middle square will integrate it as a tab of the underlying panel, converting it to a multi-tab panel.

Here, the Object list is being integrated with the Properties dialog as a tabbed panel.

Properties				- # ×
	Text P	icture		⊳
Text		Energy		
Fill Type		Gradient	t 💌	
Fill Color 1				
Fill Color 2				
Fill Mode		📥 ertical		-
O Color				
Occurre Width		۳/		
Object List	×			
🔣 Purpose:				
🔍 MatchWare				
💐 Statistics.xls				
💒 What is ener	gy?			

> To free such a tabbed panel, drag it by clicking its tab, not its title bar.

To separate the Object list from the Properties dialog in the example below, you would therefore click the Object List tab.



Resetting panels to their default position

If necessary, you can reset all the panels to the default position they had when you first installed MindView:

- Click the **MindView Button**.
- > Click MindView Options in the bottom right corner of the dialog.
- Click **Preferences** on the left.
- Click **Reset Interface**.

When using this command, note that other components, such as the Quick Access Toolbar or the list of recently opened files, are also restored to their defaults.

Setting up your preferences

The MindView Options dialog lets you customize your environment and gives you access to external web resources.

- Click the **MindView Button**.
- Click MindView Options in the bottom right.

The MindView Options dialog that opens contains several panels, corresponding to different options.

Proofing options

This dialog contains various options which you can set to determine the type of errors reported by the spellchecker.

It is described in detail in the topic "Spellchecking options".

Saving options

Create backup of document files: Creates a backup of the MindView file and saves it as a *.bak file. The *.bak file is a copy of the last saved version of your document. See "Saving a Mind Map" for more information on this feature.

Save auto-recovery info: MindView automatically saves a copy of your open documents at regular intervals in a temporary backup file. If a problem occurs that prevents MindView from closing properly, you can choose to auto-recover your file from this backup file when next starting MindView. This field allows you to set the interval between automatic saves.

Advanced options

Display options

Draw map antialiased: Antialiasing improves the appearance of your map by smoothing its edges. This option is checked by default. However, antialiasing makes a heavy use of the computer resources. If your computer is not very powerful, you might prefer to disable this option to speed up the display of the map.

Draw text antialiased: This option is unchecked by default. However, text looks smoother when it is antialiased. Enable this option if your computer resources allow it.

Show Welcome dialog on startup: If you disable this option, MindView displays an empty workspace when starting rather than the Welcome dialog. See "Creating a Mind Map" for more information.

Reset Multimedia Catalog: Clicking this button restores the original contents of the Multimedia Catalog. Your User Area is left unchanged, but all the elements you might have added to any other category are removed. See "Using the Multimedia Catalog" for more information.

Reset Interface: Clicking this button resets all the panels to their default positions. When using this command, note that other components, such as the Quick Access Toolbar or the list of recently opened files, are also restored to their defaults. See "Using the MindView panels" for more information on resizing and docking panels.

Animation options

These options allow you to disable the animation effects used by MindView if your computer is not powerful enough to produce a good result. If the animation effects appear slow and jerky rather than fast and smooth, you can disable the following options:

- **Comments:** This relates to the way the comment window opens when you insert or edit a yellow pop-up comment \square .
- **Object list pop-up:** This relates to the way the Object list pop-up opens when you move the mouse pointer over the paperclip icon \emptyset shown next to the label of any branch containing attached objects.
- Zoom: This relates to the way the map is displayed by increments when zooming in and out.

Undo options

Enable Undo: Check this box if you want to be able to undo any operation you have performed on your map. This gives you the freedom to experiment, as you can easily undo the last change made by choosing **Undo** in the Quick Access Toolbar (or Ctrl + Z), and reapply the change if necessary with **Redo** or (Ctrl + Y).

Note that you can also click the arrow to the right of the Undo icon to select a number of changes to undo. Similarly, the Redo icon allows you to restore the last change or changes undone.

Undo levels: This field lets you specify the maximum number of changes that you want to be able to undo. If for instance you set the number of Undo levels to 5, you will be able to reverse up to 5 changes by selecting the changes in the Undo list \checkmark or pressing Ctrl + Z several times. Note that increasing the number of undo levels increases the amount of memory used.

Updates

Check for program update every: This option allows MindView to check automatically for program updates on the MatchWare web site at the start of the program. You can set the frequency of the checks in the time field, or disable the feature by removing the check mark.

Text Note editor

These options let you specify a default font, text size and text color for all the text notes you enter using the Text Note editor. You can of course change these settings for individual text notes when working in the editor. For more information about the Text Note editor, see "Inserting text notes".

Customize options

This panel lets you add the commands you use most frequently to the Quick Access Toolbar, or remove commands you use less often.

- > In the field **Choose commands from**, choose the ribbon tab containing the required command.
- > Choose the required command in the **Commands** field and click **Add**.

You can also add entire groups to the Quick Access Toolbar. Groups are denoted by a drop-down symbol

Y A quicker way to add a command to the Quick Access Toolbar is to click the ribbon tab containing the command you want to add, right-click the command and choose **Add to Quick Access Toolbar**.

Clicking Reset will restore the original contents of the Quick Access Toolbar.

You can also access this panel by clicking the **Customize Quick Access Toolbar** arrow **on the right of** the toolbar.

Resources

This dialog lets you access the MatchWare web site and obtain the latest product updates.

Pen input options

This dialog is only displayed if your operating system supports pen input. It lets you choose different input options when working in Pen Mode. For more information, see "Working in Pen Mode".
Basic tasks

Creating a Mind Map

When you start MindView, the first screen you see is the Welcome dialog.



Here you can select to:

- Create a new document
- Open an existing document
- Open a recently used document

You can check 'Do not show this dialog again' to bypass this dialog next time you start MindView. If you want to show the Welcome dialog again at a later stage, click 'Show Welcome dialog on startup' in the MindView Options dialog. See "Setting up your preferences" for more information.

> Choose **New Document** to create a new Mind Map document.

Although the topics in the "Basic tasks" and "Further tasks" sections of this documentation assume that you are using one of the standard Map views, namely Mind Map, Top Down or Left/Right, most of the procedures they describe apply equally to *all* views. Procedures that are specific to particular views are described in the topics dealing with these views in the Views section of this documentation.

Creating a new document

The **New Map** tab of the New Document dialog allows you to create an empty document based on one of the six views provided, namely **Mind Map**, **Top Down**, **Left**, **Right**, **Timeline** and **Outline**.

See "Using different views" for more information about each view.

New Document			? ×
New Map Template:	5		
Mind Map	Top Down	Left Outline	Idea Idea Idea Idea Idea Idea Idea Idea
			Open Cancel

 $\sqrt[n]{V}$ If you have closed the Welcome dialog, you can also display this dialog by pressing Ctrl + N.

Once you have created your document, you can display it at any time in another view by choosing that view in the **Home** | **View** or **View** | **View** panels in the main menu or by right-clicking the workspace and choosing **View Map As** in the local menu.

Going from one view to another only affects the way the document is displayed. The contents of the document are not modified, unless you edit them yourself while working in the new view.

- Click one of the thumbnails.
- Click **Open**.

The map appears with the root block ready for you to fill in.



See "Entering a branch label" to find out how to do this.

Using an existing template

The **Templates** tab of the New Document dialog allows you to create a document based on one of the many educational, business and personal templates included in MindView. The curriculum-aligned educational templates cover a range of learning levels and are supported by over a thousand high quality clipart images created specifically to match all areas of the curriculum.

V You can also display this dialog by clicking the MindView Button and choosing New From Template.

Once you have created your Mind Map from one of these templates, you can easily tailor it to meet your particular needs. Ideas and suggestions for expansion are given in text notes and pop-up comments.

If you have already created and saved your own templates, you can base your new Mind Map on one of them by selecting it in the My Templates category. See "Saving a Mind Map" for more information on how to save templates.

You can see a preview of each template by moving the pointer over its name on the right part of the dialog.

New Map Templates	Charlemagne and the Franks Churchill Countries in Conflict Early American Civilizations Explorers Famous Buildings France in the 17th Century French Revolution German Chancellors Historical Event Historical Period	Italian Renaissance Napoleon I	
	Industrial Revolution		
		Open Cancel	

Saving a Mind Map



MindView documents are saved as .mvdx files.

To save a document:

Click the **MindView Button**.

You can now choose either:

- Save to save your document under its existing name and continue working in MindView.
- Save As to save your document under a different name. This is also a way of creating a copy of your document.

[©] To save your document, you can also click the **Save** icon = in the Quick Access Toolbar or press **Ctrl** + S.

By default, the previous version of your document is automatically saved as a .bak file. To disable automatic backups, uncheck 'Create backup of document files' in the MindView Options dialog.

Recovering a backup file (*.bak)

If you save a document after having made some changes which you wish you had not made, you can restore the previous version of the document as follows:

- > Click the **MindView Button** and choose **Open**.
- Browse to the folder containing your MindView document and enter the file name *.* in the Open dialog to view the list of all the files contained in that folder.
- Select the *filename*.bak file, where *filename* is the name of your MindView document and click Open.

Click the MindView Button and choose Save As to save the .bak file under its original .mvdx name to overwrite the incorrect version of the document.

Auto-recovery

By default, a temporary copy of your document is also saved automatically at regular intervals to allow autorecovery in the event of a program failure. To disable automatic saving of auto-recovery information, uncheck 'Save auto-recovery info' in the MindView Options dialog.

Provide the state of the second state of the s

Saving your document as a template

You can also save your document as a custom template for future use. This allows you to create new documents based on your existing ones. To do this:

- > Click the MindView Button.
- > Choose Save As Template.

The Save as Template dialog appears. Its left part contains a list of the templates you've already saved. Clicking one of these templates gives you a preview of it on the right part of the dialog.

Save as Template		? ×
My Templates	\	
Template name:	Project Management	
Agenda Project Management	Organization	Print Service Print
		Delete Save Cancel

To create a new template:

> Enter the name of your new template and click **Save**.

To overwrite an existing template:

Select an existing template and click **Save** to overwrite it with your new template.

To delete an existing template:

Select an existing template and click **Delete**.

Sustom templates are saved with the extension .mvtx in your Document and Settings folder.

Opening a Mind Map

When you start MindView, the first screen you see is the Welcome dialog. This dialog lets you browse for an existing document or select a recently used document.

If you have closed the Welcome dialog, you can open an existing document as follows:

- > Click the MindView Button.
- Choose **Open**.

```
You can also press Ctrl + O.
```

Note that you can open several Mind Maps in MindView at the same time. Each one is displayed in a separate tab in the MindView workspace and is treated as a separate document.

Development.mvdx*	Agenda.mvdx* Subject
-------------------	----------------------

An asterisk on the right of the document name indicates that you have made changes to the document which you have not yet saved.

You can easily go from one document to the other by clicking the relevant tab or pressing Ctrl + Tab.

MindView also lets you open MindManager® files (with extension .mmap) from versions X5 and 6 upwards.

Opening documents created with previous versions of MindView

MindView 3 lets you open documents created with previous versions of MindView. However once you make changes to the document and save it with MindView 3, the document is no longer compatible with the previous version.

For this reason, MindView 3 starts by making a copy of the old document, saving it with the suffix _old.

Notes:

- The auto-recovery feature (see "Saving a Mind Map") will only become active once you have saved the document in the new format.
- If you are trying to open a password-protected document created with MindView Business Edition, you will need to enter the password before proceeding.

Entering a branch label

By default, the root of a newly created Mind Map contains the label "Subject" and new branches appear with the label "Idea".

Replacing the default label

- > Just click the root or branch to select it and start typing.
- When you have finished, press **Enter** or click outside the root or branch.



Unless you label is quite short, a handle \square appears at the bottom right of the label. You can use this handle to resize the branch label by dragging it in the direction required.

By default, the text wraps around automatically when you type long labels. If you want to force the next part of your label to start on a new line, press Ctrl + Enter at the end of the line. You can disable the automatic text wrapping by unchecking the relevant property in the View properties. See "View properties: General tab" for more information.

Your map will be clearer if you keep your root and branch labels short. If you need to enter longer notes, use the Text Note editor. You can also enter comments to serve as reminders while you build up your map. See "Inserting text notes" and "Inserting comments" for more information.

Editing a label

> To replace the existing label, just click the branch to select it and start typing the new label.

You can also edit the existing label. There are several ways of entering Edit mode:

- Click the label once to select it and press F2, or
- Click the label once to select it and click it again after a short time, or
- Right-click the label and choose **Edit Text** in its local menu.

Once you are in Edit mode:

- Place the cursor at the required position and start typing.
- > When you have finished, press **Enter** or click outside the label.

 \Im Pressing **Esc** while in Edit mode will leave the existing label unchanged.

Inserting branches

MindView lets you insert main branches, sub-branches and pre-branches in your Mind Map:

• A **main branch** is a branch directly connected to the root.

Main branches represent the main topics related to the subject of your map.

• A **sub-branch** is a branch belonging either to a main branch or to a sub-branch of higher level.

Sub-branches represent the various levels of sub-topics in your map.

• A **pre-branch** is a branch you insert before a sub-branch.

MindView automatically arranges the main branches, sub-branches and pre-branches as you insert them to prevent any overlap.

You can however choose to reposition the main branches yourself after their insertion by disabling Auto-Layout mode. See "Moving a branch" for more information.

As soon as you add a branch, sub-branch or pre-branch, the new branch appears with the default label "Idea". The procedure for replacing the default label is the same as for the root. See "Entering a branch label" for more information.

Inserting a main branch

To insert a main branch:

Click the root and press **Enter** or **Insert**.

You can also:

- **Double-click** the root, or
- Click the root and choose Home | Insert | Branch or Home | Insert | Sub-Branch, or
- Click the root and choose Insert | Branches | Branch or Insert | Branches | Sub-Branch, or
- Right-click the root and choose Insert | Branch or Insert | Sub-Branch in its local menu.



Inserting branches at the same level



> Click the existing branch and press **Enter**.

You can also:

- Click the branch and choose Home | Insert | Branch, or
- Click the branch and choose Insert | Branches | Branch, or
- Right-click the branch and choose **Insert** | **Branch** in its local menu.



Inserting a sub-branch

To add a sub-branch to an existing branch:

> Click the existing branch and press **Insert**.

You can also:

- **Double-click** the branch, or
- Click the branch and choose Home | Insert | Sub-Branch, or
- Click the branch and choose Insert | Branches | Sub-Branch, or
- Right-click the branch and choose Insert | Sub-Branch in its local menu.



Inserting a pre-branch

To insert a branch between an existing branch and its parent branch, you can:

- Click the branch and press **Shift + Enter**, or
- Click the branch and choose Insert | Branches | Pre-Branch, or
- Right-click the branch and choose Insert | Pre-Branch in its local menu.



Formatting a branch

As soon as you insert a branch in the map, a Format tab appears at the right of the ribbon.

This tab lets you perform different operations on the branch, such as changing its shape, choosing a different fill color, defining a branch boundary, or selecting different text attributes. See "Formatting a branch" for more information.

To apply the same formatting attributes to all the branches, it is however much easier to use the **Design** tab, whose predefined styles and design options apply to the entire map. See "Designing a Mind Map" for more information.

Copying branches from an external application

You can easily create a branch structure with main branches and sub-branches by copying several lines of text from an external document, such as a Microsoft Word document, a Notepad text file or a Microsoft Excel spreadsheet, and pasting them into your MindView document. Any line indented with spaces or tabs in the external application will be inserted as a sub-branch of the higher level line.

Similarly, you can copy a MindView branch structure to another application by copying it from MindView and pasting it in the external application.

Expanding and collapsing a branch

As soon as you add a sub-branch to a main branch or to another sub-branch, a small minus sign \Box appears between it and the higher-level branch. This allows you to hide the newly inserted sub-branch and any further sub-branches and concentrate on the higher-level branches. There are several ways to do this:

- Click the minus sign \Box , or
- Right-click the higher-level branch and choose Collapse in its local menu, or
- Press Ctrl + Shift + "-".

The sub-branch is now hidden, and the minus sign \Box changes to a plus sign \pm .

Profiling 🕒 🕀

To redisplay the sub-branch with all its sub-branches, do one of the following:

- Click the plus sign 🗄, or
- Right-click the higher-level branch and choose Expand in its local menu, or
- Press **Ctrl** + **Shift** + "+".



Navigating between branches

To select a branch, all you need to do is click its label.

The following keyboard shortcuts allow you to navigate easily from one branch to the other:

Up	Select the branch placed above the currently selected branch.
Down	Select the branch placed below the currently selected branch.
Left	Select the branch to the left of the currently selected branch.
Right	Select the branch to the right of the currently selected branch.

Deleting a branch

There are several ways of doing this:

- Click the branch you want to delete and press Delete, or
- Click the branch and choose **Home** | Editing | Delete X in the main menu, or
- Right-click the branch and choose **Delete** | Entire Branch in its local menu.

If a branch contains sub-branches, you can delete it without deleting its sub-branches by choosing **Delete** | **Branch Section** in its local menu. This causes the sub-branches to move up one level in the hierarchy to become sub-branches of the parent branch.

Remember that if you delete a branch by accident, you can always cancel the deletion by clicking Undo \checkmark in the Quick Access Toolbar or pressing Ctrl + Z.

Designing a Mind Map

You can customize the look of your map at any time by applying design options to it.

W Most design options give you a live preview of their effect on the map. It is therefore easier to judge the overall effect once you have entered a few branches and sub-branches in the map.

> Click the **Design** tab at the right of the ribbon.

This tab contains all the design options applicable to the current view.

Rear .	MapView Branch N	fatchWare MindView 3 - Subject*
Home Insert Review View	Design Format	
	₩. ※ ★ ★ ≫ ★	Color Root Branch Scheme * Shapes * Shapes *
Launuts	Stular	Etterts Properties

Browse through the **Layouts** gallery to choose your preferred layout.

For more information about these views, see "Using different views".

The layouts available depend on the view you are using. If you are using one of the three Map views for instance, you can choose between the traditional Mind Map layout, the Left or Right layout or the Top Down layout.

- > Browse through the **Styles** gallery to choose your preferred style.
- (optional) To further customize the visual aspect of your map, explore the options available in the Effects and Properties panels.

All the design options you choose here apply to the entire map. You can however apply different design options to selected branches. To find out how to do this, refer to "Formatting a branch".

View properties

In addition to the design options available on the Design tab, the view also has properties that you can edit in the Properties dialog. The Properties dialog always lists all the properties applicable to the element currently selected in the workspace.

- Click the workspace so that no other element is selected.
- Choose View | Show/Hide | Properties to open the Properties dialog.

Properties			
◀ General Bran	nches D		
Page Color	<u>^</u>		
Word Wrap Text	J		
Show Duration Bars	J		
Show Title	Top 🔻		
Show Time Breaks			
	~		

See "Using the Properties dialog" for a general description of the Properties dialog.

See "View properties: General tab" in the Reference section for a detailed description of the general properties applicable the view and "View properties: Branches tab" for a description of the default properties applicable to branches.

Viewing a Mind Map

As your map grows, parts of it may fall outside the display area and no longer be visible.

You can use the scroll bars or your mouse scroll button to bring them back into view:

- > To scroll your map vertically, use the vertical scroll bar or the scroll button of your mouse.
- To scroll your map horizontally, use the horizontal scroll bar or press Ctrl while using the scroll button of your mouse.

You can also **pan the view** to reach different areas as follows:

> Press the **Shift** key and drag the area of the view that you want to reposition within the workspace.

When you pan the view in this way, you will notice that the shape of the mouse pointer changes from an arrow to a hand.

You can also easily move the map within the workspace by dragging its root to the position of your choice.

There are other viewing options available to you:

- You can use the **Zoom** slider 100% 😑 -V-+ 🕣 or the **Zoom** icons of the View tab to change the level of magnification of your map. See "Zooming in and out" for more information.
- You can view the map in full screen mode by choosing **View** | **Zoom** | **Full Screen** in pressing **F9**. To return to normal viewing mode, choose **Close Full Screen** in the floating Full Screen toolbar, press **Esc** or press **F9** again.
- If you want to present your map to others, you can focus on one branch at a time while you discuss the issues related to that branch by choosing **View** | **Detail** | **Focus Mode** results or pressing **F3**. As soon as you click the branch you want to concentrate on, the map becomes centered on that branch. If necessary, the zoom factor is also increased automatically for maximum legibility.

To recenter the map on its root so that you can select other branches that may no longer be visible, just click anywhere on the workspace.

To return to the normal mode of working at the end of your presentation, click the Focus Mode icon again to deselect it or press F3.

• The **Detail Level** icons a of the View tab let you collapse the entire Mind Map to just one level of branches, two levels, three levels or four levels. To show all levels, click the **All Levels** icon **±**.

You can also press Ctrl + 1 to display just one level of branches, Ctrl + 2 to show two levels etc. Ctrl + 5 shows all levels.

- The **Apply Branch Focus** icon ⁴ of the View tab allows you to restrict the display to a particular branch or set of branches. See "Focusing on a branch" for more information.
- The Numbering Scheme icon is of the Home tab lets you apply sequential numbers to the branches of the Mind Map (starting from the top right in a clockwise direction) and choose between various numbering styles.
- The **Filter** icon ∇ of the View tab lets you define criteria, and then locate the branches of your document that meet these criteria by hiding all the other branches. Using filters, you can for instance display only branches containing a specific label or timeline events starting at a specific date.

See "Filtering a Mind Map" for more information.

• The **Overview** panel allows you to concentrate on particular areas of your map. See "Using the Overview panel" for more information.

Zooming in and out

This topic describes the zoom features provided by MindView to let you change the level of magnification of your Mind Map.

Other MindView options let you focus on particular areas by hiding all the other branches, apply a filter based on the conditions you define, or choose the number of levels of branches to display. For a description of these options, see "Viewing a Mind Map".

The easiest way to change the level of magnification of your map is to use the **Zoom slider** shown in the bottom right of the workspace.



Zooming in

There are several ways of zooming in on an area of your map:

- Click the **Zoom In** icon 🕀 of the Zoom slider shown in the bottom right of the workspace, or
- Press **Ctrl** + "+", or
- Press Alt while scrolling your mouse wheel.

The maximum zoom factor is 400%.

Zooming out

Conversely, you can zoom out in several ways:

- Click the **Zoom Out** icon 🗐 of the Zoom slider shown in the bottom right of the workspace, or
- Press **Ctrl** + "-", or
- Press Alt while scrolling your mouse wheel.
- Provide the minimum zoom factor is 5%.

Viewing the map at 100%

To view the map in its default zoom factor of 100%:

> Choose View | Zoom | 100% 🛄 in the main menu.

Fitting the map to the workspace

To make the best possible use of the space available, you can resize the map so that it completely fills the workspace:

> Choose View | Zoom | Fit All 🔝, or press F4.

Selecting a zoom factor

You can also choose a predefined zoom factor or enter your own zoom factor as follows:

> Choose View | Zoom | Zoom , in the main menu.

The Zoom dialog opens.

Zoom	×
 Fit all Fit selection 	
 400% 200% 150% 100% 75% 50% 25% 	Percent: 97 💽
ОК	Cancel

- > Choose one of the predefined zoom factors or enter your own value.
 - Fit all resizes the map so that it completely fills the workspace.
 - **Fit selection** resizes the map so that the selected branch together with its sub-branches completely fills the workspace.

111

 $\overset{\circ}{\mathbb{V}}$ You can also open the Zoom dialog by clicking the left part of the Zoom slider $^{177\%}$

Viewing the map in full screen mode

To give your map as much screen space as possible, you can temporarily hide all the menus and panels by viewing the map in full screen mode:

- > Choose View | Zoom | Full Screen ^[15], or press F9.
- To return to normal viewing mode, choose Close Full Screen in the floating Full Screen toolbar, press Esc or press F9 again.

Inserting text notes

The MindView Text Note editor is a powerful tool which lets you add comprehensive text notes to the root and any branch or sub-branch of your map. You can add as many different text notes as you like to any of these elements.

> If the Text Note editor is not already visible, choose View | Show/Hide | Text Note Editor to open it.

You can resize, dock and undock the Text Note editor according to your needs. See "Using the MindView panels" in the topic "Setting up your workspace" for more information.

In addition to text notes, you can also associate brief comments to the branches of your map. For more information on comments, see "Inserting comments". You can also attach an entire text file to a branch by using the **Home | Insert | Attachment** command. For more information on attaching text files, see "Attaching objects".

Creating a text note

The easiest way to add a text note to a root or branch is as follows:

- Select the root or branch to which you want to add a text note.
- Click the Text Note editor window (or press F8) and start entering your note.

As soon as you click the Text Note editor window, an **Edit** tab appears at the right of the ribbon to help you format your note.

Home Parts	The series of th	Branch Text Note Format Edit	MatchWare MindView 3 - Oven	view.mvdx
K Cat	Arial * 16 * A A	i≡ - i≡ - i≠ #	Booders *	ABC
Paste	B I ∐ abs X, X ³ 💇 - <u>A</u> -	🛢 🛎 🛢 📕 🕈 🔝 🔍	Table Delete Insert Insert Insert Insert Merge Split	Spelling
Clipboard	Font	Paragraph	Table	Proofing

- You can now type text, paste text from the clipboard or even import text from an RTF file using the local menu.
- > If necessary, click **Undo** in the Quick Access Toolbar to undo the last change(s) made.

• Once you have finished editing your text, simply click outside the Text Note editor or select another branch.

Once you are out of text editing mode, clicking Undo will undo all the changes made in the text note since entering text editing mode.

As soon as you select another branch or element in the map, the text note is automatically saved and added to the Object list of the root or branch. A paperclip icon \emptyset also appears to the right of the root or branch label to indicate the presence of an attached object. Moving the mouse pointer over the icon displays a pop-up list of all the objects attached.

Adding a text note

You can attach an additional text note to a root or branch as follows:

Click the New Text Note tab 22 at the bottom of the Text Note editor or press Ctrl + F8.

When the Text Note editor is not visible, you can also enter a text note by selecting the relevant root or branch and choosing **Home** | **Insert** | **Text Note** or **Insert** | **Text** | **Text Note** in the main menu or **Insert** | **Text** Note in the local menu.

Formatting a text note

Text editing in MindView works in the same way as with most word processors and you will recognize many of the commands below. Some of these commands are also included in the mini toolbar that appears when you select text with the mouse.

> To see what a particular icon does, place the mouse pointer over it until you see its descriptive label appear.



Arial • 12 • These fields let you view and change the **font** and **font size** of the currently

selected text.

Note that you can set a default font, text size and text color for all the text notes you enter in the MindView Options dialog as follows:

- > Click the **MindView Button**.
- > Click **MindView Options** in the bottom right.
- > Open the **Preferences** panel.
- > Choose the required options in the Text Note editor section.

A A These icons let you increase and decrease the **font size** from their current values. If a piece of text is selected, the size of each character is increased (or decreased) individually from its current value.

B I \underline{U} abe $\times_2 \times^2$ These icons help you set and remove **formatting attributes** in the usual way. You can set the selected characters as superscript or subscript by clicking the relevant icon.

The first of these icons let you change the **color** of the background of the selected text so that it looks highlighted. The second icon lets you change the color of the text itself.

Use these icons to create **bulleted lists** or **numbered lists**. Place the pointer in the relevant paragraph or at the beginning of a new line and click the appropriate icon. Clicking the arrow next to the icon lets you choose between different bullet styles and numbering formats. Clicking the icon again removes the formatting.



To adjust margins and indents, click the **ruler** icon (if the ruler is not already displayed). Drag the margin

markers at the left and right ends of the ruler to change the left and right margins. Drag the indent marker (which by default is shown directly below the left margin marker on the ruler) to set the indent margin. To indent an entire paragraph (including the first line), set the indent marker to the required position and type a tab character at the beginning of the paragraph. You can insert standard tab stops by clicking on the ruler and then dragging them into position. To remove tab stops, drag them away from the ruler.

These icons let you **align** the current paragraph within the text note. You can align it to the left margin, center it, align it to the right margin or justify it so that it is aligned with both left and right margins.

Clicking this icon displays all the special **marks** and **symbols** within your text note, such as line feeds and spaces. Click it again to hide these symbols.

Solution to insert a **picture** in the text note.

Creating a hyperlink

- To convert the selected text to a **hyperlink**, click solution or press **Ctrl** + **H**. This lets you create a link between the selected text and an external element such as a URL.
- To edit the hyperlink, press Ctrl + H again or choose Edit Hyperlink in its local menu.
- To delete a hyperlink, choose **Delete Hyperlink** it its local menu.
- To activate a hyperlink, press **Ctrl** while clicking the link.

You can set the format of the selected hyperlink as default for all hyperlinks by choosing **Default Hyperlink Style** in its local menu.



- If you select **No change**, the hyperlink keeps the current italic, bold or underline attribute.
- Set applies the relevant formatting (e.g. italic, bold or underline) to the hyperlink.
- **Clear** removes the relevant formatting from the hyperlink.

You can also select a font, size and color for the text by choosing a value and checking the box to the left of the relevant option to apply it.

The Change All button allows you to apply the options selected to all the existing hyperlinks.

Creating a table

The next group of icons relates to tables.



- To insert a table in your text note, click the **Table** icon and choose the initial number of rows and columns required. The table is inserted at the cursor position. To change the height of table rows, or the width of table columns, drag the row or column dividers. You can add and remove rows and columns later using the Insert commands.
- To delete the entire table, click the upper part of the **Delete** icon.
- To delete the selected cell(s), row(s) or column(s), click the arrow in the lower part of the **Delete** icon and choose the relevant command.
- To insert a row or column, place the cursor at the point of insertion, and choose the relevant **Insert** command.
- To change the interior color of the selected cell(s), choose **Shading** and select your preferred color.
- To add and remove borders or change the border color, choose **Borders**.

You can also change the interior and border colors of the cells by clicking the diagonal arrow in the bottom right of the Table group to open the **Table Borders and Shading** dialog.

Table Borders and Shading	? ×
Interior <u>A</u>II cells <u>Selected cell(s)</u> 	Color:
Borders ◯ Table outer <u>b</u> orders ⓒ S <u>e</u> lected cell(s) ☑ <u>I</u> op ☑ <u>B</u> ottom Width: ☑ <u>L</u> eft ☑ <u>B</u> ight (empty = current width)	Color:
<u></u> K	<u>C</u> ancel

You can assign a background color to all the cells in the table or to the selected cells only. You can also assign a border width and color to the left, right, top or bottom edges of the entire table or to each of the selected cells. To keep the current border width, just leave the Width field empty. Similarly, to keep the current colors, leave the Color field(s) unchanged (diagonal line on a white background).

- To merge cells, select them and choose Merge Cells.
- To split a cell into two, select it and choose **Split Cell**.

Spellchecking a text note

To check the spelling of the text contained in your text note, choose **Spelling**.

Clicking the lower part of the icon will enable you to choose a different language and set the spelling options. See "Using the spellchecker" for more information about this feature.

Selecting a text note

When several text notes are attached to a root or branch, you can display the one you want to view as follows:

- Click the tab corresponding to the required text note at the bottom of the Text Note editor, or
- Move the mouse pointer over the paperclip icon \emptyset to the right of the root or branch label and click the required text note in the pop-up list, or
- Click the required text note in the Object list of the root or branch.

Deleting a text note

To delete a text note, select it in the Object list and do one of the following:

- Press Delete, or
- Choose **Delete** in its local menu.

Remember that if you delete a text note by accident, you can always cancel the deletion by clicking Undo in the Quick Access Toolbar or pressing Ctrl + Z.

Inserting comments

MindView lets you associate comments with the elements of your map, including the workspace itself, the root and any branch or sub-branch. There are two kinds of comments:

- Floating comments
- Pop-up comments

In addition to these types of comments, you can also associate longer text notes with the branches of your map. For more information on text notes, see "Inserting text notes".

Floating comments

Floating comments are brief notes that stay visible on the screen at all times. You can add as many floating comments as you like to the workspace itself, the root or any branch of your map.



Inserting a floating comment on a root or branch

Select the root or branch to which you want to add a floating comment and choose Insert | Text | Floating Comment in the main menu or Insert | Floating Comment in the local menu.

A small window opens to let you type your comment, and a **Format** tab specific to the comment appears at the right of the ribbon.



By default, the text wraps around automatically after a certain number of characters. If you want to force the next part of the comment to start on a new line, press **Ctrl** + **Enter** at the end of the first line.

> Once you've finished typing, press **Enter** or click outside the comment window.

A thin line now connects your new comment with the root or branch you attached it to.

If necessary, you can move your comment to a more convenient place by dragging it with the mouse or by using the arrow keys of the keyboard.

> (optional) Click the **Format** tab at the right of the ribbon.

This tab contains formatting options applicable to the floating comment.

	🔒 🌮 🛛	~ ~ (~) ,			MapView	Floating Comment
V NY	Home	Insert	Review	View	Design	Format
Arial		- 11	- A .	Aŭ 🗖	<u> </u>	
B 7	U abc	ab2 - A			tline Line	
					• •	
		Font			Properties	

Browse through the options available in the different panels, checking their effect on your floating comment as you go.

As well as the Format tab, you can also use the Properties dialog to make changes to the floating comment.

See "Floating comment properties: General tab" and "Floating comment properties: Text tab" in the Reference section for a detailed description of the properties applicable to a floating comment. For a general description of the Properties dialog, see "Using the Properties dialog".

Inserting a floating comment on the workspace

▶ Right-click the workspace and choose **Insert** | **Floating Comment** in its local menu.

When you add a floating comment to the workspace in this way, the comment is not attached to anything and no connecting line is visible.

If necessary, you can then move your comment by dragging it with the mouse or by using the arrow keys of the keyboard. You can even connect it to a particular branch by moving it on top of its label.

Editing a floating comment

> To replace the existing comment, just click it to select it and start typing the new comment.

You can also edit the existing comment. As for branch labels, there are several ways of entering Edit mode:

- Click the comment once to select it and press F2, or
- Click the comment once to select it and click it again after a short time, or
- Right-click the comment and choose Edit Text in its local menu.

Once you are in Edit mode:

- > Place the cursor at the required position to edit the existing comment.
- When you have finished, press **Enter** or click outside the comment window.

Pressing Esc while in Edit mode will leave the existing comment unchanged.

Detaching a floating comment

To detach a floating comment from a root or branch, select the comment and choose Detach in its local menu.

The comment now belongs to the workspace itself rather than to the root or any of its branches.

Deleting a floating comment

To delete a floating comment, select it and do one of the following:

- Press Delete, or
- Choose **Home** | **Editing** | **Delete** X in the main menu, or
- Choose **Delete** in its local menu.

Pop-up comments

By contrast with floating comments, pop-up comments are normally hidden. You can add a pop-up comment to the root or to any branch of your map, but not to the workspace itself. This type of comment can be very useful as a "designer note" while you build your map. You could for instance insert a pop-up comment on a branch to list all the elements that you still need to add to that branch.



Inserting a pop-up comment

Select the root or branch to which you want to add a pop-up comment choose Insert | Text | Comment in the main menu or Insert | Comment in the local menu.



The comment window opens to let you type your comment.

- (optional) Resize the comment window by placing the mouse pointer on one of its edges or corners and dragging in the required direction.
- Once you've finished typing, press Esc, click outside the comment window or click the Close icon in the top right corner of the comment window.

A yellow comment icon in now appears next to the branch name, indicating that there is a comment associated with this branch. Moving the mouse pointer over this yellow comment icon re-opens the comment window so that you can read the comment. As soon as you move the mouse pointer away from it, MindView hides the comment window again.

If necessary, you can easily move your comment to a more convenient place by dragging its title bar with the mouse.

Editing a pop-up comment

There are several ways of entering Edit mode:

- Click the yellow comment icon on the right of the root or branch name, or
- Move the mouse pointer over the yellow comment icon and click the comment window, or
- Right-click the root or branch containing the pop-up comment and choose **Insert** | **Edit Comment** in its local menu.

You can also just press F11.

Deleting a pop-up comment

There are two ways of doing this:

- Right-click the branch containing the comment and choose **Delete** | **Comment** in its local menu.
- Right-click the title bar of the comment window and choose **Delete** in its local menu.

Inserting icons

MindView lets you place icons on the branches of your Mind Map to attract attention or illustrate a particular idea.

You could for instance use one of the Team icons ²² for all the topics of your map involving a discussion with

others, or the Clock icon icon for all topics associated with a deadline. Make sure however that you use such icons consistently and sparingly to avoid overloading the map.

Inserting an icon on a branch

- Select the branch to which you want to add an icon.
- Choose **Insert** | **Icons** to open the gallery of icons.
- Click the required icon.



The selected icon appears on the left of the branch name.

You can choose as many icons as you like in the Standard set. However, you can only choose one icon in each of the other sets. If for instance you have attached a Priority 3 icon to your branch, choosing a Priority 5 icon for the same branch will remove the Priority 3 icon and replace it with the Priority 5 icon.

Once you have inserted an icon from a set other than the Standard set on a branch, clicking that icon on the branch replaces it with the next icon in the set. If for instance you have inserted a Priority 3 icon on a branch, clicking it replaces it with the Priority 4 icon and so on until Priority 9, then Priority 1 again.

Deleting an icon

You can delete an icon in two ways:

• Click the icon to select it, then choose **Delete Icon** in its local menu.

You can also choose Delete All Icons to remove all the icons from the branch.

• Right-click the branch, choose **Delete** | **Icons** and select the icon to be deleted.

Inserting pictures

Branch pictures

MindView lets you add pictures to the workspace itself, the root and any branch or sub-branch.

As all the research done in this area indicates that the use of pictures significantly enhances memory retention, you should try to use pictures wherever possible to illustrate your map.

Three different types of pictures are available:



A branch picture "sits" on the root or branch to which it belongs. You can only add one branch picture to a particular root or branch.

It is considered good practice to insert a branch picture on the root to illustrate the subject of a map, as shown below.



Floating pictures

Unlike branch pictures, floating pictures can be moved wherever convenient on the workspace. Floating pictures can be connected to the root or particular branches, or just "float" freely on the workspace.



Attached picture files

MindView also allows you to attach various objects to the root and branches of your map, such as text files, picture files, video files, Flash files and so on. Not only can you activate these objects from within MindView, but you can also choose to include them when exporting your map to a different format, such as HTML or Mediator. See "Attaching objects" for more information on attached picture files.

Inserting a picture

Inserting a branch picture on a root or branch

≻ Select the root or branch to which you want to add a branch picture and choose Insert | Pictures | Branch Picture in the main menu or Insert | Branch Picture in the local menu.



- You can also choose **Home | Insert | Branch Picture** in the main menu.
- \geq Choose the picture required in the Open dialog.

The picture is now inserted over the root or branch label.

(optional) Resize the picture as necessary by moving the mouse pointer on the required edge until it changes to a double arrow and drag with the mouse until the picture reaches the correct size.

If necessary, you can reset the picture to its original size by using its aspect ratio property. See "Picture properties" below.

Inserting a floating picture on a root or branch

- Select the root or branch to which you want to add a floating picture and choose Insert | Pictures | Floating Picture in the main menu or Insert | Floating Picture in the local menu.
- Choose the picture required in the Open dialog.

The picture appears on the screen, scaled down from its original size if necessary.

(optional) You can resize the picture as described above. You can also move the picture to a more convenient place by dragging it with the mouse or by using the arrow keys of the keyboard.

A thin line now connects your new picture with the root or branch you attached it to.

Inserting a floating picture on the workspace

- Click the workspace and choose Insert | Pictures | Floating Picture in the main menu or Insert | Floating Picture in the local menu.
- Choose the picture required in the Open dialog.

When you add a floating picture to the workspace in this way, the picture is not attached to anything and no connecting line is visible.

(optional) As above, you can resize or move the picture as necessary. You can even connect it to a particular branch by moving it on top of the branch.

Dragging a picture

Instead of using the MindView commands described above, you can also add a picture by dragging it from the Multimedia Catalog, Windows Explorer or the Windows Desktop.

 * For a full description of the Multimedia Catalog, see "Using the Multimedia Catalog".

Dragging a picture on a root or branch

Just drag the picture from the Multimedia Catalog, from Windows Explorer or from the Windows Desktop and drop it on the relevant root or branch when it becomes highlighted.

By default, this creates a branch picture. If necessary, you can convert this branch picture to a floating picture by right-clicking the branch picture and choosing **Detach** | **Branch Picture** in its local menu.

Dragging a picture on the workspace

Just drag the picture from the Multimedia Catalog, from Windows Explorer or from the Windows Desktop and drop it on the workspace at the required position.

Detaching a picture

Detaching a branch picture

To detach a branch picture and convert it to a floating picture, select the branch to which it belongs and choose Detach | Branch Picture in its local menu.

Detaching a floating picture

> To detach a floating picture from a root or branch, select the picture and choose **Detach** in its local menu.

The picture now belongs to the workspace itself rather than to the root or any of its branches.

Replacing a picture

Replacing a branch picture

You can replace a branch picture by another picture as follows:

- > Select the branch to which the picture belongs.
- > Press the **Ctrl** key while double-clicking the branch picture.

The Open dialog appears, letting you choose a different picture.

Replacing a floating picture

Double-click the floating picture.

The Open dialog appears, letting you choose a different picture.

Deleting a picture

Deleting a branch picture

You can delete a branch picture in two ways:

- Start by selecting the branch to which the picture belongs, and then either:
- Click the branch picture itself (resizing handles appear around it) and press Delete, or
- Choose **Delete** | **Branch Picture** in the branch local menu.

 $\sqrt{2}$ If you press the Delete key by mistake, the whole branch will be deleted. You can restore it by clicking Undo in the Quick Access Toolbar or pressing Ctrl + Z.

Deleting a floating picture

To delete a floating picture, select it and do one of the following:

- Press Delete, or
- Choose **Home** | **Editing** | **Delete** X in the main menu, or
- Choose **Delete** in its local menu.

Picture properties

Pictures have properties, which you can edit with the Properties dialog.

Branches containing branch pictures have an extra Picture tab in their Properties dialog containing the picture properties. See "Branch properties: Picture tab" for a detailed description of the properties applicable to branch pictures.

See "Floating picture properties: General tab" and "Floating picture properties: Picture tab" for a detailed description of the properties applicable to floating pictures.

See "Using the Properties dialog" for a general description of the Properties dialog.

Properties dialog is not visible, choose View | Show/Hide | Properties to open it.

Inserting timeline data

This topic explains how to enter time information on the branches of your document in order to create a timeline.

Entering time information on the branches of your document allows you to display these branches as chronological events along a horizontal axis in the Timeline view, as shown here:



For a full description of the Timeline view, see the topic "Using the Timeline view". This topic also explains how you can present and export your timelines.

Although you can work directly in the Timeline view when creating a timeline, the **Time Info** panel described here allows you to enter time information on your branches while brainstorming your document in one of the standard Map views.

Choosing a timescale

Regardless of whether you are working in one of the Map views or in the Timeline view, the first thing you need to do when you are creating a timeline is to define the timescale of your document.

- Click the **Time Info** tab on the right of the workspace or choose **View** | **Show/Hide** | **Time Info** to open the panel.
- Select a **timescale** for the document. The default timescale is Standard.

Document timescale	
Standard	
Year, month, day and time from 1 AD to 3,000 AD	4

MindView lets you choose between several timescales to cater for different timeline projects:

Standard: Use this timescale for normal dates and times. It is also suitable for historical times where you do not need to show BC dates. You can specify the year, month, day and time. The range is 1 AD to 3,000 AD.

Daily: Use this timescale to plot time by day number, without reference to specific dates or days of the week. For example, you could use it to chart the life cycle of an insect or to map out a process. You can specify day number and time: Day 1 is the first day, Day 17 the seventeenth, Day -3 the third day before the first day, and so on. The range is $\pm 1,000,000$.

Weekly: Use this timescale to plot time by week number, without reference to specific dates. You can specify week number, day (Monday to Sunday) and time. The range is $\pm 100,000$.

Historic: Use this timescale for historical dates. You can specify the year (BC or AD), month and day (not the time). The range is 5,000,000 BC to 3,000 AD.

Geological: Use this for plotting astronomical, geological or prehistoric events. You can specify dates in thousands or millions of years. Decimal numbers are allowed. The range is $\pm 20,000,000,000$.

It is worth taking trouble to choose the timescale that is most appropriate for your subject. If you change the timescale later, you will have to re-enter the time information on all the branches.

Entering dates and times

- Select a branch for which you want to add time information.
- Click the **Start time** field in the Time Info panel (or press **F12**).

Time Info	×
Document timescale	lime l
Standard 🗸 🗸	nfo
Year, month, day and time from 1 AD to 3,000 AD	Multime
Time information	dia
Start time:	Cata
1968	alog
End time:	
1973	
Delete Times Advanced	

Specify a Start time for the event in the dialog that opens. You do not have to make selections in all the boxes. For example, if you are using the Standard timescale, you can choose just a year, or just a year and month, without specifying an exact date or time.

If you make a mistake or enter a date that in hindsight is too specific for your needs, you can click **Reset** one or more times to undo your choices one by one. If for instance, you specify a date by selecting '2001', 'January' and '22', clicking Reset will remove the information about the day to leave the date as 'January 2001'.

- ➢ Click OK.
- If necessary, you can specify an End time by clicking the End time field or pressing Ctrl + F12. You do not need to specify an end time if your event has no extended duration. For example, to enter the date of an event that happened on a particular day, all you need to do is to specify the date as the Start time.
- Repeat the procedure to add time information to other branches.
- (optional) To display the time information you just entered on the branches of the map, choose View |
 Branch Data | Show Time Info (or right-click the workspace and choose Show Time Info on Map) and check Start/End time in the sub-menu.

You can then hide or show the time information on individual branches with the **Show Time Info** icon of the **Format** tab (or the **Show Time Info on Branch** option in the branch local menu).

You can delete the time information inserted on a branch at any time by selecting it and clicking the **Delete Times** button.

As well as using this panel, you can also enter time information on branches from the Outline view or from the Timeline Outline panel shown in the Timeline view. Just double-click the relevant Start Time or End Time cell and fill in the time picker as described above.

Advanced options

The **End Times Definitions** dialog which opens when you click the Advanced button at the bottom of the panel allows you to specify the way MindView should handle end times. These settings are only relevant when viewing the document in the Timeline view.

End Time Definitions	? ×
End time year	End time month
Is included	Is included
Is not included	Is not included
End time week Is included Is not included	End time day Is included Is not included
	ж Cancel

The simplest way to explain how this works is by means of an example. Suppose you are entering dates for a branch concerning World War II. As start date you specify 1939, so the branch displayed on the timeline will start at the beginning of 1939. As end date you enter 1945. There are now two possibilities:

• If the setting for **End time year** on this dialog is set to **Is included**, the end time will be the *end* of 1945. In other words the duration bar for the World War II branch will stretch from the beginning of 1939 to the end of 1945.

1939 - 194	45						
Í.	1940					1945	
1939	1940	1941	1942	1943	1944	1945	

• If the setting for **End time year** on this dialog is set to **Is not included**, the end time will be the *beginning* of 1945. In other words the duration bar will stretch from the beginning of 1939 to the beginning of 1945.

1939 - 19	45					
	1940					1
1939	1940	1941	1942	1943	1944	

The settings for the other time periods, namely month, week and day, work in the same way.

Important: The choices you make in this dialog will apply *only* to the end times you insert from now on, and *only* for the current timeline. The next time you create a timeline, the settings of this dialog will revert to their default values. You are therefore free to choose different options for different timelines.

Printing a Mind Map



To print your map:

- Click the MindView Button.
- Choose Print.

You can also press **Ctrl + P**.

This opens the Print Preview dialog, which shows you what your map will look like on paper.

The preview of the map immediately reflects the changes you make in this dialog, allowing you to experiment with the various settings.

The preview area always shows the map exactly as it is shown on the workspace. This means that if you have restricted the display of the map in some way, for instance by showing only 2 levels of branches, focusing on a particular branch or using an advanced filter, only the part of the map shown in the preview area (and the workspace) will be printed.

See "Viewing a Mind Map", "Focusing on a branch" and "Filtering a Mind Map" to learn more about these display options.

Using the Print Preview dialog

The Print Preview dialog contains the following buttons and options:



Print: Click to print the map as shown in the Preview area.

Print Setup: Click to choose a different printer and set the usual printing parameters, such as paper size, print quality and so on.

Fit to Page: Click to resize the map so that its entire contents fit on the single page or page spread chosen.

Actual Size: Click to print the map at its actual size. If your map is large, this may mean that some part of it will be outside the print area.

Orientation : Choose Portrait to print your map vertically or Landscape to print it horizontally.

Page spread: These options allow you to spread your map on several pages. This is very useful for large maps. If for instance your map is quite wide (as may be the case in Top Down view), you can increase the horizontal page spread number to ensure that its entire contents will be printed.



Number of copies: Specify how many copies of your map you would like to print.

Show document info: Check this box to display the title of the document, the name of the author and the current date in the lower right corner of the printed page. If you are using the 'Page spread' option to print the map on several pages, this information is shown on the last page in the range.

Moving or resizing the map within the Preview area

When moving the mouse pointer over the map in the Preview area, a red outline appears around it. You can move the map within the page or page spread by dragging the outlined area with the mouse.



You can also resize the map within the page or page spread by moving the mouse pointer to one of its edges until it becomes a double arrow (the red outline becomes a blue outline), and dragging the edge in the direction required.



Further tasks

Formatting a branch

MindView lets you perform various operations on the root of your map or any of its branches, such as changing their shape, choosing a different fill color, defining a branch boundary, or selecting different text attributes. All these formatting options help you add visual interest to your map.

Select the root or branch you want to format.

V To apply the same formatting attributes to all the branches, it is much easier to use the **Design** tab, whose predefined styles and design options apply to the entire map. See "Designing a Mind Map" for more information.

You can however select several branches to give them the same formatting attributes. See "Selecting several branches" below for more information.

Click the **Format** tab that appears at the right of the ribbon.

This tab contains formatting options applicable to the selected root or branch.

	- 2	A •) •			MapView	Branch							M
V	Home	Insert	Review	View	Design	Format							
Arial		- 10	· A A	1	1	2			-	æ			
BI	U abc	<u>≉</u> 2 - <u>A</u> -	5 8 3	Co Sche	olor Branch eme * Shapes *	Reset Style	Fill Color *	Outline	Line	Boundary	Fill Color •	Outline	Show Time Info
		Font			Effects			Branch		В	oundary		Data

Browse through the options available in the different panels, checking their effect on your branches as you go.

A quick way of copying the formatting attributes from one branch to another is to use the Format Painter \checkmark . Select the branch whose formatting you want to copy and choose **Home** | **Clipboard** | **Format Painter** or press **Ctrl** + **Shift** + **C**. The

pointer changes to a paintbrush icon \square . Click the branch you want to copy the formatting to. Pressing Ctrl while clicking the branch will let you continue copying the format to other branches by clicking each one in turn. To return the icon to its normal shape after the copying, click the Format Painter icon again.

If necessary, you can undo your changes and return the branch to the original map style defined in the Design tab by choosing **Effects** | **Reset Style**.

 \dot{V} To return all the branches to the original style, select them all before choosing Effects / Reset Style.

Selecting several branches

Selecting several branches at once allows you to apply the same change to all of them simultaneously.

Click the first branch, then press and hold down the **Ctrl** key while clicking the other branches one by one.

Each of the branches you click becomes highlighted to indicate that it is selected.

> To deselect one or more branches simply click them again while holding down the **Ctrl** key.

You can also select several branches by drawing a frame around them with the mouse. All the branches contained within the frame become selected.



When you select several branches in this way, the header of the Format tab changes to **Multiple Branches**, indicating that any changes you make will apply to all the selected branches. If the branches you selected belong to different levels (for instance, some main branches as well as some sub-branches), only the options that the different levels have in common are shown in the Format tab.

Branch properties

As well as the Format tab, you can also use the Properties dialog to make changes to the selected root or branch. The Properties dialog always lists all the properties applicable to the element currently selected in the workspace.

- Select the root or branch you want to format.
- > Choose View | Show/Hide | Properties to open the Properties dialog.

Properties	×
4 General Text Picture	e D
Text	Troubleshooting
Fill Type	Gradient 💌
Fill Color 1	
Fill Color 2	
Fill Mode	Horizontal 💌
Outline Color	
Outline Width	1
Line Color	
Line Width	1
Boundary	
Boundary Fill Type	Gradient 💌
Boundary Fill Color 1	
Boundary Fill Color 2	
Boundary Fill Mode	Horizontal 💌
Boundary Outline Color	
Boundary Outline Width	1
Boundary Outline Roundness	35
Boundary Outline Dash Style	Solid 🔹
Include in Export	v
	~

See "Using the Properties dialog" for a general description of the Properties dialog.

See "Root properties: General tab" and "Branch properties: General tab" in the Reference section for a detailed description of the general properties applicable to a root or branch.

See "Root properties: Text tab" and "Branch properties: Text tab" for a description of the properties applicable to the branch label.

Moving a branch

As your map grows and you start analyzing its various topics, you may realize that some of them don't in fact belong to the branch you first allocated them to, but should be moved to a different branch.

This topic describes how to perform the following operations:

- Moving a main branch or a sub-branch and inserting it at a different hierarchical level in the Mind Map
- Cutting, copying and pasting a branch in the same document or in another document
- Moving a main branch manually to a different position by disabling the Auto-Layout mode

Moving a main branch or a sub-branch at a different level

You can move an entire branch, including any sub-branches and objects attached to it, to a different branch of your map. As you work on organizing your ideas, you can for instance decide to convert a sub-topic to a main topic by moving the corresponding sub-branch to the root, or allocate a sub-topic to a different main topic by moving the corresponding sub-branch to a different main branch.

- Select the branch you want to move to a different location by clicking it with the left mouse button.
- > While keeping the left mouse button down, drag the branch to the required location.

The mouse pointer changes to a different shape and a blue line shows you where the branch will be inserted when you let go of the mouse button.

> Release the mouse button to insert the branch at the required location.



If you are viewing your map in the Mind Map or Left/Right views, you can also use the Ctrl + Up and Ctrl + Down keyboard shortcuts to move the currently selected branch up or down in the map. Similarly, the Ctrl + Right and Ctrl + Left keyboard shortcuts allow you to move a branch right or left in the Top Down view.

Cutting, copying and pasting a branch

You can apply the standard Cut, Copy and Paste functions to any branch of your Mind Map. This allows you to copy or move an entire branch, including all its sub-branches and attached objects, to a different part of your map, at the same hierarchical level or at a higher or lower level, in the same document or in a different document.

You can also apply the Cut, Copy and Paste functions to the root itself. This allows you for instance to copy an entire map from one document and add it as a main branch or a sub-branch in a different document. This is a very useful feature if you need to consolidate several different documents into a master document, as described in "Packing a Mind Map".

- To cut a root or a branch with all its sub-branches and attached objects to the clipboard (in other words to place the root or branch on the clipboard while removing it from your map), you first need to select it. You can then either:
 - Choose Home | Clipboard | Cut 🔏 in the main menu, or
 - Choose **Cut** in the local menu of the branch, or
 - Press Ctrl + X.
- To copy a root or a branch and all its sub-branches and attached objects to the clipboard (in other words to place the root or branch on the clipboard while leaving it in place in your map), you first need to select it. You can then either:
 - Choose Home | Clipboard | Copy 눱 in the main menu, or
 - Choose **Copy** in the local menu of the branch, or
 - Press **Ctrl** + **C**.

To paste a root or a branch and all its sub-branches and attached objects, you first need to select its new location, either in the same document or in a different document. You can then either:

- Choose Home | Clipboard | Paste 屆 in the main menu, or
- Choose Paste in the local menu of the destination branch, or
- Press Ctrl + V.

The clipboard root or branch is added as a sub-branch of the destination branch you selected.

If you cut and paste a branch that is the starting point of a branch connection (see "Creating branch connections"), the branch connection will be moved with the branch. However if you cut and paste a branch that is the end point of a branch connection, the branch connection is not kept.

Moving a main branch to a different position by disabling Auto-Layout

By default, MindView automatically arranges the main branches as you insert them to prevent any overlap. You can however choose to reposition the main branches yourself after their insertion by disabling Auto-Layout mode.

- > Click the workspace so that no other element is selected.
- > Choose View | Show/Hide | Properties to open the Properties dialog for the view.
- Click the **Branches** tab.
- Uncheck Auto-Layout.

You can now position the main branches of your map as you wish by dragging them with the mouse.

Note that this only applies to main branches. MindView always arranges sub-branches automatically.

Important: If you re-enable Auto-Layout mode at any point while still working on your map, the main branches you repositioned will be placed back in their default position. You can however click Undo \checkmark in the Quick Access Toolbar (or press Ctrl + Z) to cancel the re-enabling of Auto-Layout and revert the display of the main branches to your own positioning.

Focusing on a branch

As your map grows, you might find it useful to concentrate on a particular area by viewing only a chosen branch or set of branches. This also gives you more workspace to add comments, text notes, icons and other objects on the particular branch or set of branches you are viewing.

- Click the branch that you want to isolate.
- Choose View | Detail | Apply Branch Focus in the main menu or Apply Branch Focus in its local menu.

You can also just press F6.

Now only the branch you selected is shown on the workspace, together with any sub-branches it may have.



Note that when restricting the display in that way, any branch connections leading to branches outside the area shown are not represented.

To display the entire map again, you can either:

- Click the Clear Branch Focus icon ⁴ in the main menu, or
- Select the branch again and choose Clear Branch Focus in its local menu, or
- Right-click the workspace and choose Clear Branch Focus in its local menu, or
- Press Ctrl + Shift + F6.

You can also collapse the entire Mind Map to just one level of branches, two levels, three levels or four levels by using the **Detail Level** icons $\boxed{100}$ of the View tab. The **All Levels** icon 100 expands the Mind Map so that it shows all its branches down to the last level.

You can also press Ctrl + 1 to display just one level of branches, Ctrl + 2 to show two levels etc. Ctrl + 5 shows all levels.

Filtering a Mind Map

MindView lets you filter your map to only display branches that meet specific criteria. Using a filter, you can for instance show only the branches that contain the word "budget", or, if you are working on a timeline, events starting at a given date. You can also combine different criteria, so that only the branches that meet all or some of these criteria are shown.

All the filters you define are saved with the MindView document. It is also possible to import and export filters for use in other MindView documents.

Defining a filter

- > Choose View | Filter and click the down arrow at the bottom of the Filter icon.
- > Choose New $\sqrt{16}$ in the sub-menu.

The Filter dialog opens.

Filter		Sec. a.					? <mark>X</mark>
+	∃ ×	X	ł				
Add Leve	Delete Level	Delete All	Import	Export			
Filter name	e: Filter 1]				
And/Or	Property		Condition		Value		
1							
						ОК	Cancel

- Enter a name for your filter in the 'Filter name' field.
- Click Add Level to define your first condition.
- Click the **Property** field and choose the branch element that you want to use to filter the map. If for instance you want to restrict the display to all the branches on which you have placed a Priority 1 icon, select the entry "Branch icons" in the list.
- Click the Condition field and choose the required condition. In our example, you would choose the entry "Equal to" or "Contains" (in case some branches contain more than one icon).
- Click the Value field to define the condition to be applied to the branch. In our example, you would choose the Priority 1 icon in the icon gallery that opens when you click the Value field.
- (optional) Click Add Level again to define a second condition, using the And/Or field to indicate whether both conditions must be met for the branch to display, or whether meeting just one of the two conditions is enough for the branch to display.
- > (optional) Continue adding conditions as required and click OK.
The Mind Map now only shows the branches that meet the criteria you have defined.

The Filter icon stays highlighted to remind you that you are only viewing part of the map.

If necessary, you can add further criteria to the filter by editing it (see below) or define new filters.

Clearing a filter

> To go back to the full map display, just choose **View** | **Filter** | **Filter** again to clear the filter.

The Filter icon goes back to its normal state, indicating that the map is no longer filtered.

Applying a filter

When you have several filters, you can apply any one of them as follows:

- > Choose View | Filter and click the down arrow at the bottom of the Filter icon.
- > Click the required filter from the list shown at the bottom of the sub-menu.

Editing a filter

- > Choose View | Filter and click the down arrow at the bottom of the Filter icon.
- > Choose Edit ⁷⁵ in the sub-menu, select the filter you want to edit and proceed as described above.

Deleting a filter

You can also delete a filter previously defined permanently from the MindView document if you no longer need it:

- > Choose View | Filter and click the down arrow at the bottom of the Filter icon.
- > Choose **Delete** $\overline{}$ in the sub-menu and select the required filter.

Attaching objects

One of the strengths of MindView is that it allows you to attach objects to the root or any branch or subbranch of your Mind Map. This means that you can enhance your map with a variety of multimedia features, such as sounds, video sequences or Flash animations, as well as add all the relevant backing documents to each of your branches (e.g. Microsoft Excel spreadsheets, Microsoft Word documents, etc.)

Not only can you activate these objects from within MindView, but you can also choose to include them when exporting your map to a different format, such as a web site or a Microsoft PowerPoint presentation.

Although MindView does not apply any restriction on the type of files it is possible to attach to a branch, you will only be able to open an attached file from the Mind Map if a program associated with its file type (e.g. bmp, doc, xls etc.) is installed on your computer.

By default, when you attach a file to a branch in this way, it is added to the Mind Map as a link to the file stored on your hard disk. If you intend to distribute your Mind Map to others, you should first use the Pack feature to pack all the attached files into the Mind Map, thereby ensuring that your colleagues have access to all the files you are using. See "Packing a Mind Map" for more information. If you want to send your Mind Map by e-mail, you can use the Send feature to create this packed version automatically. See "Sending a Mind Map" for more information.

MindView also allows you to create a link between a branch and an external element such as a URL. See "Creating hyperlinks" for more information on links.

Attaching an object to a root or branch

There are two ways of attaching an object:

- Select the required root or branch, choose **Home** | **Insert** | **Attachment** in the main menu or **Insert** | **Attachment** in the local menu, and select the object you want to add.
- Drag the required file from Windows Explorer and drop it on the root or branch.

As soon as you add an object to a root or branch, a paperclip icon \emptyset appears to the right of its label to indicate the presence of the attached object. Moving the mouse pointer over this paperclip icon displays a pop-up list of all the objects attached.



The attachment is also added to the Object list of the root or branch, giving you a complete overview of the objects you have attached to it.



See "Using the Object list" for more information.

Activating an object

Once attached, there are several ways to activate an object:

- Double-click the object in the Object list, or
- Select the object in the Object list and choose Execute in its local menu, or
- Display the object pop-up list by moving the mouse pointer over the paperclip icon U and click the object required.

These actions all activate the object, which opens in the viewer associated with its extension type. For instance, if the attached object is a Word document, it will open in Microsoft Word. If it is a video, it will open in the video playing software installed on your computer, and so on.

Deleting an object

To delete an object, select it in the Object list and do one of the following:

- Press **Delete**, or
- Choose **Delete** in its local menu.

Remember that if you delete an attached object by accident, you can always cancel the deletion by clicking Undo \checkmark in the Quick Access Toolbar or pressing Ctrl + Z.

Object properties

Objects have properties, which you can edit in the Properties dialog.

Properties	×
d General	Þ
Name	Statistics.xls
Path	C:\My documents\Statistics.xls 📄
Export As	Default 💌
Include in Export	v v

See "Attachment properties: General tab" for a detailed description of the properties applicable to objects and "Using the Properties dialog" for a general description of the Properties dialog.

B If the Properties dialog is not visible, choose View | Show/Hide | Properties to open it.

Creating hyperlinks

The Hyperlink command lets you create a link between a branch and external elements, such as a URL, an external file or an email address. Once the hyperlink is inserted, activating it automatically opens the viewer associated with the linked element on your computer (such as browser, application or email program).

Inserting a hyperlink on a root or branch

Select the required root or branch and choose Home | Insert | Hyperlink in the main menu or Insert | Hyperlink in the local menu.

The Hyperlink dialog opens.

Hyperlin	k		? ×
Name:			
URL:	http://		-
		Oł	Cancel

- > Type a name for your hyperlink. If you export your map, this is the text that will make up the hyperlink.
- Enter the required URL. To enter other elements, click the down arrow at the right of the input field and choose the required prefix.

You can open this dialog again at any time to change its settings by choosing **Edit Link** in the hyperlink local menu.

To insert a web page hyperlink onto a branch, just drag the link from the web page displayed in your Internet browser. The Hyperlink dialog is then automatically filled in with the URL of the link.

As soon as you add a hyperlink to a root or branch, a paperclip icon \emptyset appears to the right of its label to indicate the presence of the hyperlink. Moving the mouse pointer over this paperclip icon displays a pop-up list of all the objects attached.

- Challenges	Budget
	Budget.xls
	藰 Final Report.docx
	良 company website

The hyperlink is also added to the Object list of the root or branch, giving you a complete overview of the objects you have attached to it.



See "Using the Object list" for more information.

Activating a hyperlink

There are several ways of activating a link from within MindView:

- **Double-click** the hyperlink in the Object list, or
- Select the hyperlink in the Object list and choose Execute in its local menu, or
- Display the object pop-up list by moving the pointer over the paperclip icon \emptyset and click the hyperlink.

These actions all activate the linked element:

- If your hyperlink contains a URL, the web page opens in your default browser.
- If your hyperlink contains a path to a file, the application associated with the file type on your computer opens and displays the contents of the file.
- If your hyperlink contains an email address, a message window opens in your default email program, with the address supplied already filled in.

Deleting a hyperlink

To delete a hyperlink, select it in the Object list and do one of the following:

- Press Delete, or
- Choose **Delete** in its local menu.

Remember that if you delete a hyperlink by accident, you can always cancel the deletion by clicking Undo in the *Quick Access Toolbar or pressing Ctrl* + Z.

Hyperlink properties

Hyperlinks have properties, which you can edit in the Properties dialog.

Properties		×
4 General		⊳
Text	MatchWare	^
URL	http://www.matchware.com	
Export As	Default 🔻	_
Include in Export	V	*

See "Hyperlink properties: General tab" for a detailed description of the properties applicable to hyperlinks and "Using the Properties dialog" for a general description of the Properties dialog.

If the Properties dialog is not visible, choose View | Show/Hide | Properties to open it.

Creating branch connections

MindView allows you to indicate visually that two or more branches of your map are conceptually related by adding branch connections between them.

You can create two types of branch connections:

- Internal branch connections, which connect two branches of the same map, or
- External branch connections, which connect two branches belonging to two different maps.

To create an external branch connection, both maps must be open. You must also make sure that the map where you want the connection to end has already been saved at least once.

Creating a branch connection

> Choose Insert | Links | Branch Connection.

The mouse pointer changes to a different shape.

> Click the branch or sub-branch you want the connection to start from.

A thin line appears connecting the branch you selected and the mouse pointer.

> Click the branch where you want the connection to end.

If you are creating an external branch connection, you will first need to click the tab of the second map in order to display it.

A line ending with an arrow now connects your start branch with your end branch.

A paperclip icon \Downarrow appears to the right of the start branch label to indicate the presence of an attached object. Moving the mouse pointer over this paperclip icon displays a pop-up list of all the objects attached. The branch connection also appears in the Object list of the start branch. By default, its name is the name of the end branch.



> (optional) Click the **Format** tab that appears at the right of the ribbon.

This tab contains formatting options applicable to the branch connection.

Browse through the options available in the different panels, checking their effect on the branch connection as you go.

As well as the Format tab, you can also use the Properties dialog to make changes to the branch connection.

See "Branch connection properties: General tab" in the Reference section for a detailed description of the properties applicable to branch connections and "Using the Properties dialog" for a general description of the Properties dialog.

V To create several branch connections quickly, keep the Ctrl key down while connecting the various branches.

Changing the curve of a branch connection

You can change the curve of a branch connection as follows:

Click the branch connection to select it, either directly on the map or in the Object list of the start branch.

A handle appears at each end of the connection, made up of a straight line and a square.



> Click the square of one of the handles and start dragging it.

The shape of the branch connection changes as you move the handle. As you extend the handle, the branch connection becomes more curved. Conversely, if you reduce the length of the handle, the branch connection becomes flatter.

> Move each handle in turn until you are satisfied with the shape of the branch connection curve.

Activating a branch connection

If you are working on a large map, you can quickly go to the end point of a branch connection as follows:

- Select the start branch, then :
- Double-click the branch connection in the Object list, or
- Select the branch connection in the Object list and choose Execute in its local menu.

If the connection ends in a different map, MindView opens it automatically in a separate tab.

Making a branch connection start or end on a different branch

You can easily change the start or end point of a branch connection without having to delete the existing branch connection and create a new one. To do this:

- Click the branch connection to select it, either directly on the map or in the Object list of the start branch.
- To make the branch connection start from a different branch, drag the dot placed at the start of the connection to the new start branch.
- To make the branch connection end on a different branch, drag the arrow placed at the end of the connection to the new end branch.

Deleting a branch connection

To delete a branch connection, select it in the Object list and do one of the following:

- Press Delete, or
- Choose **Delete** in its local menu.

Remember that if you delete a branch connection by accident, you can always cancel the deletion by clicking Undo in the Quick Access Toolbar or pressing Ctrl + Z.

Finding and replacing text

MindView lets you search for every occurrence of a specific word or phrase and replace these automatically with a new word or phrase you specify.

You can find and replace text in the following elements:

- Branch names
- Floating comments
- Pop-up comments
- Text notes
- Object names

Finding text

Choose **Review** | **Editing** | **Find/Replace** or press **Ctrl** + **F**.

rind of hepidee			
Find what: Replace with:	2009 2010		Find Next
Options Match <u>c</u> ase	e word	Look in Branch text Floating comments <u>C</u> omments <u>T</u> ext notes Object labels	Replace <u>All</u>

- > Enter the text that you want to search for in the **Find what** field of the Find dialog.
- > Select the search options required in the **Options** group.
- Select the elements that you want MindView to search in the Look in group.
- Click Find Next.

MindView goes through your document, looking for the text you specified in the elements you selected. As soon as it finds an occurrence of the text, it selects the element containing the text and highlights it.

You can now:

- Close the Find dialog and continue your work.
- Look for the next occurrence of the text by clicking Find Next.
- Replace the text with another word or phrase you specify in the Find dialog.

Replacing text

- > Type the replacement text in the **Replace with** field.
- Click Replace to replace the current occurrence only or Replace All to replace all occurrences throughout the document.

P To cancel a search in progress, press **Esc**.

Desktop search

MindView supports Windows Search on Windows XP and above, letting you locate specific data within all the Mind Maps stored on your hard disk and identify the relevant files instantly. All the data contained within your MindView documents is searched, including branch text, comments and searchable embedded files (such as Word documents).

To search file contents in Windows Vista, perform an Advanced Search and check the option "Include non-indexed files".

For more information on how to use Windows Search to locate information stored in your documents, please refer to your Windows help system.

Inserting a new root

MindView allows you to create several maps in the same view by inserting several roots in it. This can be useful if, while working on your map, you have ideas as yet unrelated to your existing topics (i.e. branches). Once you have decided how they should be related, you can convert your new maps into branches of your existing map, or even move them to new documents altogether, as described below.

This procedure is only relevant to the standard Map views, namely Mind Map, Top Down and Left/Right.

Inserting a new root in the view

You can do this in two ways:

- Choose Insert | Branches | New Root in the main menu, or
- Right-click the workspace and choose Insert | New Root in its local menu.

You can also create a new map by detaching a branch of your existing map, either to the same document or to a new document. See "Detaching a branch" for more information.

Attaching a newly created map to an existing map

If you have created a second map in your document by inserting a new root into it, you can integrate it to your original map as follows:

- To attach it as a main branch, drag its root to the original root.
- To attach it as a sub-branch, drag its root to the branch or sub-branch you want to attach it to.



Moving a newly created map in a separate document

- > Select the root of your new map and choose Cut in its local menu or Home | Clipboard | Cut in the main menu (or press Ctrl + X).
- Create a new document (click the MindView Button and choose New or press Ctrl + N). \triangleright
- Once the new document tab opens, right-click the workspace and choose **Paste** in its local menu or **Home** \triangleright Clipboard | Paste in the main menu (or press Ctrl + V).
- (optional) Delete the default root created automatically in the new document. \triangleright

Detaching a branch

MindView allows you to create several maps in the same view by inserting several roots, as described in "Inserting a new root". You can also create a second map by detaching an existing branch of your Mind Map, either to the same document, or to a new document. This can be useful when you realize that one of your existing topics (i.e. branch) does not in fact belong to your map, or if you want to consider a particular branch as the source of a new map.

Procedure is only relevant to the standard Mind map views, namely Mind Map, Top Down and Left/Right.

Detaching a branch to the same document

> Select the branch you want to detach and choose **Detach** | **Branch** in its local menu.

Detaching a branch to a new document

Select the branch you want to detach and choose **Detach | Branch as New Document** in its local menu. \triangleright

In both cases, the selected branch and all its sub-branches, inserted elements and attached objects becomes a new Mind Map.

Packing a Mind Map



This feature makes it very easy to distribute your Mind Map to other users.

With a few mouse clicks, you can create a complete packed version of your Mind Map, ready to be sent via email, shared over the network or distributed via DVD or CD-ROM.

- \triangleright Click the MindView Button.
- \geq Choose Prepare | Pack.

As soon as you click OK in the message dialog that appears, MindView integrates all the external files that are attached to the Mind Map document (floating pictures, branch pictures, attachments and so on) within the .mvdx map file.

Once a map is packed, you can continue working with it as normal. Any attached file you activate from within the map opens in the relevant external application, letting you edit it as you wish. When you close this external application, all the changes you have made to the attachment are saved in the version of the attachment that is integrated to the .mvdx map file.

Notes:

- Once you have packed a Mind Map, all the files you subsequently add to it (floating pictures, branch pictures, attachments and so on) are automatically packed in the .mvdx map file.
- If you have used the Additional Folders command to specify a list of folders to include when exporting to HTML, all the files contained in these folders are also integrated in the .mvdx file when packing the map. See "Additional folders" for more information about that command.
- If the MindView view contains several maps (i.e. several roots), they are all packed within the .mvdx file.

• When MindView opens a packed map, it starts by checking all the attached files that are packed in it. If the original version of any of these files has been updated since you packed the map, meaning that the version contained in the Mind Map is no longer the most up to date version, it displays a message to that effect, giving you the option of updating the Mind Map to the latest version.

Unpacking a Mind Map

Although you can work in a packed map as normal as mentioned above, you also have the possibility of unpacking it. This may be useful if you want to retrieve the individual files that may have been attached to it, or to reduce the size of the .mvdx map file.

To do this:

- Click the **MindView Button**.
- > Choose **Prepare** | **Unpack**.
- > Choose a folder in which to place all the files attached to the map.

Merging packed Mind Maps in a master map

You can easily merge into a master map several Mind Maps that have been packed using the Pack feature:

- > Open your master map in MindView.
- > Open each packed map in turn. Each document opens in a separate tab in MindView.
- Merge each packed map into your master map by copying its root (Ctrl + C) and pasting it onto the relevant branch of your master map. See "Moving a branch" for more information about copying and pasting branches.

While performing this operation, make sure you do not close any of the packed maps before you have saved the master map.

Sending a Mind Map

This feature makes it very easy to send your Mind Map to other users via e-mail.

- Click the **MindView Button**.
- Choose Send.

A message appears, asking you if you want the map to be packed into a single file before sending it:

• Choose **Yes** if you want to integrate all the external files that are attached to the Mind Map document (floating pictures, branch pictures, attachments and so on) within the .mvdx map file.

For more information about the packing feature, see "Packing a Mind Map".

• Choose No if you only want to send the .mvdx map file, without the files that you may have attached to it.

A message is created in your default mail program, containing the Mind Map and a link to a free MindView viewer in case the recipients of your message do not have MindView installed on their computer. All you have to do is fill in the name of the recipients and the subject of your mail message before sending it.

Using the Multimedia Catalog



The Multimedia Catalog contains a vast collection of high quality clipart pictures organized in many different categories or themes.

As well as business and web-related pictures, the Multimedia Catalog contains a large number of pictures created specifically to support both the curriculum-aligned templates included in MindView and your own curriculum-based Mind Maps.

All the Multimedia Catalog elements are free for you to use in your Mind Maps.

You can also store your own elements in the Multimedia Catalog. This enables you to re-use them whenever needed by dragging them from the Multimedia Catalog into your Mind Maps.

Finally, you can connect one or more of your User Area categories to one of your hard disk folders or to a shared network folder in order to view and use their contents. This feature is particularly useful when several users want to make use of the same multimedia elements stored on a shared network folder.

You can for instance connect one of your user categories to a folder containing different types of elements, such as videos, sounds or Flash files, which you can then drop onto your branches as attached objects.

Click the Multimedia Catalog tab on the right of the workspace or choose View | Show/Hide | Multimedia Catalog to open it.



You can resize the Multimedia Catalog window by placing the mouse pointer on one of its edges until it changes to a double arrow and dragging with the mouse.

Overview of the Multimedia Catalog

- User Area: This area is reserved for your own use. You can add or drag any element to it, create as many sub-categories as needed and even connect one or more of your user categories to an external folder. See "Adding elements to the Multimedia Catalog" below for more information.
- **Clipart:** Contains more than 1500 high quality illustrations covering many different educational fields, as well as business and web-related illustrations.
- **Favorites:** Place in this category any element you want to be able to find again quickly.
- **Recent:** When you add a Multimedia Catalog element to your document, this element is automatically copied to the Recent category. This allows you to quickly find recently used multimedia elements in case you want to use them again.
- Search Results: This category only appears once you have done a search in the Multimedia Catalog. It shows all the elements of the catalog that correspond to your search criteria.

Browsing the Multimedia Catalog

To see the contents of a category, select it by clicking it or by pressing the up or down arrow key on the keyboard.

A right-pointing arrow next to a category name indicates that this category contains sub-categories.

> Click this arrow or press the right arrow key on the keyboard to show the list of sub-categories.

```
Technology
```

🕨 词 Business

You can collapse a category again by clicking its arrow or by pressing the left arrow key on the keyboard.

> To examine a particular multimedia element more closely, place the mouse pointer over it.

This shows an enlargement of the element as well as relevant information such as its name and size.



> To insert a Multimedia Catalog element in your Mind Map, just drag it from the catalog.

Using the Favorites category

If you often use the same elements, placing them in the Favorites category allows you to find them again very quickly. You can do this in two ways:

- Right-click the relevant element and choose Add to Favorites in its local menu.
- Drag the element from one of the Multimedia Catalog categories to the Favorites category.

The element is now copied to the Favorites category. If you want to remove it from this category at a later stage, right-click it again and choose **Remove from Favorites** in its local menu.

Searching the Multimedia Catalog

If you need a picture related to a particular theme (for instance Europe), you can search the entire catalog for that theme:

- Type a search word in the Search for field. For instance, if you are working on a map describing various countries and want to insert their flags on the map, start typing the word "flags". As soon as you enter the 3rd character (i.e. the letter "a"), pictures of flags appear in the Search Results category.
- (optional) If you want to restrict the search to a particular category, select this category in the Search in field and click the Search icon search to restart the search.
- > Scroll down the Search Results category until you find the flag you require.

Multimedi	a Catalog 🛛 🔍 🗙
Search for:	flags
Search in:	All 🔽 🔽
🕨 🔜 Use	r Area 🔼 🔼
🕨 🛅 Clipa	art
Favo	orites
Rec	ent
Sea Sea	rch Results (43 found)
•	*

 $\sqrt[w]{V}$ During a search, the Search icon changes to ∞ . You can interrupt a search at any time by clicking this icon.

Searches in the Multimedia Catalog are keyword-based. Many different keywords have been associated with the Multimedia Catalog elements to help you find rapidly what you need. By way of example, here is a small selection of the many different keywords you can search for:

people, men, women, children, buildings, symbols, countries, maps, flags, animals, plants, computing, transport

When you enter the first few characters of a word or a full word in the 'Search for' field, MindView goes through all the keywords that have been associated with the Multimedia Catalog elements. All the elements which have one or more keywords containing the characters you entered appear in the Search Results category.

You can view the keywords associated to a particular element and even add your own as follows:

- > Right-click the element in the Multimedia Catalog display area.
- Choose Properties in its local menu.

The Properties dialog appears.

Properties 2	X
Description:	
Pie chart	
Keywords:	
business;work;office;graphs;charts;	*
Separate multiple keywords with a semicolon ";"	
OK Cance	ł

> Type the new keywords you want to associate with this element, separating them with semi-colons.

The Properties dialog also lets you edit or remove unwanted keywords or change the description that appears when you view an enlargement of the element.

Adding elements to the Multimedia Catalog

You can keep your own elements in the Multimedia Catalog for future use, either in an existing category or in the User Area. You are also free to create your own categories within the User Area, rename them or delete them.

• Any element you add to one of the existing categories of the Multimedia Catalog is identified by a small shortcut icon, indicating that the element is not actually copied to the Multimedia Catalog, but only inserted as a link to the actual element.



• Any element you add to one of the User Area categories is identified by a small gray arrow.



There are different ways of adding an element to the Multimedia Catalog. Here is one of them:

- Select the category to which you want to add the element.
- > Right-click the category and choose **Add Element** in its local menu.
- Choose the required element in the Open dialog.

You can also add elements by dragging them from the Windows Explorer or the desktop.

Renaming an element

You can give relevant names to all the elements you add to the Multimedia Catalog or rename existing elements as follows:

- Right-click the element you wish to rename and choose Properties in its local menu.
- > Enter a new description for the element.

The new description will appear whenever you view the enlargement of the element.

Deleting an element

You can delete any element you have added to the Multimedia Catalog as follows:

Right-click it and choose **Delete** in its local menu or select it and press Delete.

Creating a category within the User Area

You can create your own categories within the User Area as follows:

- Right-click the User Area or the sub-category of the User Area in which you want to create a category.
- > Choose Create Category in the local menu.
- > Type the new category name in the white box that appears.

🕶 🔄 User Area
🔜 My Clipart
🔻 🔜 My Sounds
📆 New Category

You can also rename or delete any category in the User Area by right-clicking it and choosing **Rename Category** or **Delete Category** respectively in its local menu.

Connecting a category to an external folder within the User Area

MindView allows you to connect one or more of your user categories to one of your hard disk folders or a shared network folder. This feature is particularly useful when several users want to make use of the same multimedia elements stored on a shared network folder.

You could also connect one of your user categories to a folder containing different types of elements, such as videos, sounds or Flash files, which you can then drop onto your branches as attached objects.

- Right-click the main User Area or one of its sub-categories.
- > Choose Connect to Folder in its local menu.

The Connect Category to Folder dialog appears.

Connect Category To Folder
Connect to folder:
A
Include filter:
Image filter: (*.jpg *.png *.bmp *.gif *.wmf *.emf) -
Include sub-folders
OK Cancel

- > Type the path of the folder you want to connect to or use the Browse button $\stackrel{\frown}{=}$ to locate it.
- Choose the required filter. If for instance you only want to view the available videos, choose the Video filter.

Note that you can also type your own filter, such as *.bmp; *.jpg (separating the formats with a semi-colon as shown here) to see only pictures using these file formats or *.* to view all the files contained in the connected folder.

(optional) Check the 'Include sub-folders' option if you also want to see the contents of all the sub-folders of the connected folder.

A new category is now created within the User Area, filled with all the contents of the connected folder that match the filter you specified. The new category takes the name of the folder that you connected it to. It is identified by a special icon to show that it is a connected category.



If the contents of the connected folder are likely to change while you are working with the Multimedia Catalog, for instance if the connected folder is a shared network folder to which other users have access, you can refresh the connected category to make sure you see the latest contents.

> Right-click the connected category and choose **Refresh** in its local menu.

Note that you can also refresh any of the sub-folders of the connected category.

V If the connected folder is very large, the Refresh operation may take a long time. You can interrupt it by right-clicking the connected category and choosing Stop Refresh in its local menu.

Finally you can change the filter used to view the contents or even change the connection by connecting to a different folder as follows:

- > Right-click the connected category and choose **Modify** in its local menu.
- Choose a different path and/or a different filter in the Connect to Category Folder dialog as described above.

You can disconnect a connected category at any time as follows:

> Right-click the connected category and choose **Disconnect** in its local menu.

Disconnecting a connected category removes the link between your User Area and the folder you connected to, but does not affect the external folder or its contents in any way.

Resetting the Multimedia Catalog

You can restore the original contents of the Multimedia Catalog at any time as follows:

- Click the **MindView Button**.
- Click MindView Options in the bottom right.
- > Open the **Preferences** panel.
- Click Reset Multimedia Catalog.

This will leave your User Area untouched, but removes all the elements you might have added to any other category.

Using the Properties dialog

The Properties dialog shows the properties of the MindView element currently selected, for example the root, a branch or a floating comment. If nothing is selected the properties of the current view are shown.

You can use the Properties dialog to make fine-tuning changes to these elements.

W Rather than applying properties one by one to enhance the visual aspect of your branches, it is normally easier to use the **Format** tab shown at the right of the ribbon when the branch is selected. Using this tab, you can apply branch shapes, branch colors and other coordinated attributes in one step. Similarly, the **Design** tab lets you apply predefined layouts and styles to the entire map in one step.

Notes:

- If the Properties dialog is not visible, choose View | Show/Hide | Properties to open it.
- The properties described are not always applicable to all views. The Properties dialog only lists the properties applicable to the selected element in the current view.

You can resize, dock and undock the Properties dialog according to your needs. See "Using the MindView panels" in the topic "Setting up your workspace" for more information.

The Properties dialog shown below illustrates the general properties applicable to a branch. To see the properties applicable to the branch label, you would click its Text tab.

For a complete description of all the properties available for the various MindView elements, see the Reference section.

Properties	×
	e D
Text	Troubleshooting
Fill Type	Gradient 💌
Fill Color 1	
Fill Color 2	
Fill Mode	Horizontal 💌
Outline Color	
Outline Width	1
Line Color	
Line Width	1
Boundary	
Boundary Fill Type	Gradient 💌
Boundary Fill Color 1	
Boundary Fill Color 2	
Boundary Fill Mode	Horizontal 💌
Boundary Outline Color	
Boundary Outline Width	1
Boundary Outline Roundness	35
Boundary Outline Dash Style	Solid
Include in Export	v
	×

You can make the same change to several elements at once by selecting all the elements required first. Let's suppose for instance that you want to change the branch color of three of your 10 branches. All you have to do is to select the three branches before choosing the color with the 'Fill color' property.

Editing properties in the Properties dialog

The way you edit a property depends on its type as follows:

- Label: Type in the new name or edit the existing name in the input field.
- Number: Type in the new value in the input field.
- Check box: Click the box to select it, click it again to deselect it.
- **Path:** Type in a new folder and/or file name or edit the existing one, or click the Browse button ... on the right side of the input field.
- **Color:** Click the small rectangle and choose the new color in the Windows Color dialog. The upper left corner of the dialog shows all the predefined colors. To define your own color, click the required area of the color matrix on the right and use the slider on the extreme right of the dialog to adjust the color attributes. You can also enter the RGB values (Red, Green, Blue) or the Hue, Saturation and Luminosity values manually. The easiest way to experiment with different colors is to press and hold the mouse button and move the mouse pointer around the color matrix. To save a color for future use, click Add to Custom Colors.
- > Once you have made the required change, press Enter to save the edited property.

 \mathcal{V} You can also use the Up and Down arrow keys to move between properties and press Enter to start editing.

Using the Overview panel

The Overview panel gives you a miniature view of your entire document.

- > To display the Overview panel, choose View | Show/Hide | Overview.
 - The Overview panel is not available in the Outline view.

You can resize, dock and undock the Overview panel according to your needs. See "Using the MindView panels" in the topic "Setting up your workspace" for more information.



If your map is very large, the Overview panel can be a very useful tool to reach its different areas.

- Move the mouse pointer over the gray rectangle contained in the Overview panel until it takes the shape of a hand.
- > Drag it in the direction of the map you want to explore and release the mouse button.

The main view changes to reflect the new position of the gray rectangle. Note that the positions of the elevators in the workspace scroll bars also change accordingly.

You can achieve the same effect by using the workspace scroll bars, but the Overview panel has the advantage of giving you a complete representation of your map.

Using the Object list

:Ch

The Object list gives you a complete overview of the objects placed on the selected branch. It allows you to perform various operations on them, such as activating them, deleting them or displaying their properties in the Properties dialog.

^F If the Object list is not visible, choose **View | Show/Hide | Object List** to open it.



You can resize, dock and undock the Object list according to your needs. See "Using the MindView panels" in the topic "Setting up your workspace" for more information.

Manipulating objects in the Object list

The Object list allows you to perform the following operations:

• Select an object by clicking its name.

The contents of the Properties dialog immediately changes to reflect the properties of the selected object, which you can then edit as required.

- Activate an object by double-clicking its name or choosing **Execute** in its local menu.
- Move an object up or down the list by drag and drop. This is only relevant if you intend to export your document and want the objects to be exported in a particular order, as it is the order of the objects in the Object list that dictates the order in which they are exported.
- Delete an object by choosing **Delete** in its local menu.

Views

Using different views

MindView allows you to view your Mind Map in different ways, depending on your personal preference, the nature of your data and the use you want to make of it.



The first four views, collectively referred to as "Map Views", are traditional Mind Mapping views:

- The **Mind Map** view represents the map with the root in the center, and all the main branches radiating from it in a clockwise direction. See "Using the Mind Map view" for more information.
- **ZZZ** The **Top Down** view represents your map as a hierarchical pyramid, with the root at the top, the main branches underneath, the sub-branches below the main branches, and so on. See "Using the Top Down view" for more information.
- The Left view represents your map as a list of topics placed on the left of the root. See "Using the Left/Right view" for more information.
- The **Right** view represents your map as a list of topics placed on the right of the root. See "Using the Left/Right view" for more information.

The remaining views are specific views adapted to a particular purpose:

Pp

- The **Timeline** view lets you display the branches of your map that contain time information in chronological order on a horizontal time axis. See "Using the Timeline view" for more information.
- The **Outline** view represents the map as a hierarchical list which you can expand and collapse as required. See "Using the Outline view" for more information.

Once you have created your document, you can display it at any time in another view by choosing that view in the **Home** | **View** or **View** | **View** panels in the main menu or by right-clicking the workspace and choosing **View Map As** in the local menu.

Going from one view to another only affects the way the document is displayed. The contents of the document are not modified, unless you edit them yourself while working in the new view.

Mind Mapping views

Using the Mind Map view

This view represents the map with the root in the center, and all the main branches radiating from it in a clockwise direction. This is a good view to use when brainstorming all the ideas related to the main subject of the map without worrying about evaluating them or structuring them.



To display your Mind Map in this view, you can:

- Choose View | MapView | Mind Map in the Home or View tabs of the main menu, or
- Right-click the workspace and choose View Map As Mind Map in the local menu, or
- Press **Ctrl** + **Shift** + **1**.

To find out how to use this view, refer to the "Basic tasks" and "Further tasks" sections of this documentation.

Using the Top Down view

 $\overline{\mathbf{x}}$ This view represents your map as a hierarchical pyramid, with the root at the top, the main branches underneath, the sub-branches below the main branches, and so on. It is a useful representation for structured data which needs to be viewed in a hierarchical manner, in other words from the higher level to the lowest levels.



To display your Mind Map in this view, you can:

- Choose View | MapView | Top Down in the Home or View tabs of the main menu, or
- Right-click the workspace and choose View Map As Top Down in the local menu, or
- Press Ctrl + Shift + 2.

To find out how to use this view, refer to the "Basic tasks" and "Further tasks" sections of this documentation.

T While in that view, you can change the display so that the sub-branches are displayed vertically by choosing that display in the **Layout** gallery of the **Design** tab.



Using the Left/Right view

This view represents your map as a list of topics placed on the right of the root. It is a good choice when you need to present structured data in list form (for instance a list of steps) and want to be able to fully explore each point in the list before going on to the next point.



To display your Mind Map in this view, you can:

- Choose View | MapView | Left/Right in the Home or View tabs of the main menu, or
- Right-click the workspace and choose View Map As Left/Right in the local menu, or
- Press **Ctrl** + **Shift** + **3**.

To find out how to use this view, refer to the "Basic tasks" and "Further tasks" sections of this documentation.

While in that view, you can change the display from Right to Left by choosing that orientation in the **Layout** gallery of the **Design** tab.



Timeline view

Using the Timeline view

PpP

The Timeline view displays all the branches of your document that contain time information in chronological order along a horizontal time axis. The different timescales available (standard, daily, weekly, historic and geological) let you represent a variety of different events, such as the planning of a product launch, the life cycle of a bee or the rise and fall of an ancient civilization.

Provide the set of the



Accessing the Timeline view

You can access the Timeline view in different ways:

> To create a new timeline from scratch, click the **MindView Button** and choose **New Timeline**.

To display an existing map in timeline form in the Timeline view, you can either:

- Choose Home | View | Timeline or View | View | Timeline in the main menu, or
- Right-click the workspace and choose View Map as Timeline in the local menu, or
- Press **Ctrl** + **Shift** + **4**.

Going to the Timeline view from another view only affects the way the Mind Map is displayed. The contents of the Mind Map are not modified, unless you edit them yourself while working in the Timeline view.

Elements of the Timeline view

As all the other views, the Timeline view is made up of several components:

• The Timeline Outline

This panel, which is displayed by default on the left of the Timeline view, shows all the branches of your map as a hierarchical list which you can expand and collapse as required.

All the branches are listed, including those that do not contain time information.

Tim	Timeline Outline 🛛 📮 🗙							
	•	Ø	Branch Name	Start Time	End Time			
٦		Ø	Winston Churchill 1874 - 1965					
	•		⊞ Birth 1874	1874				
	Θ		🖃 Early career					
			Harrow school 1888-1892	1888	1892			
			Sandhurst 1893-1894	1893	1894			
			Army service 1895-1899	1895	1899			
	Θ		First book published 1898	1898				
۵	Θ		War correspondent 1899	1899				
			Capture and escape					
			Conservative member of parliament 1	1900	1904			
			Liberal member of parliament 1904 to	1904	1922			
			Marriage to Clementine Hozier 1908	1908				
	Θ		President of Board of Trade 1908 to 1	1908	1910			
			Home Secretary 1910 to 1911	1910	1911			
			E First Lord of the Admiralty 1911 to 1915	1911	1915			
			Gallipoli					

The Timeline Outline works exactly as the main Outline view.

You can close the Timeline Outline by clicking its Close icon \times . To re-open it, choose View | Show/Hide | Timeline Outline.

 \mathbb{V} You can also click the **Auto Hide** pin $\mathbb{P} \times$ to make the Timeline Outline only appear when you hover its tab on the left side of the workspace.

• The Timeline

The Timeline area shows all the branches of your map that contain time information, arranged in chronological order along a time axis.

All the branches and sub-branches that contain time information are represented, regardless of the hierarchical structure of the map.

Note that if none of your branches contain time information when you switch to Timeline view, the timeline will be empty.

• The Time Info Panel

This panel is displayed on the right of the workspace. It lets you define the timescale of your document and enter time information on its branches.

Both of these operations are described in detail in the topic "Inserting timeline data".

As well as using the Time Info panel, you can also enter time information for your branches directly in the Timeline Outline or in the main Outline view.

If the Time Info panel is not visible, click the **Time Info** tab on the right of the workspace or choose **View** | **Show/Hide** | **Time Info**.

Using the Timeline Outline

The Timeline Outline shows all the branches of your map, including those that do not contain time information. The timeline itself however only shows the branches containing time information.

The branches are listed in the Timeline Outline in their order of creation. This means that if you created them in another view such as the Mind Map view, they will be listed in the Timeline Outline in the same order as in the Mind Map view (going clockwise from the top right), rather than in chronological order.

Selecting a branch in the Timeline Outline automatically selects it on the timeline. If necessary, the timeline is scrolled to bring the branch into view. Conversely, selecting a branch on the timeline selects it in the Timeline Outline.

The Timeline Outline looks and works exactly as the main Outline view. When working in the Timeline Outline, you can for instance:

- Add, delete, move, cut, copy and paste branches in exactly the same way as in the main Outline view.
- Add branch pictures, icons, text notes and pop-up comments to any of your tasks.
- Attach objects such as text files, video files, sound files, hyperlinks and so on.

For a description of the Outline view and how to perform these operations, see "Using the Outline view".

You can enter time information on a branch from the Timeline Outline by double-clicking the relevant Start Time or End Time cell (or pressing F12 or Ctrl + F12 respectively) and filling in the time picker as described in "Inserting timeline data".

Any change you make in the Timeline Outline is immediately reflected on the timeline itself.

Using the Timeline

By default, the timeline shows all the branches of your map that contain time information arranged in chronological order along a time axis.

	Define objectives 🕒							
	7 Jun 2010 - 9 Jun 2010							
				Pla	nning	J 🕒		
			10 Jur	10 Jun 2010 - 1 Jul 2010				
				Setup team				
				10 Jur	10 Jun 2010 - 14 Jun 2010			
	7 Jun							
Sun	Mon	Tue	Wed	Thu	Fri	Sat	Sun	
			💋 Define	objectiv	es: 7 Jui	n 2010 - 9	Jun 2010	

Choosing a layout and style

MindView lets you define the visual aspect of your timeline at any time by applying design options to it.

- Click the **Design** tab at the right of the ribbon.
- > Browse through the **Layouts** gallery to choose your preferred layout.
- Browse through the **Styles** gallery to choose your preferred style.
- (optional) To further customize the visual aspect of your timeline, explore the options available in the Effects and Properties panels.

Inserting branches

As well as using the Timeline Outline, you can enter events (branches) directly on the timeline itself:

- Double-click the workspace.
- Fill in the relevant details in the **Insert Event** dialog and click OK.

Insert Event	Γ
Branch name:	
Start time:	
End time:	
Change Timescale	
OK Next Cancel	

The branch is now inserted at the correct place in the timeline.



Clicking Next instead of OK keeps the dialog open, ready for you to insert more branches.

Moving branches

MindView also lets you move branches on the timeline by dragging them to a different start time. Note that if an end time had been specified for the branch, this end time is also moved so that the duration remains the same.



For more precise positioning, double-click the relevant Start Time or End Time cell in the Timeline Outline (or press **F12** or **Ctrl + F12** respectively) to open the time picker.

Adding objects and elements

When working in the Timeline view, you can add icons, pictures, text notes, comments and branch connections on any of the branches displayed in the timeline, just as in all the other views. You can also attach objects such as text files, video files, sound files and hyperlinks.

- > Select the required branch on the timeline.
- > Choose the relevant command, using either the main menu or the local menu of the branch.

For more information on these procedures, see the topics "Inserting icons", "Inserting pictures", "Inserting text notes", "Inserting comments", "Attaching objects", "Creating hyperlinks" and "Creating branch connections".

Viewing the Timeline

Viewing the events

• To display the start and end times of the timeline events underneath their label, choose View | Branch Data | Show Time Info (or right-click the workspace and choose Show Time Info on Map) and check Start/End time in the sub-menu.

You can then hide or show the time information on individual branches with the **Show Time Info** icon of the **Format** tab (or the **Show Time Info on Branch** option in the branch local menu).

- If you have entered both a start time and an end time for a particular event, you can show the duration of this event as a bar below the time axis by clicking **Design** | **Properties** | **Show Duration Bars**.
- You can view pop-up comments and attached objects by clicking the comment icon 🕒 or paperclip icon 🎚 just as in the other views.
- The **Numbering Scheme** icon is of the Home tab lets you apply sequential numbers to the branches of the Timeline according to their order in the Timeline Outline. When your timeline has several levels of branches, it will help you identify which main branch the different sub-branches belong to.
- As in the other views, you can also use the **Apply Branch Focus** icon the View tab to restrict the display to a particular branch. Click the **Clear Branch Focus** icon to view the entire timeline again.

If the branch you selected does not have any sub-branches, or if its sub-branches do not contain time information, the timeline will be empty.

For more information about this procedure, see the topic "Focusing on a branch" of the "Further tasks" section.

• Finally the **Filter** icon ∇ of the View tab lets you hide all the timeline branches that do not meet the filter criteria you have defined.

For more information about this procedure, see the topic "Filtering a Mind Map" of the "Further tasks" section.

Zooming in and out

You can change the level of magnification of your entire timeline as follows:

• Click the **Zoom In** icon 🕒 of the Zoom slider shown in the bottom right of the workspace to increase the level of magnification of your timeline.

When you zoom in, everything gets bigger, including the text, the boxes and the pictures included on your timeline.

• Click the **Zoom Out** icon 😑 to decrease it.

When you zoom out everything gets smaller.

• Choose View | Zoom | Fit All 🔤 or press F4 to see the entire timeline.

You can also view your timeline in full screen mode, to give it as much screen space as possible:

- > Choose View | Zoom | Full Screen 🔤 or press F9.
- To return to normal viewing mode, choose Close Full Screen in the floating Full Screen toolbar, press Esc or press F9 again.

See "Zooming in and out" for more information on zooming.

Expanding and compressing

You can also increase or decrease the level of detail on the time axis as follows:

- To increase the scale on the time axis, click **Design** | **Properties** | **Expand**.
- To decrease the scale, click **Design | Properties | Compress**.

Expanding the scale makes the timeline less crowded as a given period of time occupies more horizontal space. As a result, you may start seeing more detail on the time axis. For instance, instead of having ticks every 5 years, you might now have a tick for every year. As you continue expanding the scale, you might see months and days appear on the time axis.

Events on the timeline do not change size when you expand the scale: they move apart horizontally, and they may also move vertically nearer the time axis as more space becomes available. Contracting the scale has the reverse effect.

Inserting time breaks

You can also replace empty space on the time axis with one or more break marks by clicking **Design** | **Properties** | **Show Time Breaks.**

This optimizes the use of the horizontal space when events are not evenly distributed along the timeline.



> To remove these time breaks, just click the icon again.

Exporting the Timeline

When working in the Timeline view, the only export methods available are:

• Export to HTML

This export method works in exactly the same way as when you export the document from one of the standard Mind Mapping views. The only difference is that the Home page of your web site contains an interactive view of the timeline, allowing you to display each of its pages with a simple click wherever the mouse pointer changes to a hand. A Timeline button is inserted in all the pages of the site to let you return quickly to this interactive view.



For more information about this export method, see "Exporting to HTML".

• Export to picture

For more information about this export method, see "Exporting as picture".

Printing the Timeline

You can print your timeline in the same way as in the Map views.

MindView enables you to spread your printout on several pages, which is very useful in the case of timelines. Increasing the horizontal page spread number, for instance, will allow you to create a legible printout of your entire timeline, spread over several pages.

For a full description of the printing options, see "Printing a Mind Map".

Outline view

Using the Outline view

The Outline view represents the map as a hierarchical list which you can expand and collapse as required. It allows easy navigation through the document from top to bottom and gives you another way to brainstorm ideas.

Accessing the Outline view

You can access the Outline view in different ways:

> To create a new outline from scratch, click the MindView Button and choose New Outline.

To display an existing map in outline form in the Outline view, you can either:

- Choose Home | View | Outline or View | View | Outline in the main menu, or
- Right-click the workspace and choose View Map as Outline in the local menu, or
- Press **Ctrl** + **Shift** + **5**.

٩) Agen	da.mvdx		
	•	Ø		Branch Name		
٦		Ø		Agenda		
				🖃 1. Opening remarks		
	•			1.1 Welcome		
			4	1.2 Purpose and goal of the meeting		
				1.3 Minutes from last meeting		
				🗆 2. Updates		
			7			
			▲⊙	2.2 Update on 2nd issue		
				⊞ 3. 1st Issue		
	۵			4. 2nd Issue		
				🖃 5. Closing remarks		
		Ø		5.1 Minutes		
			2	⊟ 5.2 Next meeting		
				5.2.1 Date/Time		
				5.2.2 Location		
				5.2.3 Attendees		

Going to the Outline view from another view only affects the way the Mind Map is displayed. The contents of the Mind Map are not modified, unless you edit them yourself while working in the Outline view.

Elements of the Outline view

The Outline view is made up of several columns:

• A **picture** icon in the first column denotes the presence of a branch picture. Just move the pointer over the icon to see a preview of the picture. Double-click the icon to display the picture in the image viewer associated with its file extension on your computer.

- A yellow comment icon in the next column indicates that the corresponding branch contains a pop-up comment. Just move the pointer over the icon to open the comment window.
- A **paperclip icon** finite third column indicates that the corresponding branch contains attached objects (text notes, text files, video files and so on) or that it is linked to another branch via a branch connection. To view an attached object, move the pointer over the icon to display the pop-up list of attached objects and click the required object to open it in the associated viewer.
- If you have inserted one or more **icons** on the corresponding branch, these are shown in the last column before the branch name.
- If you are working on a timeline, the columns on the right of the view show the **Start Time** and **End Time** associated with each timeline event. See "Inserting timeline data" for details about these fields.

You can hide any of these columns by right-clicking the Branch Name header at the top of the Outline view and deselecting the unwanted columns in the local menu.

Using the Outline

Choosing a color scheme

MindView lets you apply different color schemes to your outline:

To choose a different color scheme, click the **Design** tab and check the effect produced by the different options of the Color Scheme gallery before clicking your preferred option.

Inserting a branch

You can **add** and **delete** main branches, pre-branches and sub-branches in the Outline view in just the same way as in the Map views.

Moving a branch

You can move an entire branch, including any sub-branches and objects attached to it, to a different branch of your outline. As you work on organizing your ideas, you can for instance decide to convert a sub-topic to a main topic by moving the corresponding sub-branch to the root, or allocate a sub-topic to a different main topic by moving the corresponding sub-branch to a different main branch.

- Select the branch you want to move to a different location by clicking it with the left mouse button.
- > While keeping the left mouse button down, drag the branch to the required location.

The mouse pointer changes to a different shape to show you where the branch will be inserted when you let go of the mouse button.

- A small right arrow → indicates that the branch will become a sub-branch of the branch containing the arrow.
- A small up arrow ¹ indicates that the branch will be inserted above the branch containing the arrow, at the same level.
- A small down arrow \downarrow indicates that the branch will be inserted below the branch containing the arrow, at the same level.
- > Release the mouse button to insert the branch at the required location.
- You can also choose **Home** | **Editing** | **Indent** i (or press the keys Alt + Shift + right arrow) to move the selected branch or branches to the next level down in the hierarchy, so that they become sub-branches of the preceding branch in the Outline.
- Conversely, choosing **Home** | Editing | **Outdent** (or pressing the keys Alt + Shift + left arrow) moves the selected branch or branches to the next level up in the hierarchy.

Cutting, copying and pasting branches

You can apply the standard Cut, Copy and Paste functions to any branch or set of branches of your outline, as described in "Moving a branch". You can for instance copy or move an entire branch or set of branches, including all their sub-branches and attached objects, to a different part of the outline, at the same hierarchical level or at a higher or lower level.

To perform these operations on a set of branches, you first need to select them:

- To select a range of branches listed one after the other, select the first branch, press and hold down the **Shift** key and select the last branch in the range.
- To select several isolated branches, select the first branch, press and hold down the **Ctrl** key and select the other branches one by one.

Adding objects and elements

You can add branch pictures, icons, text notes and pop-up comments on a branch in the same way as in the Map views. For more information on these procedures, see the topics "Inserting pictures", "Inserting icons", "Inserting text notes" and "Inserting comments" in the "Basic tasks" section.

You can also attach objects such as text files, video files, sound files, hyperlinks and so on just as in the Map views. For more information, see "Attaching objects" and "Creating hyperlinks".

There are however some limitations that apply when you work in the Outline view:

- You cannot add or view floating pictures.
- You cannot add or view floating comments.
- You cannot create branch connections, although existing branch connections are listed in the pop-up list identified by the paperclip icon and can be activated from that list.

Viewing the Outline

- You can **expand** or **collapse** a particular branch or set of branches by clicking the small plus 1 and minus \blacksquare signs on the left of the branch name or by pressing the keys Ctrl + right arrow to expand and Ctrl + left arrow to collapse.
- The Numbering Scheme icon is of the Home tab lets you apply sequential numbers to the branches of the outline and choose between various numbering styles.
- As in all the other views, the Detail Level icons a of the View tab let you collapse the entire outline to just one level of branches, two levels, three levels or four levels. To show all the branches down to the last level, click the All Levels icon +.

You can also press Ctrl + 1 to display just one level of branches, Ctrl + 2 to show two levels etc. Ctrl + 5 shows all levels.

• As in the other views, you can use the **Apply Branch Focus** icon **a** of the View tab to restrict the display to a particular branch. Click the **Clear Branch Focus** icon **b** to view the entire outline again.

For more information about this procedure, see "Focusing on a branch" in the "Further tasks" section.

• Finally the **Filter** icon ∇ of the View tab lets you hide all the branches of the outline that do not meet the filter criteria you have defined.

For more information about this procedure, see "Filtering a Mind Map" in the "Further tasks" section.

Printing the Outline

You can print your outline in the same way as in the Map views.

For a full description of the printing options available, see "Printing a Mind Map".

Spellchecking

Using the spellchecker

ABC

MindView allows you to find and correct spelling errors in your entire document as well as in the currently selected element. The MindView spellchecker is able to detect misspelled words and automatically correct common misspellings in the following elements:

- Branch names
- Floating comments
- Pop-up comments
- Text notes
- Object names

In addition to looking up words in its own dictionaries, the spellchecker also references **custom dictionaries** to determine whether a particular word is correctly spelt or not. You can customize these dictionaries by adding, replacing or deleting words.

The spellchecker also uses an **AutoCorrect list** to correct common mistakes automatically. Again, you can customize this list by adding, replacing or deleting word pairs.

Finally the spellchecker allows you to spellcheck your documents in **several languages**, including American and British English, French, German, Italian, Spanish, Dutch and Danish.

Spellchecking as you type

By default, MindView checks for spelling errors as you type, underlining in red any mistakes found.

You have the option of correcting the mistake straight away by right-clicking the misspelled word.

This opens the local menu, in which you can choose any of the following commands:

• Corrections

This lets you choose one of the suggestions listed, which then replaces the misspelled word.

• Ignore All

Choose this command to ignore the currently highlighted occurrence of the word and all other such occurrences in the document and any other document opened during this MindView session.

• Add to Dictionary

Choose this command to add the underlined word to your default custom dictionary, thereby making it a valid word which the spellchecker will no longer report as a mistake. See the topic "Spellchecking options" for more information on custom dictionaries.

AutoCorrect

This lets you choose one of the suggestions listed. In addition, the misspelled word and its corrected equivalent will be added to the AutoCorrect list. This means that whenever you type this misspelled word in the future, it will be automatically replaced by its corrected equivalent. See the topic "Spellchecking options" for more information on the AutoCorrect list.

Spelling

This opens the Spelling dialog, which allows you to spellcheck the entire selected element.

Spellchecking the document

> Choose **Review** | **Proofing** | **Spellcheck Document** or press **F7**.

MindView goes through your document, examining branch names, floating comments, pop-up comments, text notes and object names for spelling mistakes. As soon as it detects a spelling mistake in one of these elements, MindView selects the element containing the mistake and opens the Spelling dialog.

Spelling	? ×
Not in Dictionary:	
Thiss is incorrect	Ignore Once
	Ignore All
	$ earrow \underline{A}$ dd to Dictionary
Suggestions:	
This's Hiss	<u>C</u> hange
This Theists	Change All
Thirsts Thais	+ AutoCorrect
Dictionary language: American English	•
Qpt	tions Cancel

The top field shows the phrase containing the misspelling, with the first misspelled word highlighted. The bottom field shows a list of suggestions from which you can choose an alternative spelling for the highlighted word.

You can choose one of the following options:

• Ignore Once

This will ignore the currently highlighted occurrence of the word.

• Ignore All

This will ignore the currently highlighted occurrence of the word as well as any other such occurrences during the entire MindView session.

Add to Dictionary

This will add the misspelled word to your default custom dictionary.

Change

If you have edited the misspelled word in the top field, this replaces it with the edited word. Otherwise the misspelled word is replaced by the alternative spelling chosen in the Suggestions field. Only this occurrence of the misspelled word is corrected. If you also want all following occurrences of the word replaced, click Change All.

• Change All

If you have edited the misspelled word in the top field, this replaces it with the edited word. Otherwise the misspelled word is replaced by the alternative spelling chosen in the Suggestions field. This replaces all the occurrences of the misspelled word in the entire document.

AutoCorrect

This replaces the misspelled word by the alternative spelling chosen in the Suggestions field. In addition, the misspelled word and its corrected equivalent are added to the AutoCorrect list.

• Dictionary language

This lets you choose a different language for the spellchecker to use to check your document.

• Options

This opens the Spellchecking Options dialog, which lets you set various options to control the way the spellchecking is done. See the topic "Spellchecking options" for a full description of this dialog.

Spellchecking the currently selected element

> Choose Review | Proofing | Spellcheck Selection or press Ctrl + F7.

ABC

MindView goes through the currently selected element, looking for spelling mistakes. As soon as it detects a spelling mistake, MindView selects the phrase containing the spelling error, highlights the error and opens the Spelling dialog described above.

Choosing a different dictionary

Choose Review | Proofing | Set Language and select the language dictionary you would like to use to spellcheck your document.

Language					
Current language:					
American English 🔹					
OK Cancel					

Spellchecking options



This dialog contains various options which you can set to determine the type of errors reported by the spellchecker.

You can access it in several ways:

- By choosing **Review** | **Proofing** | **Spelling Options**.
- By clicking **Options** in the **Spelling** dialog.
- By clicking the MindView Button, then MindView Options and Proofing.



Check spelling as you type: If you disable this option, the misspelled words will not be automatically underlined in red as you type them. You will need to use the Spellcheck commands to spellcheck your Mind Map at a later stage.

Ignore words in uppercase: When enabled, this option causes any word written entirely in upper case to be ignored by the spellchecker and skipped. It is useful to keep this option enabled if your document contains many acronyms.

Ignore words with numbers: When enabled, this option causes any word containing numbers to be ignored by the spellchecker and skipped. It is useful to keep this option enabled if your document contains many words or symbols including numbers, such as Q4.

Ignore Internet and file addresses: When enabled, this option causes any words that appear to make up an Internet domain name, a URL or an email address to be ignored and skipped.

Phonetic suggestions (English only): When enabled, this option causes suggestions to be made on the basis of their phonetic similarity to the misspelled word. This option tends to improve suggestions for badly misspelled words.

Typographical suggestions: This is the default option. It causes suggestions to be made on the basis of the similarity of their spelling to that of the misspelled word. Note that the spellchecker does not offer suggestions if you disable both this option and the 'Phonetic suggestions' option.

Case sensitive: When enabled, this option causes the spellchecker to distinguish between capitalized and non-capitalized letters. The word "europe" for instance would be considered as a mistake. If you disable this option, "europe" and "Europe" would be considered identical and both regarded as correct.

AutoCorrect: If you disable this option, even if a misspelled word is included together with its correct equivalent in the AutoCorrect list, the misspelled word will not be automatically replaced by its equivalent.

Correct two initial capitals: If you type the first two letters of a word in upper case, this option causes the 2nd letter to be automatically converted from upper case to lower case. The word "EUrope" for instance would be automatically replaced by "Europe".

Capitalize first letter of sentences: Automatically converts the 1st letter of a sentence to upper case.

You can also click **AutoCorrect List** or **Custom Dictionaries** to open the corresponding dialogs. Both dialogs are described below.
Default language: This lets you choose the default language which you want the spellchecker to use to check your documents.

Using the AutoCorrect list

This list contains all the misspelled words which you have corrected by using the AutoCorrect feature described above. Each line is made up of the originally misspelled word in the 'Replace' column on the left, together with the suggestion you chose to replace it with in the 'With' column on the right.

Aut	oCorrect: (American En	glish) 📃	x
R	eplace:	With:	
ΙΓ	abbout	about	<u>_</u>
	abscence	absence	
	accesories	accessories	
	accidant	accident	
	accomodate	accommodate	
	accross	across	
	acheive	achieve	
	acheived	achieved	
	acheiving	achieving	
	acommodate	accommodate	-
	1		
		Add Delete	
			_
		OK Cancel	

If you work with different languages, the spellchecker maintains one such AutoCorrect list per language.

You can customize the AutoCorrect list in various ways:

- You can add new AutoCorrect pairs by typing a commonly misspelled word in the 'Replace' field followed by its correct equivalent in the 'With' field and clicking **Add**.
- You can replace the correct equivalent of a misspelled word by selecting this misspelled word in the 'Replace' list, typing the new equivalent in the 'With' field and clicking **Replace**.
- You can delete an AutoCorrect pair by selecting the corresponding row in the list and clicking **Delete**.

Using the custom dictionaries

This dialog contains a list of all your custom dictionaries as well as several buttons allowing you to customize them.

Custom Dictionaries	X
Dictionary list:	
mindview 3.0.dic (default)	Modify
	Default
	<u>N</u> ew
Full path:	<u>A</u> dd
c: \users \genevieve \appdata \roaming \matchware	Remove
ОК	Cancel

Custom dictionaries contain all the words reported as misspelled by the spellchecker that you decided to accept as valid by clicking Add to Dictionary during spellchecking. This means that a word included in any of the custom dictionaries is no longer reported as a misspelling by the spellchecker.

The Custom Dictionaries dialog allows you to:

- Modify one of the custom dictionaries by clicking it, then selecting **Modify**. You can then add new words to the dictionary or remove existing words.
- Set one of the custom dictionaries as default by selecting it and clicking **Default**. Any new word you now accept as valid by clicking Add to Dictionary while spellchecking will be automatically added to this dictionary.
- Create a new custom dictionary by clicking New.
- Add an existing custom dictionary by clicking Add.
- Remove an existing custom dictionary by selecting it and clicking **Remove**.

Exporting

Introduction

-

MindView lets you export your document to other applications, including Microsoft® Word, Microsoft® PowerPoint and MatchWare Mediator. You can also export it to HTML.

These export possibilities mean that you can use MindView to brainstorm your ideas, organize them visually and collect all the associated material, and then convert the map into the format you require. In this way, you immediately obtain a professional-looking document, which you can process further if necessary using tools such as FrontPage® (for HTML export), Microsoft® Word, Microsoft® PowerPoint, MatchWare Mediator and so on.

Once you have exported your document and worked on it in one of these applications (for instance Word, PowerPoint or Mediator), you can re-import it back into MindView if necessary, while preserving much of the work done in the external application. The branch structure, layout and contents of the original Mind Map are also preserved as far as possible. For more information about importing a document into MindView, see the "Importing" section of this documentation.

The export options offered by MindView are all described in detail in the next topics.

Additional folders



When you export your document to one of the export formats available, MindView automatically includes and references all the files you have used in the document.

If however you have created a particular folder structure for the external files used by your document, you can ensure that MindView preserves this structure when exporting to HTML by specifying the list of folders that need to be included in the export folder as follows:

- Click the **MindView Button**.
- > Choose **Prepare** | **Additional Folders** to open the following dialog:

Additional Folders	? X
C:\Program Files\MatchWare\Mediator 9.0\M	Add Remove
Folders currently used by the document: C:\Program Files\MatchWare\Mediator 9.0\M (C:\Program Files\MatchWare\Mediator 9.0\M C:\Program Files\MatchWare\MindView 3.0\C	Add
ОК	Cancel

- > Click the Add button and select the first folder you wish to include in the export.
- > Repeat for all the folders you would like to include.

Note that you can enlarge the dialog by dragging one of its corners if the folder paths are not fully visible.

In the exported version of your document, all references to external files are automatically modified to point to the correct output folder.

Exporting to Microsoft Word

W

This export method lets you export your Mind Map as a Microsoft® Word document. If for instance you have created a Mind Map to brainstorm the structure of a report, this export mode provides you with a readymade outline of your map as a Word document, which you can then turn into a fully blown report by working directly in Word.

If after working for some time on your Word document, you realize you need to review the structure of your map in MindView before doing any further work in Word, you can re-import it back into MindView without losing any new text or formatting you might have added in Word. See "Importing from Microsoft Word" for more information.

You do not need to have Microsoft Word installed on your computer in order to use this export mode. To open the document however, you need Word 2007 and above. You can also open the document in an earlier version of Word if you have installed the Microsoft Office Compatibility pack, available free from the Microsoft web site.

Each branch is exported as a paragraph heading at the relevant level, in other words Heading 1 for main branches, Heading 2 for sub-branches, Heading 3 for sub-sub-branches and so on, using hierarchical numbering (unless you disable it in Advanced Export). Attached objects and inserted elements are listed below the heading.

As Microsoft Word only supports 9 heading levels, any MindView branch deeper than 9 levels is exported as Heading 9.

By default, MindView automatically includes an overall picture of your map on the first page of the document, followed by a Table of Contents.

If you add new headings to the document when working directly in Microsoft Word, you can easily update this Table of Contents by right-clicking it and choosing Update Field in the Word local menu. If you don't need the Table of Contents, you can delete it by selecting it and pressing Delete.

The branches of the map are exported to Word in the order in which they are displayed in the Mind Map view, starting from the top right in a clockwise direction.

You can however exclude entire branches and sub-branches from the export by disabling their 'Include in export' property in the Properties dialog.

Include in Export 🔽

Only the branches displayed on the workspace when you start the export procedure are exported. This means that if you are focusing on a particular branch or set of branches (see "Focusing on a branch") or if you are filtering the map to display only branches that meet specific criteria (see "Filtering a Mind Map"), only the branches visible on the workspace will be exported. To export the entire map, you need to go back to the full display by clearing the branch focus or filter applied.

Export modes

There are two export modes available:

• Quick Export

The Quick Export mode allows you to export your map quickly using the MindView defaults or the last Advanced Export settings you chose if you have already used that mode.

Advanced Export

The Advanced Export mode allows you to choose a template for your Word document. You can also specify the elements of your map to be exported and how they should be treated.

The export settings you choose in Advanced Export are saved with the MindView document and re-used next time you export your map using Quick Export or Advanced Export. This means you do not have to redefine them every time you make a small alteration to your map and want to export it again to Word.

When exporting a Mind Map to Word, MindView inserts bookmarks in the Word document to keep track of how the various elements should be re-imported back into MindView if you choose to do so. You should take care not to delete these bookmarks, which are hidden by default. To make them visible while you work, check 'Show bookmarks' in the Advanced panel of the Word Options dialog.

Relationship between MindView and Word elements and objects

The following table indicates how MindView treats the various inserted elements and attached objects contained in your map when exporting it to Microsoft Word.

MindView element	Exported to Word as		
Branch name	Heading at relevant level with hierarchical numbering		
	(3 levels by default)		
	Hierarchical numbering can be disabled in Advanced Export.		
Text note	Text inserted under the branch heading		
Branch picture	Picture inserted under the branch heading		
Floating picture	• If connected to a branch, inserted under the branch heading		
	• If not connected to a branch, not exported		
Floating comment	As for Floating picture		
Pop-up comment	Word comment on the branch heading		
Branch connection	Cross-reference prefixed by "See" under the start branch heading, pointing to the end branch heading		
MindView object	Exported to Word as		
Text file	Hyperlink		
Picture file	Picture inserted in the Word document		
	In Advanced Export, you can choose instead to insert the file as a hyperlink.		
Video file	Hyperlink		
Sound file	Hyperlink		
Hyperlink	Hyperlink		
Flash file	Hyperlink		

Using Quick Export

- Click the MindView Button.
- > Choose Export | Microsoft Word | Quick Word Export.
- If your MindView view contains several maps (i.e. several roots), choose the map you want to export in the 'Select Map to Export' dialog and click OK.
- > Specify a folder and a file name for the new Word document in the Save As dialog.

MindView starts exporting your Mind Map to Microsoft Word and displays a message informing you that export is complete.

> Click OK in that dialog to open the document in Word.

Word then displays the following message, indicating that it needs to update the Table of Contents.



Click OK to update the Table of Contents.

You are now ready to work in your Word document.

Using Advanced Export

- > Click the MindView Button.
- > Choose Export | Microsoft Word | Advanced Word Export.
- If your MindView view contains several maps (i.e. several roots), choose the map you want to export in the 'Select Map to Export' dialog and click OK.
- Choose your preferred template in the **Templates** tab of the Advanced Microsoft Word Export dialog or browse for one of the templates supplied with Microsoft Word or one of your own templates.

Advanced Microsoft Word Export			8 x
Templates General At	tached Objects		
Title 1. Heading 1 (1) Heading 5 Body text Standard Title	Title Heading 1 Heading 2 Body text Modern	Title 1. HEADING 1 1.1. HEADING 2 Cambria body text Professional Title	
1. Heading 1 1.1. Heading 5 Arial body text footer 1 Clean	Heading 1 Heading 2 Future body text Bold	Heading 1 Heading 3 Calibri body text Footer 1 Informal	
			•
Use style defined in Word template:			
		Export	Cancel

The APA and MLA templates supplied with MindView are designed to help you format your documents according to the APA (American Psychological Association) and MLA (Modern Language Association) standards, commonly used in the United States. The MLA template contains further styles which you can use when finalizing your document, such as "block quotes" and "works cited".

You can easily define your own Word template to be used when exporting from MindView. All you need to do is to define the Title style as well as styles for Headings 1 to 9 and save the document as a Word template (.dotx or .docx). You must also make sure the template does not contain any text.

In the General tab, choose the required general export settings and specify which elements of your map you want to export.

Advanced Microsoft Word Export		? ×
Templates General Attached Objects		
Format settings		
📝 Include map image	🛙 Use numbering scheme (1, 1.1, 1.1.1)	
☑ Include Table of Contents	Number until: Branch level 3 🔹	
Indude		
V Text notes	✓ Dates	
Branch pictures	V Icons	
V Floating pictures		
Floating comments		
Comments		
Branch connections		
	Export	Cancel

For the elements from the export by deselecting them here, none of the elements of this type will be exported, regardless of the value of their individual 'Include in export' property in the Properties dialog. Let's suppose for instance your map contains a floating picture whose 'Include in export' property is enabled. If you choose to exclude floating pictures from the export here, your floating picture will not be exported. Conversely, if you specify here that floating pictures should be exported, only the floating pictures whose 'Include in export' property is enabled will be exported.

Include in Export 🛛 🔽

> Choose the required export settings for any attached object in the **Attached Objects** tab.

Include			
Text documents as hyper	rlinks		
V Hyperlinks			
✓ Flash files as hyperlinks			
Sounds as hyperlinks			
Videos as hyperlinks			
V Pictures			_
As hyperlinks			
Insert in document			
Display names of incerte	d objects	 	 _
Display names of inserver	d objects		

- Click **Export**.
- > Specify a folder and a file name for the new Word document in the Save As dialog.

As for Quick Export, MindView starts exporting your Mind Map to Microsoft Word as a new document and displays the same messages once the export is complete.

Exporting to Microsoft PowerPoint

This export method lets you export your Mind Map as a Microsoft® PowerPoint presentation. If for instance you have created a Mind Map to brainstorm the structure of a business presentation, this export mode allows you to transfer it to PowerPoint in order to refine it further before delivering it to your audience.

If after working for some time on your PowerPoint presentation, you realize you need to review the structure of your map in MindView before doing any further work in PowerPoint, you can re-import it back into MindView without losing the layout work done in PowerPoint. See "Importing from Microsoft PowerPoint" for more information.

You must have Microsoft PowerPoint installed on your computer in order to use this export mode. MindView supports all Microsoft PowerPoint versions from 2000 onwards.

The root makes up the first slide, with the root label as the slide heading, followed by a list of the main branches.

Each branch is then exported as a slide, with any sub-branches listed below the slide heading. Inserted elements and hyperlinks are placed on the right side or at the bottom of the slide.

The branches of the map are exported to PowerPoint in the order in which they are displayed in the Mind Map view, starting from the top right in a clockwise direction.

You can however exclude entire branches and sub-branches from the export by disabling their 'Include in export' property in the Properties dialog.

Include in Export 🔽

Only the branches displayed on the workspace when you start the export procedure are exported. This means that if you are focusing on a particular branch or set of branches (see "Focusing on a branch") or if you are filtering the map to display only branches that meet specific criteria (see "Filtering a Mind Map"), only the branches visible on the workspace will be exported. To export the entire map, you need to go back to the full display by clearing the branch focus or filter applied.

Export modes

There are two export modes available:

• Quick Export



The Quick Export mode allows you to export your map quickly using the MindView defaults or the last Advanced Export settings you chose if you have already used that mode.

Advanced Export



The Advanced Export mode lets you choose a PowerPoint template for your presentation. It also allows you to specify the elements of your map to be exported and how they should be treated.

The export settings you choose in Advanced Export are saved with the MindView document and re-used next time you export your map using Quick Export or Advanced Export. This means that you do not have to redefine them every time you make a small amendment to your map and want to export it again to PowerPoint.

Relationship between MindView and PowerPoint elements and objects

The following table indicates how MindView treats the various inserted elements and attached objects contained in your map when exporting it to PowerPoint.

MindView element	Exported to PowerPoint as	
Branch name	Slide heading	
Text note	Text object Due to PowerPoint limitations, if the text note contains tables or bulleted lists, these elements will be exported as regular text. Similarly, if the text note contains a hyperlink, the formatting of the hyperlink will be preserved, but not the link itself.	
Branch picture	Picture on the right of the slide In Advanced Export, you can choose instead to insert the branch picture as a hyperlink.	
Floating picture	 If connected to a branch, inserted as a picture on the right or at the bottom of the slide If not connected to a branch, not exported 	
Floating comment	 If connected to a branch, inserted on the slide as a PowerPoint comment If not connected to a branch, not exported 	
Pop-up comment	PowerPoint note in the bottom Notes pane	

Branch connection	Hyperlink in a text object
MindView object	Exported to PowerPoint as
Text file	Hyperlink in a text object
Picture file	Picture on the right or at the bottom of the slide
	In Advanced Export, you can choose instead to insert the file as a hyperlink in a text object
Video file	Hyperlink in a text object
	In Advanced Export, you can choose instead to embed the video directly on the slide
Sound file	Hyperlink in a text object
Hyperlink	Hyperlink in a text object
Flash file	Hyperlink in a text object

Using Quick Export

- > Click the **MindView Button**.
- > Choose Export | Microsoft PowerPoint | Quick PowerPoint Export.
- If your MindView view contains several maps (i.e. several roots), choose the map you want to export in the 'Select Map to Export' dialog and click OK.

MindView starts exporting your Mind Map to Microsoft PowerPoint as a new presentation, and displays a message once the export is complete. You can then start working directly in PowerPoint on your new presentation and save it with the name of your choice.

Using Advanced Export

- Click the MindView Button.
- > Choose Export | Microsoft PowerPoint | Advanced PowerPoint Export.
- If your MindView view contains several maps (i.e. several roots), choose the map you want to export in the 'Select Map to Export' dialog and click OK.
- Choose your preferred template in the **Templates** tab of the Advanced Microsoft PowerPoint Export dialog or browse for one of the templates supplied with Microsoft PowerPoint.

Advanced Microsoft PowerPoint Exp	port		? <mark>- x -</mark>
Templates General	Attached Objects		
Blank	Title Image: state st	Title • Leven tyren • Dese tyren	
Title - even pour <	Title • ere wa <	Title • oren types • orent types	
Use style defined in PowerPoint	template:		•
		Export	Cancel

➢ In the General tab, choose the required general export settings and specify which elements of your map you want to export.

rempiates deneral	Attached Ubjects	
Format settings		
Include map image		
Include		
V Text notes	Branch pictures	
Floating pictures	As hyperlinks	
Floating comments	Insert in document	
Comments		
Branch connections as hype	erlinks	
Empty sub-branches		

If you exclude some elements from the export by deselecting them here, none of the elements of this type will be exported, regardless of the value of their individual 'Include in export' property in the Properties dialog. Let's suppose for instance your map contains a floating picture whose 'Include in export' property is enabled. If you choose to exclude floating pictures from the export here, your floating picture will not be exported. Conversely, if you specify here that floating pictures should be exported, only the floating pictures whose 'Include in export' property is enabled will be exported.

Include in Export 🛛 🗹

> Choose the required export settings for any attached object in the **Attached Objects** tab.

Include		
Text documents as hyperlin	ks	
V Hyperlinks		
Flash files as hyperlinks		
Sound files as hyperlinks		
Pictures	Videos	
O As hyperlinks	As hyperlinks	
Insert in document	Insert in document	

Click Export.

HTHL

As for Quick Export, MindView starts exporting your Mind Map to PowerPoint as a new presentation, and displays a message once the export is complete.

Exporting to HTML: Overview

This export method lets you export your Mind Map as a set of web pages in HTML format. It allows you to obtain a professional-looking web site very quickly, without having to worry about web design techniques.

Although you do not need to have a web browser installed on your machine in order to use this export method, you obviously need one to view the web site created. Among the web browsers supported by the MindView HTML export are Internet Explorer version 6.0 or above and Firefox 3.0 and above.

The exported HTML pages are placed in a sub-folder named 'MVHtmlExport' in the folder of your choice.

All the pictures you have included in your document are placed in a sub-folder of 'MVHtmlExport' named 'img', whereas the picture files used by the MindView export template are placed in a sub-folder named 'mvfiles'. All other external files used in your document are placed directly in 'MVHtmlExport'. As it creates the HTML pages, MindView automatically modifies all the references to external files contained in your document so that they point to the correct output folder.

Each branch, including the root, is exported as a HTML page of the same name as the branch, and each page contains a menu of all its sub-branches and optionally, a menu of the main branches.

By default, a Home button taking you back to the root page is included on each HTML page. A Site Map button containing a link to an interactive picture of your entire map and a 'You are here' locator showing you the complete path from the root are also included on each HTML page.

Unless you define a different arrangement in the Export Wizard, all the objects attached to a branch are exported below each other and left aligned on the page.

The branches of the map are exported to HTML in the order in which they are displayed in the Mind Map view, starting from the top right in a clockwise direction.

You can however exclude entire branches and sub-branches from the export by disabling their 'Include in export' property in the Properties dialog.

Include in Export

Only the branches displayed on the workspace when you start the export procedure are exported. This means that if you are focusing on a particular branch or set of branches (see "Focusing on a branch") or if you are filtering the map to display only branches that meet specific criteria (see "Filtering a Mind Map"), only the branches visible on the workspace will be exported. To export the entire map, you need to go back to the full display by clearing the branch focus or filter applied.

If you want a specific description to appear when the user hovers a picture from your map in the browser, you can enter this description in the Name property of the relevant picture (root picture, branch picture, floating picture or attached picture file). This description is then converted by MindView to an HTML Alt tag during the export.

Export modes

There are two export modes available:

• Quick Export



The Quick Export mode allows you to export your map quickly using the MindView defaults or the last export settings you chose.

• Export Wizard



The HTML Export Wizard lets you choose from a number of professional ready-made templates with various navigation layouts which you can customize to your liking. You can also specify the elements of your map to be exported and how they should be treated. Moreover, if you have created a particular folder structure for the external files used by your document, you can ensure that MindView preserves this structure when exporting to HTML by specifying the list of folders that need to be included in the export folder.

The export settings you choose are saved with the MindView document and re-used next time you export your map to HTML. This means that you do not have to redefine them every time you make a small alteration to your map.

Relationship between MindView and HTML elements and objects

The following table indicates how the various MindView elements and objects are exported on the HTML page.

MindView element	Exported to HTML as	
Branch name	Page title	
Text note	Inserted as text	
Branch picture	Inserted as picture	
Floating picture	• If connected to a branch, inserted as a picture	
	• If not connected to a branch, not exported	

Floating comment	• If connected to a branch, inserted as text	
	• If not connected to a branch, not exported	
Pop-up comment	Inserted as text	
Branch connection	Depending on your choice in the export dialog, inserted as a button link or as a hyperlink	
MindView object	Exported to HTML as	
Text file	Depending on your choice in the export dialog, inserted as a button link or as a hyperlink	
Picture file	Inserted as a picture	
Video file	Inserted as a Media Player object	
Sound file	Depending on your choice in the export dialog, inserted as a button link or as a hyperlink	
Hyperlink	Inserted as a hyperlink	
Flash file	Inserted as a Flash file (embedded)	

Exporting to HTML: Quick Export

- Click the MindView Button.
- > Choose Export | HTML | Quick HTML Export.
- If your MindView view contains several maps (i.e. several roots), choose the map you want to export in the 'Select Map to Export' dialog and click OK.

The HTML Quick Export dialog appears.

HTML Quick Export
Save to
C: Wy documents
Design
 Using template from last export (Export Wizard) Using predefined template
Options Export Cancel

Choose a path for your new web site.

MindView will create a sub-folder named 'MVHtmlExport' in the folder you specify, and place all the files making up your web site in this sub-folder.

- \succ Choose whether to use:
 - The template you last used in the Export Wizard if you have already used that export mode for your map.
 - The MatchWare predefined export template (with top and side navigation menu)

> (optional) Click **Options** to define further export options:

The Select Objects tab allows you to specify the elements of the map to include in the export.

Options	? ×			
Select Objects Select	Link Types			
Include Text notes Branch pictures Floating pictures Pictures Videos Sounds	 Floating comments Comments Branch connections Hyperlinks Text documents 			
 ✓ Flash files ✓ Insert 'Home' button ✓ Insert 'Site Map' button ✓ Insert 'You are here' loca ✓ Insert MatchWare logo 	 Flash files Insert 'Home' button Insert 'Site Map' button Insert 'You are here' locator Insert MatchWare logo 			
	OK Cancel			

For the elements from the export by deselecting them here, none of the elements of this type will be exported, regardless of the value of their individual 'Include in export' property in the Properties dialog. Let's suppose for instance your map contains a floating picture whose 'Include in export' property is enabled. If you choose to exclude floating pictures from the export here, your floating picture will not be exported. Conversely, if you specify here that floating pictures should be exported, only the floating pictures whose 'Include in export' property is enabled will be exported.

The **Select Link Types** tab only appears if your map contains branch connections and/or attached sound files or text files. It lets you choose whether these elements should be placed on HTML hyperlinks or buttons.

Select Objects Select Link Types Place branch connections On hypertext On button Place sounds On hypertext On button Place text documents On hypertext On button	Select Objects Select Link Types Place branch connections On hypertext On button Place sounds On hypertext On button Place text documents On hypertext On button Place text documents On hypertext On button	ons ? ×
Place branch connections Image: On hypertext Image: On hypertext Image: On button Place text documents Image: On hypertext Image: On hypertext	Place branch connections On hypertext On hypertext On button Place text documents On hypertext On hypertext On hypertext 	Select Objects Select Link Types
 On hypertext On button Place sounds On hypertext On button Place text documents On hypertext On hypertext On button 	 On hypertext On button Place sounds On hypertext On button Place text documents On hypertext On hypertext On button 	Place branch connections
 On button Place sounds On hypertext On button Place text documents On hypertext On hypertext On button 	 On button Place sounds On hypertext On button Place text documents On hypertext On button 	On hypertext
Place sounds On hypertext On button Place text documents On hypertext On button 	Place sounds Image: On hypertext Image: On hypertext Image: On button	On button
 On hypertext On button Place text documents On hypertext On button 	 On hypertext On button Place text documents On hypertext On button 	Place sounds
 On button Place text documents On hypertext On button 	 On button Place text documents On hypertext On button 	On hypertext
Place text documents On hypertext On button	Place text documents On hypertext On button	On button
 On hypertext On button 	 On hypertext On button 	Place text documents
On button	On button	On hypertext
		On button
	OK Cancel	OK Cancel

Click **Export**.

Once the export is completed, MindView displays a dialog giving you the choice of immediately viewing your web site in your default browser or uploading it to Internet using the MatchWare FTP Upload Manager. For more information on this tool, see "FTP Upload Manager".

To open your exported web site from within Windows Explorer at a later date, double-click the file index.htm in the sub-folder 'MVHtmlExport'.

Exporting to HTML: Export Wizard

- Click the MindView Button.
- > Choose Export | HTML | Advanced HTML Export.
- If your MindView view contains several maps (i.e. several roots), choose the map you want to export in the 'Select Map to Export' dialog and click Next.

The Export Wizard now displays a series of dialogs, the first of which is the Select Template dialog.

Selecting a template

This dialog allows you to select a navigation layout for the pages of your web site.

Export Wizard	2 X
Select Template	
Predefined Templates Tree List - Side Bar Only Tree List - Top and Side Bar Level List - Side Bar Only Level List - Top and Side Bar Buttons User Templates	Template 1 Template 2 Template 3
Last Used Template	Template 4 Template 5 Template 6
	Template 7 Template 8 Temp
	Template 10 Template 11 Templ
	< <back next="">></back>

• **Predefined Templates:** This lets you choose one of the professional MindView export templates with ready-made top and side navigation.

These templates are available in the following navigation styles :

Tree List: With this design, the list of side links is shown as a tree whose levels you can expand and collapse as in Windows Explorer. All the pages of the web site are available from the Tree List.



Level List: With this type of navigation, you only see a maximum of three levels of links on the side: the current page, any pages at the level just above it, and any pages at the level just below it.

Home
What is energy?
Types and sources
Work
Power
Conversion
Conservation of energy
Efficiency
Energy flow
Examples

Buttons: In this design, the side bar contains a list of links, where each link represents a sub-branch of the branch corresponding to the current page.

What is energy?	Types
Home	
Site Map	
Potential	
Kinetic	
Chemical	
Thermal	
Nuclear	
other	

To see a larger preview of the templates shown on the right of the window, just place the mouse pointer over the relevant thumbnail. Note that you will be able to go back to this step of the wizard at any time to choose a different template if you are not satisfied with your original choice.

- User Templates: This lets you choose one of your own previously saved export templates. See further down for information on how to save your own export template.
- Select a template on the right and click Next.

Preview

The Export Wizard opens the **Preview** dialog, which lets you customize the various areas of the navigation layout chosen in the first step.

Preview						Customize
Energy						General
What is energy?	Types and sour	Work Power	Conversion			
Home						T OP Bar
What is energy? Types and sources Work						Side Bar
Power Conversion						Content Area
						Preview
						Save Template
				C c c Pade	Next	Cancel

You can customize each area in turn by clicking the **Customize** buttons, namely:

- General
- Top Bar
- Side Bar
- Content Area

Feel free to experiment with the various customization options. At any time, you can obtain a full size preview of your design reflecting any changes made by clicking the Preview button. Note however that this Preview does not allow you to navigate the site.

Customizing the General properties (optional)

> Click **General** in the Preview dialog.

General Properties	? x
☑ Include 'Home' button	
Include 'Site Map' button	
V Include 'You are here' locator	
☑ Include MatchWare logo	
Site Metadata Description: Keywords:	
	OK Cancel

This dialog gives you the following options:

Include 'Home' button: This inserts a Home hyperlink or button on each of your web pages, allowing you to return to the page corresponding to the root of your map in just one click.

This option is not available if you have chosen a Tree List design, as this design always allows you to return to the root of your map in one click. A 'Home' button is therefore superfluous in this case.

Include 'Site Map' button: This inserts a Site Map hyperlink or button on each of your web pages. Clicking it will display an interactive picture of the entire web site.

Include 'Timeline' button: This option is only available if you are exporting a document from the Timeline view. It inserts a Timeline button on each of your web pages. Clicking it will display an interactive representation of the timeline as shown in the Timeline view. For more information about working with timelines, see "Using the Timeline view".

Include 'You are here' locator: This inserts a dynamic link on each page of the web site to show the complete path from the root web page to that particular page.

You can also enter meta-tags for your web site as follows:

Description: Any text entered here will be inserted in the <description> tag of each of the HTML pages created.

Keywords: Similarly, any keywords entered here (separated by commas) will be inserted in the <keywords> tag of each of the HTML pages created.

Customizing the Top Bar (optional)

Click the **Top Bar** button or double-click the top bar area in the Preview dialog.

The Top Bar Properties dialog opens on its Title tab.

Top Bar Properties	? ×
Title Ba	skground Links
Font name:	Arial
Font style:	Bold
Font size:	20 🔻
Font color:	
Same title on all	pages
Custom title text:	
	OK Cancel

By default, the title displayed on each web page is the branch name. Here you can change the font, attributes and color for this title or even enter your own title, which will be displayed on all the pages of the web site.

Click the **Background** tab.

Top Bar Properties		? ×
Title Bac	kground Links	
Color:		
📝 Image	c:\program files\matchware\mi	
	OK	Cancel

This tab lets you select a plain color or a different background picture for the top bar.

If you want to change the background picture, the best approach is to make a copy of the existing picture and edit its design to suit your requirements, making sure that the picture size stays unchanged so that it still fits the template.

Click the **Links** tab.

Title Background Text color Normal: Pressed: Hovered: Make all links same width	Top Ba	r Properties			11	2	x
Text color Normal: Pressed: Hovered: Make all links same width		Title	Background	Links	$\overline{\}$		
Hovered:	ſ	Text color Normal: Pressed:					
		Hovered:	ks same width				
OK Cancel				ОК		Cancel	

 $\overset{\circ}{\mathscr{P}}$ The Links tab is only available if the top bar of the template chosen contains buttons or hyperlinks.

This tab lets you select different colors for the top bar links depending on their state, i.e. "Normal", "Pressed" (the link is clicked) or "Hovered" (the mouse pointer is placed on the link).

You can also choose to make all the links the same width, or have their width vary according to the length of their label.

Customizing the Side Bar (optional)

> Click the **Side Bar** button or double-click the side bar area in the Preview dialog.

The Side Bar Properties dialog opens on its Background tab.

Side	e Bar Properties		? <mark>- X</mark>
	Background	Level List	
	Color:		
	🔽 Image	C: \My documents \energy.bmp	
		ОК	Cancel

This tab lets you select a plain color or a different background picture for the side bar.

As for the top bar, the best approach if you want to change the background picture is to make a copy of the existing picture and edit its design to suit your requirements.

The second tab of the Side Bar Properties dialog varies depending on the type of navigation template you chose in the first screen of the Export Wizard. The three possibilities are:

- Tree list
- Level list
- Links

We will now look at each of these possibilities in turn.

Side Bar Properties	5 ×
Background	Tree List
Font name:	Arial
Font style:	Regular
Font size:	11 •
Font color:	
	OK Cancel

This is the tab displayed if you have chosen a Tree List design in the first step of the Export Wizard.

With this design, the list of side page links is shown as a tree whose levels you can expand and collapse as in Windows Explorer. All the pages of the web site are available from the Tree List.

This tab lets you modify the default font, attributes, size and color of the links.

Level List

Side Bar Properties	8 X
Background	Level List
Number of levels:	✓
Font name:	Arial
Normal:	
Pressed:	
Hovered:	
	OK Cancel

This tab is displayed if you have chosen a Level List design.

With this type of navigation, you only see a maximum of three levels of links on the side: the current page, any pages at the level just above it, and any pages at the level just below it.

The Level list tab lets you choose how many levels the list should show. You can also define the font and color of the links.

Side Bar Properties	? <mark>×</mark>
Background Links	
Text color Normal:	
Hovered:	
	OK Cancel

Links

This tab is displayed if you have chosen a Buttons design in the first screen of the Export Wizard.

With this design, the side bar contains a list of links, where each link represents a sub-branch of the branch corresponding to the current page. The Links tab lets you select different colors for the side bar links depending on their state, i.e. "Normal", "Pressed" (the link is clicked) or "Hovered" (the mouse pointer is placed on the link).

Customizing the Content Area (optional)

> Click the **Content Area** button or double-click the middle area in the Preview dialog.

The Content Area properties dialog opens on its Background tab.

Content Area Properties	? X
Background Link Type Link Style	
Color:	
Image c:\program files\matchware\mi	*
Image placement: Center 🔹	
ОК	Cancel

This tab lets you select a plain color or a different background picture for the body of the page. Feel free to experiment with the image placement options by checking the effect in the Full Size Preview.

Click the **Link Type** tab.

Content Area Properties
Background Link Type Link Style
Place branch connections On hypertext On button
Place sounds On hypertext On button
Place text documents On hypertext On button
OK Cancel

If your map contains branch connections, sound files or attached text documents, this tab lets you decide whether you want to place these objects on hyperlinks or on buttons.

Click the Link Style tab.

Content Area Propertie	es	? ×
Background	Link Type	Link Style
Hypertext		
Normal:	Font:	Arial 🔻
Pressed:	Style:	Underline 🔻
Hovered:	Size:	11 🔻
Buttons		
		* •
		OK Cancel

This tab lets you choose styles for any buttons or hyperlinks created on your web pages.

- Define the hyperlink style required by selecting a font, attribute and size. You can also define different colors depending on the state of the hyperlink, i.e. "Normal", "Pressed" (the link is clicked) or "Hovered" (the mouse pointer is placed on the link).
- Scroll through the various buttons available to choose the type you like best.

Previewing the customized template (optional)

- Click the **Preview** button in the Preview dialog to obtain a 800x600 real-time preview of your design reflecting any changes made so far.
- > Check how your web site will look in different browser resolutions by resizing the window.

Reducing the window size might for instance cause the top buttons or hyperlinks to spread onto two rows. Conversely enlarging the window might cause them to arrange themselves on one row only.

Saving the customized template (optional)

- You can save your customized export template for later use by clicking the Save Template button of the Preview dialog. The Save User Template dialog that opens contains a list of the export templates you have already saved. Enter the name of your new export template and click Save.
- > Once you are satisfied with the design of all the page components, click Next.

Selecting the objects to export

The Export Wizard now opens the Select Objects to Export dialog.

Export Wizard			? <mark>x</mark>
Select Objects to Expo	ort		
	Include Text notes Branch pictures Floating pictures Videos Sounds Flash files Additional folders to be inclu	 Floating comments Comments Branch connections Hyperlinks Text documents 	
	Select Folders	<< Back Next >>	Cancel

> Select the MindView objects which you want to export to HTML.

For the elements from the export by deselecting them here, none of the elements of this type will be exported, regardless of the value of their individual 'Include in export' property in the Properties dialog. Let's suppose for instance your map contains a floating picture whose 'Include in export' property is enabled. If you choose to exclude floating pictures from the export here, your floating picture will not be exported. Conversely, if you specify here that floating pictures should be exported, only the floating pictures whose 'Include in export' property is enabled will be exported.

If you have created a particular folder structure for the external files used by your document, you can ensure that MindView preserves this structure when exporting to HTML by specifying the list of folders that need to be included in the export folder as follows:

> Click the **Select Folders** button to open the following dialog:

Additional Folders	? X
C:\Program Files\MatchWare\Mediator 9.0\M	Add Remove
Folders currently used by the document: C:\Program Files\MatchWare\Mediator 9.0\M C:\Program Files\MatchWare\Mediator 9.0\M C:\Program Files\MatchWare\MindView 3.0\C	Add
ОК	Cancel

- > Click the Add button and select the first folder you wish to include in the export.
- > Repeat for all the folders you would like to include.

Note that you can enlarge the dialog by dragging one of its corners if the folder paths are not fully visible.

As it creates the HTML pages, MindView automatically modifies all the references to external files contained in your document so that they point to the correct output folder.

➢ Click Next.

Placing the objects on the page

The Export Wizard now opens the **Select Placement** dialog, which allows you to define where the various objects attached to each branch should be placed on the corresponding HTML page.

Export Wizard		? ×
Select Placement		
	Default placement	
Artel	eft	
1 Selle	Center	
	© Right	
4	Manual placement	
	Allows you to move objects around the page to create a layout	
	Place Objects Only show updated pages	
Pa		
	< <back next="">></back>	Cancel

You can either:

- Choose a default placement of Left, Center or Right and click Next. In that case, the objects will be placed one after the other on each page according to their order in the Object list, either on the left, the center or the right of the page.
- Choose a default placement, and then click the **Place Objects** button to arrange the objects manually on the page as you wish.

Figure 1 If you have already exported your map to HTML, you can check 'Only show updated pages'. In that case, the Export Wizard only shows you the pages which you have edited since the last export. If your map contains a large number of branches, this saves time as you do not have to review the object positioning on all the unchanged pages.

Positioning the objects manually (optional)

If you have chosen to place the objects manually by clicking 'Place Objects' in the previous dialog, the Export Wizard now shows the Object Positioning window.

Export Wizard				8 X
Branch list:	Merge Cells	Split Cells	Cell spacing:	10 🔺
- Energy - What is energy? - "Types and - "Potential - "Kinetic - "Chemical - "Battery		Power plant_nuclear.png		
*Oi *other *Thermal *Transfer *Radiation *Conduction	% What is ener			
Convection Tinsulators / cond Exclude from export:	Science	statistics.xls		
				•
		<<	>> Preview	Finish

This is based on a default grid containing 5 columns, each representing 20% of the width of the HTML page, and divided in a number of cells.

All the objects associated with the first branch of your map are identified on the grid by a small icon bearing their name, in the default position chosen in the previous dialog. You can now reposition these objects or resize them by manipulating the grid cells as follows:

- To move an object on the page, drag it from one cell to the other.
- To resize a column on the grid, drag its edge until it reaches the required size.
- To merge two or more cells so that the object is stretched across them, select the cells by dragging the mouse pointer across them and click the **Merge Cells** button (or right-click and choose Merge Cells in its local menu).
- To split a cell made up of merged cells, select it and click **Split Cells** (or right-click it and choose Split Cells in the local menu).
- To align objects horizontally or vertically within a cell, select the relevant cells by dragging the mouse pointer across them, right-click and choose **Alignment** in the local menu. Then select an Alignment option by clicking a square in the menu (these represent top left alignment, top center alignment, top right alignment and so on). Note that you can also perform this operation on empty cells before moving objects into them.
- To add an empty row, right-click the row above which you want to insert a row and choose Add Row in its local menu.
- To delete a row, right-click it and choose **Delete Row** in its local menu.
- To increase or decrease the space between each cell, click the up or down arrows of the 'Cell spacing' option.

All the objects that are excluded from the export, either because you have disabled their 'Include in export' property or because you have chosen to exclude them in the 'Select Objects to Export' dialog described above, are listed in the 'Exclude from export' area in the bottom left of the grid. You are free to drag any of these objects back onto the HTML page.

You can also exclude particular objects from the export by dragging them to the 'Exclude from export' area, and drag them back to the HTML page later if you change your mind.

- > Click **Preview** to visualize the effect of your changes on the actual page.
- When you are satisfied with the positioning of the objects on the page, click the right double arrow button to go to the next page, or choose another page in the Branch list shown on the left of the dialog.
- > Repeat the operation until you have reviewed all the pages that needed revisiting.
- > Once you have reviewed all the pages, click **Finish**.

Exporting

You are now ready to export your map to HTML.

- Choose a destination folder for your new web site.
- (optional) You can optimize your pictures for web export by checking the option Automatically optimize pictures. This has two effects:
 - All .bmp pictures used on your map are converted to .jpg to reduce their file size.
 - Any .bmp or .jpg picture used on your map that is larger than the dimensions allocated to it on the HTML page is scaled down to these dimensions.

Click Finish.

C Export Wizard				? ×
Export				
	Export			
	Export path:	C: Wy documents W	ly websites\	
	V Automatically op	otimize pictures		
		<< Ba	ack Finish	Cancel

Once the export is completed, MindView displays a dialog giving you the choice of immediately viewing your web site in your default browser or uploading it to Internet using the MatchWare FTP Upload Manager. For more information on this tool, see "FTP Upload Manager".

To open your exported web site from within Windows Explorer at a later date, double-click the file index.htm in the sub-folder 'MVHtmlExport'.

FTP Upload Manager

To help you get your HTML site on the web as quickly and effortlessly as possible, MindView comes with a built-in FTP program, the MatchWare FTP Upload Manager.

Starting the FTP Upload Manager

Before you can use the FTP Upload Manager you must export your MindView document to HTML (see "Exporting to HTML: Quick Export" or "Exporting to HTML: Export Wizard"). At the end of the export the following dialog appears:

HTML Export		X
	Export complete.	
Open in Browser	Upload with FTP	Close

> To open the FTP Upload Manager click Upload with FTP.

The FTP Upload Manager dialog appears:

8	Upload Manager
	FTP server address:
	User name: Password:
	Destination folder: Browse
	Attempt to reconnect if connection is lost Max. number of reconnection attempts for any one file: 5
	Update Existing Project Upload Entire Project Close
	Attempt to reconnect if connection is lost Max. number of reconnection attempts for any one file: 5 Update Existing Project Upload Entire Project Close

- In the FTP server address field, enter the FTP upload address that you have received from your Internet Service Provider (ISP).
- > Enter your **User name** and **Password** in their respective fields.

If you do not have an FTP address, user name or password or have lost them, contact your ISP.

Clicking the Browse button next to Destination folder will connect you to the Internet. Once online, search for the remote folder you wish to upload your web site to.

Browse FTP Folders
Select the destination folder for the project and click OK.
🗄 💼 Austria
💼 💼 Denmark
🗄 💼 France
🗄 🚞 Germany
🗄 💼 Greece
💼 💼 Italy
🗄 💼 Norway
🕂 💼 Portugal
🗄 💼 Spain
🗄 💼 Sweden
New Folder OK Cancel

Select the folder required and click OK to return to the Upload Manager dialog.

If you would like to upload the web site to a new folder, click New Folder to create a new remote folder on the server. Click OK to return to the Upload Manager dialog.

New Folder		×
A new folder wil Please enter a r	I be created in the se name for the new fold	lected folder. er:
. MindView		
	ОК	Cancel

To quickly create a new remote folder enter a forward slash and the name of the new folder in the Destination folder field.

Destination folder:	
/Europe/MindView	Browse

If your Internet connection goes down often, you are advised to check the option 'Attempt to reconnect' in the Upload Manager dialog to guarantee a successful upload.

Attempt to reconnect if connection is lost		
Max. number of reconnection attempts for any one file:	5	

You can also set the number of reconnection attempts you want the Upload Manager to perform for a given file. If upload is still unsuccessful after this number of attempts, it is cancelled.

Uploading your web site

If you are uploading your web site for the first time, click Upload entire project to connect to the FTP server and upload all the files.

You can follow the progress of the upload in the Upload dialog.

💖 Upload Manager 🥌	3
Uploading files to ETP server	
oploading files to FTF server	
Currently uploading: /Europe/MindView/index.htm	
Upload progress	
772 32Kb of 1635 13Kb total uploaded	
772.32Kb 01 1033.13Kb (otal uploaded.	
Close	

If upload is completed successfully, the following dialog appears:

🛞 Upload Manager	X
The files were successfully uploaded.	
Upload progress 1635.13Kb of 1635.13Kb total uploaded.	
	Cancel Close

Click **Close** to return to MindView.

The FTP Upload Manager remembers your FTP address, Username, Password and Destination. If you make changes to your web site and would like to upload it again, click **Update existing project** to upload only the files that have changed since your last upload.

Exporting to Mediator: Overview

This export method lets you export your Mind Map as a Mediator document.

Combining MindView and Mediator is a powerful way to create web sites and multimedia presentations. Once you have finished brainstorming and organizing your ideas in MindView, you can export your map to Mediator and turn it into an interactive CD presentation or a set of dynamic Flash or HTML pages by adding Mediator events and actions to it.

If after working for some time on your Mediator presentation, you realize you need to review the structure of your map in MindView before doing any further work in Mediator, you can re-import it back into MindView without losing the work already done in Mediator. See "Importing from Mediator" for more information.
You do not need to have Mediator installed on your computer to use this export mode. However, you will need Mediator 9 or above to open the exported Mediator document.

The exported Mediator document is placed in the folder of your choice, and all relevant external files are placed in a sub-folder named MD8 within that folder.

Each branch, including the root, is exported as a Mediator page of the same name as the branch. The subbranches belonging to a particular branch are exported as sub-pages of the corresponding Mediator page.

By default, a Home button, taking you back to the root page, and a Back button, taking you back to the previous page, are included in all the pages of your Mediator document.

All the objects attached to a particular branch are listed in the Mediator Object list of the corresponding Mediator page and tiled on the page on top of each other.

The branches of the map are exported to Mediator in the order in which they are displayed in the Mind Map view, starting from the top right in a clockwise direction.

You can however exclude entire branches and sub-branches from the export by disabling their 'Include in export' property in the Properties dialog.

Include in Export

Only the branches displayed on the workspace when you start the export procedure are exported. This means that if you are focusing on a particular branch or set of branches (see "Focusing on a branch") or if you are filtering the map to display only branches that meet specific criteria (see "Filtering a Mind Map"), only the branches visible on the workspace will be exported. To export the entire map, you need to go back to the full display by clearing the branch focus or filter applied.

If your MindView document was created by importing a Mediator presentation, a dialog might appear at the end of the export procedure, listing all the branches corresponding to pages created directly in Mediator. Because you might not want to change the appearance of these pages in the new Mediator presentation, you can deselect them in this dialog to indicate that the export template should not be applied to them.

When exporting the Mind Map to Mediator, MindView places special tags formatted with # signs in the Notes tab of the Properties dialog of particular elements of the new Mediator presentation, including the pages themselves. These tags contain information required by MindView to re-import the Mediator presentation, should you decide to do so at a later stage. You should take care not to delete these tags if you want to preserve the structure and layout of the original Mind Map.

Export modes

There are two export modes available:

• Quick Export



The Quick Export mode allows you to export your map quickly using the MindView defaults or the last export settings you chose.

• Export Wizard



The Mediator Export Wizard lets you choose from a number of professional ready-made templates with various navigation layouts which you can customize as you wish. You can also specify the elements of your map to be exported and how they should be treated.

The export settings you choose are saved with the MindView document and re-used next time you export your map to Mediator. This means that you do not have to redefine them every time you make a small alteration to your map.

Relationship between MindView and Mediator elements and objects

The following table indicates how the various MindView elements and objects are exported on the Mediator page.

MindView element	Exported to Mediator as
Branch name	Page description. If the branch name is unique, the branch name is also the page name. Otherwise, page names are numbered sequentially, i.e. Idea, Idea01, Idea02 and so on.
Text note	Mediator text object
	Note that if the MindView text note contains one or more hyperlinks, these hyperlinks retain their color and underline attributes in the Mediator text object, but are not converted to Mediator hypertext objects. This means that they do not retain their link information.
Branch picture	Mediator picture object
Floating picture	• If connected to a branch, inserted as a Mediator picture object on the page
	• If not connected to a branch, not exported
Floating comment	• If connected to a branch, inserted as a Mediator text object on the page
	• If not connected to a branch, not exported
Pop-up comment	Text note in the Notes tab of the Properties dialog for the page
Branch connection	Mediator button, looking either like a standard button or a hypertext link, depending on your choice in the export dialog
MindView object	Exported to Mediator as
Text file	Mediator button, looking either like a standard button or a hypertext link, depending on your choice in the export dialog
Picture file	Mediator picture object
Video file	Mediator Media Player object
Sound file	Mediator button, looking either like a standard button or a hypertext link, depending on your choice in the export dialog
Hyperlink	Mediator button looking like a hypertext link
Flash file	Mediator Flash object

Exporting to Mediator: Quick Export

- Click the MindView Button.
- > Choose Export | MatchWare Mediator | Quick Mediator Export.
- If your MindView view contains several maps (i.e. several roots), choose the map you want to export in the 'Select Map to Export' dialog and click OK.

The MatchWare Mediator Quick Export dialog appears.

MatchWare Mediator Quick Export
Save as
C:\My documents\Documents\Agenda.md8
Window size
© 640x480
800x600 800x60 8000 800x60 800x60 800x60 800x60 800x60
© 1024x768
Design
 Using template from last export (Export Wizard)
Output State
O Using blank pages
Options Export Cancel

- > Choose a path and file name for your new Mediator document.
- Choose the window size that corresponds to your screen resolution or the screen resolution of the intended users of your Mediator document.
- Choose whether to use:
 - The template you last used in the Export Wizard if you have already used that export mode for your map. If you choose this option, the window size options become inactive as the window size is already defined.
 - The MatchWare predefined export template (with top and side menu)
 - Blank pages (without any menu structure or graphic design elements)
- > (optional) Click **Options** to define further export options:

The **Select Objects** tab allows you to specify the elements of the map to include in the export. You can also disable 'Insert Home button' and/or 'Insert Back button' if you do not want these buttons on the pages of your Mediator document.

ect Link Types	
Floating comments	
Comments	
Branch connections	
✓ Hyperlinks	
Text documents	
ОК	Cancel
	ect Link Types

For the elements from the export by deselecting them here, none of the elements of this type will be exported, regardless of the value of their individual 'Include in export' property in the Properties dialog. Let's suppose for instance your map contains a floating picture whose 'Include in export' property is enabled. If you choose to exclude floating pictures from the export here, your floating picture will not be exported. Conversely, if you specify here that floating pictures should be exported, only the floating pictures whose 'Include in export' property is enabled will be exported.

Include in Export 🔽

The **Select Link Types** tab only appears if your map contains branch connections and/or attached sound files or text files. It lets you choose whether these elements should be placed on Mediator hypertext or button objects.

Place branch connect	ions		
On hypertext			
On button			
Place sounds			
🔘 On hypertext			
On button			
Place text documents			
On hypertext			
On button			

Click Export.

If your MindView document was created by importing a Mediator presentation, a dialog might appear at this point, listing all the branches corresponding to pages created directly in Mediator. Because you might not want to change the appearance of these pages in the new Mediator presentation, you can deselect them in this dialog to indicate that the export template should not be applied to them.

Once the export is completed, MindView lets you either view your presentation straight away in Mediator or continue working in MindView.

When exporting the Mind Map to Mediator, MindView places special tags formatted with # signs in the Notes tab of the Properties dialog of particular elements of the new Mediator presentation, including the pages themselves. These tags contain information required by MindView to re-import the Mediator presentation, should you decide to do so at a later stage. You should take care not to delete these tags if you want to preserve the structure and layout of the original Mind Map.

Exporting to Mediator: Export Wizard

- Click the **MindView Button**.
- > Choose Export | MatchWare Mediator | Advanced Mediator Export.
- If your MindView view contains several maps (i.e. several roots), choose the map you want to export in the 'Select Map to Export' dialog and click Next.

The Export Wizard now displays a series of dialogs, the first of which is the Select Window Size dialog.

Selecting the window size

C Export Wizard	Sec. 1				? X
Select Window Size	\				
	 Window size 640x480 800x600 1024x768 				
		<< B	adk N	ext >>	Cancel

Choose the window size corresponding to your screen resolution or the screen resolution of the intended users of your Mediator document and click Next.

Selecting a template

This dialog allows you to select a navigation layout for the pages of your Mediator document.

Export Wizard	8 X
Select Template	
Predefined Templates Level List - Side Bar Only Level List - Top and Side Bar Buttons User Templates	Template 1 Template 2 Template 3
	Template 4 Template 5 Template 6
	Top Bar Tille
	Template 7 Template 8 T
(< <back next="">></back>

• **Predefined Templates:** This lets you choose one of the professional MindView export templates with ready-made top and side navigation.

These templates are available in the following navigation styles:

Level List: With this type of navigation, you only see a maximum of three levels of links on the side: the current page, any pages at the level just above it, and any pages at the level just below it.

Home What is energy? Types and sources Work Power Conversion Conservation of energy Efficiency Energy flow Examples

Buttons: In this design, the side bar contains a list of links, where each link represents a sub-branch of the branch corresponding to the current page.

What is energy?	Types
Home	
Site Map	
Potential	
Kinetic	
Chemical	
Thermal	
Nuclear	
other	

To see a larger preview of the templates shown on the right of the window, just place the mouse pointer over the relevant thumbnail. Note that you will be able to go back to this step of the wizard at any time to choose a different template if you are not satisfied with your original choice.

- User Templates: This lets you choose one of your own previously saved export templates. See further down for information on how to save your own export template.
- > Select a template on the right and click Next.

Preview

The Export Wizard opens the **Preview** dialog, which lets you customize the various areas of the navigation layout chosen in the first step.



You can customize each area in turn by clicking the **Customize** buttons, namely:

- General
- Top Bar
- Side Bar
- Content Area

Feel free to experiment with the various customization options. At any time, you can obtain a full size preview of your design reflecting any changes made by clicking the Preview button. Note however that this Preview does not allow you to navigate the document.

Customizing the General properties (optional)

> Click **General** in the Preview dialog.

General Properties	? ×
Include 'Home' button	
Include Back button	
Site Metadata	
Description:	
Keywords:	
	OK Cancel

This dialog gives you the following options:

Include 'Home' button: This inserts a Home hyperlink or button on each of your Mediator pages, allowing you to return to the page corresponding to the root of your map in just one click.

Include 'Back' button: This inserts a Back hyperlink or button on each of your Mediator pages, enabling you to go back to the last page visited.

You can also enter meta-tags for your Mediator document as follows:

Description: Any text entered here will be inserted in the Description tag of the Mediator document (visible by clicking the HTML tab of the Document Properties dialog in Mediator).

Keywords: Similarly, any keywords entered here (separated by commas) will be inserted in the Keywords tag of the Mediator document (also visible by clicking the HTML tab of the Document Properties dialog in Mediator).

Customizing the Top Bar (optional)

> Click the **Top Bar** button or double-click the top bar area in the Preview dialog.

The Top Bar Properties dialog opens on its Title tab.

Top Bar Properties	? x
Title Ba	ckground Links
Font name:	Arial
Font style:	Bold
Font size:	20 🔻
Font color:	
Same title on all	pages
Custom title text:	
	OK Cancel

By default, the title displayed on each Mediator page is the branch name. Here you can change the font, attributes and color for this title or even enter your own title, which will be displayed on all the pages of the document.

Click the **Background** tab.

Top Bar Properties		? X
Title Bacl	kground Links	
Color:		
📝 Image	c:\program files\matchware\mi	
	ОК	Cancel

This tab lets you select a plain color or a different background picture for the top bar.

If you want to change the background picture, the best approach is to make a copy of the existing picture and edit its design to suit your requirements, making sure that the picture size stays unchanged so that it still fits the template.

Click the Links tab.

Top B	ar Propertie	s		? <mark>x</mark>
	Title	Background	Links	
	Text color	_		
	Normal:			
	Pressed:			
	Hovered:			
	Maka all lin	ka azmo width		
	Make all lif	iks same widdt		
			ОК	Cancel

Provide the template chosen contains buttons or hyperlinks.

This tab lets you select different colors for the top bar links depending on their state, i.e. "Normal", "Pressed" (the link is clicked) or "Hovered" (the mouse pointer is placed on the link).

You can also choose to make all the links the same width, or have their width vary according to the length of their label.

Customizing the Side Bar (optional)

> Click the **Side Bar** button or double-click the side bar area in the Preview dialog.

The Side Bar Properties dialog opens on its Background tab.

Side	e Bar Properties		? <mark>- X</mark>
	Background	Level List	
	Color:		
	🔽 Image	C: \My documents \energy.bmp	
		ОК	Cancel

This tab lets you select a plain color or a different background picture for the side bar.

As for the top bar, the best approach if you want to change the background picture is to make a copy of the existing picture and edit its design to suit your requirements.

The second tab of the Side Bar Properties dialog varies depending on the type of navigation template you chose in the first screen of the Export Wizard. The possibilities are:

- Level list
- Links

We will now look at each of these possibilities in turn.

Level List

Side Bar Properties	8 x
Background	Level List
Number of levels:	~
Font name:	Arial
Normal:	
Pressed:	
Hovered:	
	OK Cancel

This tab is displayed if you have chosen a Level List design.

With this type of navigation, you only see a maximum of three levels of links on the side: the current page, any pages at the level just above it, and any pages at the level just below it.

The Level list tab lets you choose how many levels the list should show. You can also define the font and color of the links.

Links

Side Bar Properties	? ×
Background Links	
Text color Normal:	
Pressed:	
Hovered:	
ОК	Cancel

This tab is displayed if you have chosen a Buttons design in the first screen of the Export Wizard.

With this design, the side bar contains a list of links, where each link represents a sub-branch of the branch corresponding to the current page. The Links tab lets you select different colors for the side bar links depending on their state, i.e. "Normal", "Pressed" (the link is clicked) or "Hovered" (the mouse pointer is placed on the link).

Customizing the Content Area (optional)

> Click the **Content Area** button or double-click the middle area in the Preview dialog.

The Content Area properties dialog opens on its Background tab.

Content Area Properties
Background Link Type Link Style
Color:
✓ Image c:\program files\matchware\mi
Image placement: Center
OK Cancel

This tab lets you select a plain color or a different background picture for the body of the page. Feel free to experiment with the image placement options by checking the effect in the Full Size Preview.

Click the Link Type tab.

Co	ntent Area Properties
	Background Link Type Link Style
	Place branch connections On hypertext On button
	Place sounds On hypertext On button
	Place text documents On hypertext On button
	OK Cancel

If your map contains branch connections, sound files or attached text documents, this tab lets you decide whether you want to place these objects on Mediator hypertext or button objects.

Click the Link Style tab.

Content Area Propertie	es	? ×
Background	Link Type	Link Style
Hypertext		
Normal:	Font:	Arial
Pressed:	Style:	Underline 💌
Hovered:	Size:	11 🔻
Buttons		
Þ		* •
		OK Cancel

This tab lets you choose styles for any buttons or hyperlinks created on your Mediator pages.

- Define the hypertext style required by selecting a font, attribute and size. You can also define different colors depending on the state of the hyperlink, i.e. "Normal", "Pressed" (the link is clicked) or "Hovered" (the mouse pointer is placed on the link).
- > Scroll through the various buttons available to choose the type you like best.

Previewing the customized template (optional)

Click the **Preview** button in the Preview dialog to obtain a real-time preview of your design reflecting any changes made so far.

Saving the customized template (optional)

- You can save your customized export template for later use by clicking the Save Template button of the Preview dialog. The Save User Template dialog that opens contains a list of the export templates you have already saved. Enter the name of your new export template and click Save.
- > Once you are satisfied with the design of all the page components, click Next.

Selecting the objects to export

The Export Wizard now opens the Select Objects to Export dialog.

C Export Wizard	and the second sec		? X
Select Objects to Expo	ort		
	Include Text notes Branch pictures Floating pictures Videos Sounds Flash files	 Floating comments Comments Branch connections Hyperlinks Text documents 	
		<< Back Next >>	Cancel

> Select the MindView objects which you want to export to Mediator.

For the elements from the export by deselecting them here, none of the elements of this type will be exported, regardless of the value of their individual 'Include in export' property in the Properties dialog. Let's suppose for instance your map contains a floating picture whose 'Include in export' property is enabled. If you choose to exclude floating pictures from the export here, your floating picture will not be exported. Conversely, if you specify here that floating pictures should be exported, only the floating pictures whose 'Include in export' property is enabled will be exported.

Click Next.

Exporting

You are now ready to export your map to Mediator.

Export Wizard	Sector.			? X
Export				
	Export			
	Export path:	C:\My documents\My project	S	
	Copy linked files	to export folder		
4				
		<< Back	Finish	Cancel

- > Choose a path and file name for your new Mediator presentation.
- If you want MindView to place a copy of all the external files used in your map (such as text files, sound files, video files and so on) in the export folder, check the option Copy linked files to export folder. Such files will then be placed in the sub-folder named MD8 of your export folder. This will allow you to distribute or transfer your Mediator presentation easily by copying the actual Mediator file as well as the entire MD8 sub-folder.
- > Click Finish.

Figure MindView document was created by importing a Mediator presentation, a dialog might appear at this point, listing all the branches corresponding to pages created directly in Mediator. Because you might not want to change the appearance of these pages in the new Mediator presentation, you can deselect them in this dialog to indicate that the export template should not be applied to them.

Once the export is completed, MindView lets you either view your presentation straight away in Mediator or continue working in MindView.

When exporting the Mind Map to Mediator, MindView places special tags formatted with # signs in the Notes tab of the Properties dialog of particular elements of the new Mediator presentation, including the pages themselves. These tags contain information required by MindView to re-import the Mediator presentation, should you decide to do so at a later stage. You should take care not to delete these tags if you want to preserve the structure and layout of the original Mind Map.

Exporting to RTF

```
RTE
```

This export method lets you export your Mind Map in RTF format. This may be useful if you want to process your document further in a word processor, but do not have Microsoft Word installed on your computer.

Each branch is exported as a paragraph heading at the relevant level, in other words Heading 1 for main branches, Heading 2 for sub-branches, Heading 3 for sub-sub-branches and so on, using hierarchical numbering (unless you disable it in Advanced Export). Attached objects and inserted elements are listed below the heading.

By default, MindView automatically includes an overall picture of your map on the first page of the document.

The branches of the map are exported to RTF in the order in which they are displayed in the Mind Map view, starting from the top right in a clockwise direction.

You can however exclude entire branches and sub-branches from the export by disabling their 'Include in export' property in the Properties dialog.

Include in Export

Only the branches displayed on the workspace when you start the export procedure are exported. This means that if you are focusing on a particular branch or set of branches (see "Focusing on a branch") or if you are filtering the map to display only branches that meet specific criteria (see "Filtering a Mind Map"), only the branches visible on the workspace will be exported. To export the entire map, you need to go back to the full display by clearing the branch focus or filter applied.

Export modes

There are two export modes available:

• Quick Export



The Quick Export mode allows you to export your map quickly using the MindView defaults or the last Advanced Export settings you chose if you have already used that mode.

Advanced Export



The Advanced Export mode allows you to specify the elements of your map to be exported and how they should be treated.

The export settings you choose in Advanced Export are saved with the MindView document and re-used next time you export your map using Quick Export or Advanced Export. This means that you do not have to redefine them every time you make a small amendment to your map and want to export it again to RTF.

Relationship between MindView and RTF elements and objects

The following table indicates how MindView treats the various inserted elements and attached objects contained in your map when exporting it to RTF.

MindView element	Exported to RTF as	
Branch name	Heading at relevant level with hierarchical numbering	
	(3 levels by default)	
	Hierarchical numbering can be disabled in Advanced Export.	
Text note	Text inserted under the branch heading	
Branch picture	Picture inserted under the branch heading	

Floating picture	• If connected to a branch, inserted under the branch heading	
	• If not connected to a branch, not exported	
Floating comment	As for Floating picture	
Pop-up comment	Text under the branch heading	
Branch connection	Cross-reference prefixed by "See section" under the start branch heading, pointing to the end branch heading	
MindView object	Exported to RTF as	
Text file	Object name followed by hyperlink to file	
Picture file	Picture embedded in the RTF document	
	In Advanced Export, you can choose instead to insert the file as an object name followed by a hyperlink to the file.	
Video file	Object name followed by hyperlink to file	
Sound file	Object name followed by hyperlink to file	
Hyperlink	Object name followed by hyperlink to file	
Flash file	Object name followed by hyperlink to file	

Using Quick Export

- > Click the **MindView Button**.
- > Choose Export | RTF | Quick RTF Export.
- If your MindView view contains several maps (i.e. several roots), choose the map you want to export in the 'Select Map to Export' dialog and click OK.
- > Specify a folder and a file name for the new RTF document in the Save As dialog.

Once the export is complete, MindView lets you view the document in the viewer associated with the .RTF extension on your computer.

Using Advanced Export

- > Click the **MindView Button**.
- > Choose Export | RTF | Advanced RTF Export.
- If your MindView view contains several maps (i.e. several roots), choose the map you want to export in the 'Select Map to Export' dialog and click OK.
- In the General tab, choose the required general export settings and specify the elements of the map to export.

Advanced RTF Export	? X
General Attached Objec	ts
Save as	
C: \Users \Genevieve \Document	ts\Presentati
Format settings	
Include map image	
Use numbering scheme (1, 1	.1, 1.1.1)
Number until: Branch	level 3 🔻
Include	
Text notes	
Branch pictures	
Floating pictures	
Floating comments	
Comments	
Branch connections	
Expo	rt Cancel

For the elements from the export by deselecting them here, none of the elements of this type will be exported, regardless of the value of their individual 'Include in export' property in the Properties dialog. Let's suppose for instance your map contains a floating picture whose 'Include in export' property is enabled. If you choose to exclude floating pictures from the export here, your floating picture will not be exported. Conversely, if you specify here that floating pictures should be exported, only the floating pictures whose 'Include in export' property is enabled will be exported.

> Choose the required export settings for any attached object in the **Attached Objects** tab.

Advanced RTF Export	? X
General Attached Objects	
Include	
Text documents as hyperlinks	
V Hyperlinks	
Flash files as hyperlinks	
Videos as hyperlinks	
Sounds as hyperlinks	
V Pictures	
As hyperlinks	
 Insert in document 	
Export	Cancel

Click **Export**.

As for Quick Export, MindView starts exporting your Mind Map to RTF as a new document. Once the export is complete, MindView lets you view the document in the viewer associated with the .RTF extension on your computer.

Exporting as picture

This export method lets you save your Mind Map as a picture file. The picture file formats supported are .bmp, .jpg, .png and .emf.

- > Click the **MindView Button**.
- > Choose **Export** | **Picture**.

The following dialog appears to let you choose the required export settings.

Picture Expo	rt		? X
Save as:	C:\Users\Genevie	eve \Documents \Ene	ergy.jpg
Include			
Branch	on connections	Object indic	ator
V Floatin	ig pictures	Comment in	dicator
V Floatin	ig comments		
Format			
O BMP	IPG	PNG	C EMF
JPG qualit	y		
	0	70%	Preview
		Export	Cancel
	CONTRACTOR OF CONT		

- Enter the path and file name for the picture in the 'Save as' field or click the Browse button to choose an existing path.
- If you do not want to display branch connections, floating pictures and floating comments in the picture, clear the corresponding check mark.

Since this export method creates a picture of your entire map, all elements chosen above are displayed on the picture, regardless of the value of their individual 'Include in export' property in the Properties dialog. Similarly, all branches will be visible, regardless of the value of their individual 'Include in export' property.

- ➢ If you want to display the object indicator [●] and/or the comment indicator [●] next to each branch containing attached objects and/or comments, click the relevant check box.
- > Choose the required picture format.

If you choose the .jpg format, you can use the 'JPG quality' slider to define the level of quality needed. Note that decreasing the level of quality increases the level of compression, and therefore reduces the file size.

- > (optional) Preview the effect of your settings on the picture by clicking Preview.
- Click **Export**.

Note that icons and branch pictures are always displayed and that it is not possible to display text notes.

The export settings you choose are saved with the MindView document. This means that you will not have to specify these settings again if you make changes to the map and want to re-export it as a picture.

Importing

Introduction

A

MindView lets you import documents from Microsoft® Word, Microsoft® PowerPoint and MatchWare Mediator.

The import options offered by MindView are all described in detail in the next topics.

Importing from Microsoft Word



MindView lets you import Microsoft® Word documents.

This is particularly useful when:

- You have a Word document which you would like to restructure using the brainstorming capabilities and features of MindView before exporting it again to Word.
- You have exported a MindView Mind Map to Word, developed some of the topics in Word, but then realized you need to review the structure of your map in MindView before doing any further work in Word.

In both cases, MindView allows you to import the Word document into a new Mind Map, preserving the text added in Word together with its formatting as far as possible. Pictures, comments and hyperlinks added in Word are also preserved wherever possible.

If the Word document was created by exporting a MindView Mind Map to Word, the new Mind Map will have the same branch structure and layout as the original Mind Map.

If you then re-export the new Mind Map to Word after having made the required changes in MindView, any elements added in MindView are exported to the new document.

For more information about the elements that MindView is not able to preserve, see "Limitations" below.

You do not need to have Microsoft Word installed on your computer in order to import a Word document into MindView. MindView can import documents created with Microsoft Word 2007 and above in the .docx format. If you are using an earlier version of Word, you can use the free Microsoft Office Compatibility pack to convert the document from its .doc format to the newer .docx format prior to importing.

Although MindView can import any Word document, a useful branch structure can only be created if the document is organized in paragraphs containing headings defined with the Microsoft Word heading styles "Heading 1" through to "Heading 9".

MindView imports each paragraph of the Word document as a branch at the relevant level. In other words paragraphs with a Heading 1 title become main branches, paragraphs with a Heading 2 title become sub-branches, paragraphs with a Heading 3 title become sub-branches and so on.

If the Word document starts with a main heading with the style "Title", then this heading is used as the root name. Otherwise the name of the Word document is used as the root name.

Procedure

- Click the MindView Button.
- > Choose Import | Microsoft Word.
- Select the Word document you want to import.
- Specify a destination folder and filename for the MindView document to be created.

Microsoft Word Import	? X
Source file (Word file):	
C:\My documents\Documents\Final Report.docx	
Destination file (MindView file):	
C: \My documents \Documents \Final Report.mdvx	
Import	Cancel

Click Import.

There may be elements of the Word document that MindView is not able to import. If this is the case, MindView displays a Warning dialog listing these elements. See "Limitations" below for more information.



When exporting a Mind Map to Word, MindView inserts bookmarks in the Word document to keep track of how the various elements should be re-imported back into MindView if you choose to do so. You should take care not to delete these bookmarks, which are hidden by default. To make them visible while you work, check 'Show bookmarks' in the Advanced panel of the Word Options dialog.

Relationship between Word and MindView elements and objects

The following table indicates how MindView converts the various elements of your Word document to MindView elements and objects.

Word element	Imported in MindView as	
Title	Root of the Mind Map	
(with Title style)	 If the Word document does not contain a Title heading at its very top, the name of the Word document is used as root name. If the Word document contains more than one Title heading, each such heading is imported as a text note of the corresponding higher level branch. 	
Heading 1	Main branch	
(with Heading 1 style)		
Heading 2	Sub-branch of the corresponding higher level branch	
(with Heading 2 style)		
and so on until		
Heading 9	Sub-branch of the corresponding higher level branch	
(with Heading 9 style)		

Regular text	 If the document was created in Word, imported as a text note of the corresponding branch If the document was created by exporting an original MindView Mind Map, imported as text note or floating comment of the corresponding branch as in the original document 	
Picture embedded in paragraph heading	Floating picture of the corresponding branch	
Picture embedded in body text	 If the document was created in Word, imported as a picture embedded in a text note of the corresponding branch If the document was created by exporting an original MindView Mind Map, imported as branch picture, floating picture or attached picture file of the corresponding branch as in the original document 	
Comment	Pop-up comment for the corresponding branch	
Intra-document cross reference to heading with style Title or Heading 1 to 9	Branch connection between the relevant branches	
Hyperlink	Hyperlink in text note of the corresponding branch	

Limitations

The following limitations apply when importing a Word document into MindView:

• Indexes, tables of contents, tables of authorities, tables of figures, headers and footers are not imported.

Note that you can choose to have the Table of Contents regenerated automatically when re-exporting the Mind Map to Word.

- Sounds and videos that are embedded in the Word document are not imported in MindView. To import such elements in the MindView Mind Map, make sure they are inserted in the Word document as hyperlinks.
- Editable Word shapes such as AutoShapes, Text Effects (WordArt) and diagrams are imported in the MindView document as pictures. This means that when re-exported to Word, they become standard pictures and do not keep their original editable properties.
- Mathematical symbols are not imported.

In addition, if you are importing a document created from an original MindView Mind Map, the following limitations apply:

- Pop-up comments will not retain their original size and position.
- Pictures embedded in the Word document as a result of the export from MindView do not retain their file name information. When re-importing the document, MindView creates new files for these pictures.
- If you chose to include a picture of the whole Mind Map in the Word document when exporting from MindView, this picture is not re-imported back into MindView.

Importing from Microsoft PowerPoint



MindView lets you import Microsoft® PowerPoint presentations.

This is particularly useful when:

- You have a PowerPoint presentation which you would like to expand using the brainstorming capabilities and features of MindView before exporting it again to PowerPoint.
- You have exported a MindView Mind Map to PowerPoint, worked on the layout in PowerPoint, but then realized you need to review the structure of your map in MindView before doing any further work in PowerPoint.

In both cases, MindView allows you to import the PowerPoint presentation into a new Mind Map, preserving as much of the layout and contents of the PowerPoint presentation as possible.

If the PowerPoint presentation was created by exporting a MindView Mind Map to PowerPoint, the new Mind Map will have the same branch structure and layout as the original Mind Map.

If you then re-export the new Mind Map to PowerPoint after having made the required changes in MindView, any elements added in MindView are exported to the new presentation.

For more information about the elements that MindView is not able to preserve, see "Limitations" below.

You must have Microsoft PowerPoint installed on your computer in order to import a PowerPoint presentation into MindView. MindView supports all Microsoft PowerPoint versions from 2000 onwards.

Procedure

- Click the **MindView Button**.
- > Choose Import | Microsoft PowerPoint.
- > Select the PowerPoint presentation you want to import.
- Select the destination folder, i.e. the folder for the MindView document created from the PowerPoint presentation.
- (optional) If you want to import the bullet lists that may be included on the PowerPoint slides as subbranches of the corresponding branches, check **Import bullets as branches**. If you leave this box unchecked, the bullet lists that may be included on the PowerPoint slides are inserted as text notes on the corresponding MindView branches.

Microsoft PowerPoint Import	x
Source file (PowerPoint file) :	
C:\My documents\Presentations\Yearly Overview.ppt	
Destination folder:	
C:\My documents\Presentations	
A sub-folder named 'MVPPImport' will be created in the destination folder.	
Import bullets as branches	
Import Cancel	

> Click Import.

MindView creates a sub-folder named 'MVPPImport' within the destination folder and places in it the new MindView document as well as any pictures or other objects such as sounds or videos embedded in the PowerPoint presentation.

There may be elements of the PowerPoint presentation that MindView is not able to import. If this is the case, MindView displays a 'PowerPoint Import Warnings' dialog listing these elements. See "Limitations" below for more information.

Microsoft PowerPoint Import Warnings	X
The PowerPoint document may contain some features or shapes not supported by MindView.	ОК
Click 'Details' for more information about the import warnings.	Details >>

Import modes

The Import operation has two modes depending on how the PowerPoint presentation was created:

• The PowerPoint presentation was originally created in PowerPoint

In this mode, the title of the first slide becomes the root name of the new MindView document. If you have checked the 'Import bullets as branches' option, each bullet list item of that first slide becomes a new main branch. If not, the entire bullet list is imported as a text note for the root.

All the other slides are imported as further main branches. If you have checked the 'Import bullets as branches' option and some of those slides contain bullet lists, each bullet list item becomes a sub-branch of the corresponding MindView branch. If not, the entire bullet list is imported as a text note for the branch.

• The PowerPoint presentation was created by exporting a MindView document

In this mode, the original branch structure of the MindView document is preserved, provided that you have not removed any slide. If you have added new slides, they are imported as main branches.

Relationship between PowerPoint and MindView elements and objects

The following table indicates how MindView converts the various elements of your PowerPoint presentation to MindView elements and objects.

PowerPoint element	Imported in MindView as		
Slide	Branch		
Slide title	Branch title		
Slide sub-title	Text note		
Slide body text	Text note		
Slide bullet list	• If the presentation was created in PowerPoint and you checked 'Import bullets as branches' in the Import dialog, each bullet is imported as a sub-branch. If you didn't check 'Import bullets as branches', the entire bullet list is imported as a text note for the branch.		
	• If the presentation was created by exporting an original MindView document, the branch structure of the Mind Map is recreated from the slide titles, not from the bullet list. The text of the bullet list is therefore ignored.		

Slide comment	Floating comment	
Slide notes	Pop-up comment	
Embedded picture	 If the presentation was created in PowerPoint, imported as an attached picture object stored in the 'MVPPImport' folder If the presentation was created by exporting an original MindView document, imported as a branch picture or floating picture as in the original document 	
Autoshape	Attached picture object stored in the 'MVPPImport' folder	
Linked picture	Attached picture object pointing to the original path	
Embedded video	Attached video object pointing to the original path	
Embedded sound	Attached sound object stored in the 'MVPPImport' folder	
Link to slide	Branch connection	

Limitations

The following limitations apply when importing a PowerPoint presentation into MindView:

- The formatting of the slide title and of any slide notes included is not preserved.
- If the layout of the PowerPoint slide contains more than one bullet list, only the first bullet list is taken into account by the import.
- When importing bullets as branches, indented bullets within the main bullet list are imported as branches of the same level as the main bullets, not as sub-branches.
- PowerPoint master slides are not taken into account by MindView. Their contents are therefore not imported into the MindView document.
- Although hyperlinks contained in PowerPoint text objects are imported into the corresponding MindView text note, only their formatting is preserved. The links themselves are not preserved.
- The following PowerPoint objects are imported as pictures in the MindView document and listed in the 'PowerPoint Import Warnings' dialog:
 - AutoShapes
 - OLE controls, embedded OLE objects and linked OLE objects
 - Diagrams
 - Tables
 - Text Effects (WordArt)

All other unknown shapes also cause the display of the 'PowerPoint Import Warnings' dialog, but are otherwise ignored.

• If you are using PowerPoint 2003 and above, the picture files that are created in the 'MVPPImport' folder have the .PNG extension. This means they can be stretched with antialiasing, resulting in higher quality. With PowerPoint 2000, the picture file format used is .GIF. This file format cannot be stretched with antialiasing.

In addition, if you are importing a presentation created by exporting a MindView document, the following limitations apply:

- If you delete one or more slides while working in PowerPoint, MindView is not able to recreate the branch structure exactly as in the original Mind Map:
 - If you delete the slide corresponding to the root branch, all the slides are imported as main branches, as if you had created the presentation from scratch in PowerPoint.

- If you delete slides corresponding to branches with sub-branches, MindView cannot recreate the structure of these sub-branches.
- Similarly, if you rearrange the slides in a different order in PowerPoint, MindView does not take the new order into account.
- Since MindView uses the PowerPoint slide titles to recreate the branch structure, any changes you make to the bullet list text in PowerPoint will not be preserved in MindView.
- Pop-up comments will not retain their original size and position.
- Pictures embedded in the PowerPoint presentation as a result of the export from MindView do not retain their original file name or path information. When re-importing the presentation, MindView creates new files for these pictures in the 'MVPPImport' folder.
- If you chose to include a picture of the whole Mind Map in the PowerPoint presentation when exporting from MindView, the slide containing this picture is not re-imported back into MindView.

Importing from Mediator

@``

MindView lets you import Mediator presentations.

This is particularly useful when:

- You have a Mediator presentation which you would like to expand using the brainstorming capabilities and features of MindView before exporting it again to Mediator.
- You have exported a MindView Mind Map to Mediator, added interactivity to it in Mediator using events and actions, but then realized you need to review the structure of your map in MindView before doing any further work in Mediator.

In both cases, MindView allows you to import the Mediator presentation into a new Mind Map, preserving as much of the structure and contents of the Mediator presentation as possible.

If the Mediator presentation was created by exporting a MindView Mind Map to Mediator, the new Mind Map will have the same branch structure and layout as the original Mind Map.

If you re-export the new Mind Map to Mediator after having made the required changes in MindView, any elements added in MindView are exported to the new presentation. Note that although MindView creates a new Mediator presentation when re-exporting, the original Mediator document must remain accessible. If it is no longer accessible, MindView cannot preserve the elements of the original presentation that are specific to Mediator (such as events and actions or Mediator objects that have no equivalent in MindView).

For more information about the elements that MindView is not able to preserve, see "Limitations" below.

You must have Mediator 8 with Service Pack 3 or above installed on your computer in order to import a Mediator presentation into MindView.

This free Mediator 8 update is available on the MatchWare web site at:

http://www.matchware.com/en/support/servicepacks/mediator8.htm

If the Mediator presentation was created by exporting a MindView 3 Mind Map to Mediator, you will need to have Mediator 9 or above installed in order to re-import it into MindView.

MindView imports the first Mediator page as the root of the new MindView document, and all the other Mediator pages of the same level as further main branches. Mediator sub-pages become sub-branches of the corresponding MindView branch and so on.

Procedure

- Make sure the Mediator presentation to be imported is not already open in Mediator.
- Click the MindView Button.

- > Choose Import | MatchWare Mediator.
- > Select the Mediator presentation and click **Open**.

MindView creates a new document and import the Mediator presentation into it.

Relationship between Mediator and MindView elements and objects

The following table indicates how MindView converts the various elements of your Mediator presentation to MindView elements and objects.

Mediator element	Imported in MindView as	
Page	Branch	
	Note that the Mediator page description is used as the branch name. If the Description field is empty, then the page name is used.	
Page note (Notes tab of the Properties dialog)	Pop-up comment	
Picture object	• If the presentation was created in Mediator, imported as an attached picture object	
	• If the presentation was created by exporting an original MindView document, imported as a branch picture, floating picture or attached picture object as in the original document	
Text object	• If the presentation was created in Mediator, imported as a text note for the branch	
	• If the presentation was created by exporting an original MindView document, imported as a text note or as a floating comment as in the original document	
Hypertext object	Text note	
Button object	• If the presentation was created in Mediator, not imported	
	• If the presentation was created by exporting an original MindView document, imported as a branch connection, an attached text object or an attached sound object as in the original document	
Flash object	Attached Flash object	
Media Player object	Attached video object	
All other Mediator objects and elements	These are not imported. They are however preserved if you re-export the MindView document to Mediator, provided that the original Mediator document is still accessible.	

Limitations

The following limitations apply when importing a Mediator presentation into MindView:

- If the first page in the Mediator presentation contains sub-pages, these sub-pages are not imported.
- When importing a Mediator hypertext object into MindView, the hypertext object is converted to a text note. This means that any events and actions that may be associated with it in the original Mediator presentation are not preserved when re-exporting the MindView document to Mediator.
- Once the presentation is imported into MindView, if you change the name of a branch and re-export the presentation, the Description field of the corresponding Mediator page will be changed to the new name, but the Page name will remain unchanged.

In addition, if you are importing a Mediator presentation created by exporting an original MindView Mind Map to Mediator, the following limitations apply:

- When exporting a Mind Map to Mediator, MindView places special tags formatted with # signs in the Notes tab of the Properties dialog of particular elements of the new Mediator presentation, including the pages themselves. These tags contain information required by MindView to re-import the Mediator presentation. If you delete one or more of these tags by accident, MindView will not be able to recreate the corresponding element(s) exactly as in the original Mind Map.
- When exporting a Mind Map to Mediator, MindView hyperlinks, branch connections, attached text files and attached sound files are converted to Mediator buttons containing the relevant events and actions. An attached sound object in the MindView document for instance becomes a button with a Mouse Click event and a Sound action in the Mediator presentation. If you delete or move these events and actions while working in Mediator, although MindView will be able to recreate the original object, the link path will be lost.

Working in Pen Mode

MindView 3 supports pen input as well as standard keyboard/mouse input, letting you insert digital ink data such as handwritten text and hand-drawn pictures on your branches. Although MindView's pen input features let you treat your computer mouse as a pen, they are designed for use with dedicated pen input devices such as tablet PC's, external digitizers, touch screens and interactive whiteboards. The only requirement is that the operating system on which MindView is installed must also support pen input (e.g. Windows XP Tablet PC Edition, all editions of Windows Vista with the exception of the Home Basic and Starter editions, Windows 7).

Once attached to a branch, the ink data is treated just as any other branch element.

Prou can use pen input only in the standard Mind Map views, namely Mind Map, Top Down and Left/Right.

Enabling pen input

Before you can use your mouse or pen as input device, you must enable pen input.

If your computer supports pen input, the MindView Options dialog contains an extra panel for the pen input options.

To access this tab:

- Click the MindView Button.
- Click MindView Options in the bottom right.
- Click the panel **Pen Input**.

Proofing	Advanced options for working in Pen Mode.	
Preferences Calendar Customize	Enable pen input (When pen input is enabled, you can switch to Pen Mode by clic Enable pen gestures	king the Pen Mode button on the status bar)
Pen Input	Recognizer:	
	Default picture size for floating pictures (%): 75 (e.g. choosing 50% will reduce the picture to 50% of	of its size once added to the branch)

Enable pen input: Check this box to enable pen input. When pen input is enabled, a Pen Mode button appears in the bottom right corner of the MindView status bar, allowing you to set Pen Mode on and off.



Enable gestures: When this option is enabled, you can perform the MindView actions listed in the paragraph "Using gestures" below by making the corresponding gesture with your input device.

Recognizer: This is the active recognizer used to convert the ink data to text. Click the right arrow to see the list of handwriting recognizers installed on the computer and choose the recognizer corresponding to your language.

Default picture size for floating pictures: When you use your pen to draw pictures, it is often easier to make large drawings. You can use this field to define a factor which MindView will automatically use to reduce your hand-drawn pictures before attaching them to the selected branch.

Using Pen Mode

When pen input is enabled, a Pen Mode button is shown in the bottom right corner of the status bar.

Click it to enable Pen Mode.

The Ink Tools tab appears in front of the Home tab on the ribbon.



You can now use your input device to start writing or drawing on the free space available in the view (i.e. not on top of a branch, floating comment, floating picture or other MindView element).

Before you start writing or drawing, you can use your input device to select the branch to which you want to add the ink data. After your first stroke, you are free to draw anywhere on the workspace, including on top of branches or other MindView elements.

As you start writing or drawing, MindView attempts to interpret the ink data as text and displays the result in the "Ink to Text" field shown just below the ribbon. This lets you correct any misinterpretation by deleting the last stroke or strokes until you obtain the required result.

Ink to Text: hello

Here is a short description of the tools contained in the Ink Tools tab:

- As in the Home and Insert tabs, the **Branch** icon 🔄 lets you add a branch at the same level as the selected branch, and the **Sub-Branch** icon **b** lets you add a sub-branch to the selected branch.
- The icons contained in the Add Ink to Selected Branch group are only enabled when you have selected a branch and drawn at least one stroke:

Branch Label: Click this icon to convert the ink data to text and use it as branch label for the selected branch.

Comment: Click this icon to convert the ink data to text and add it to the selected branch as pop-up comment.

Floating Comment: Click this icon to convert the ink data to text and add it to the selected branch as floating comment. You can then move the floating comment on the workspace just as you would in standard mouse input mode.

Text Note: Click this icon to convert the ink data to text and add it to the selected branch as text note.

Branch Picture: Click this icon to convert the ink data to a picture (.png) and insert it on the selected branch as branch picture.

Floating Picture: Click this icon to convert the ink data to a picture (.png) and add it to the selected branch as a floating picture. The picture is reduced by a predefined factor, which you can modify in the MindView Options dialog as described above in the paragraph "Enabling pen input". You can then move the floating picture on the workspace just as you would in standard mouse input mode.

• The Color and Weight icons of the Format group let you redefine respectively the color and the width of the pen.

- To delete the last stroke drawn, click the Delete Last Stroke icon $\cancel{\&}$.
- The Delete All Strokes icon X removes from the workspace all the ink data that has not yet been converted to a MindView element.

Using gestures

As well as using the commands above, you can use pen movements, also called "gestures", to perform particular actions. For this to work, you must enable gestures in the MindView Options dialog, as described above in the paragraph "Enabling pen input".

Bestures are only recognized when done as a first stroke.

Here is a list of the gestures you can use:

Gesture	Name	Action	Drawing Method
Ň	Scratch-out	Delete	Draw at least 3 strokes, as horizontal as possible.
Ş	Curlicue	Cut	Draw the curlicue at an angle, from bottom left to top right.
3 ,	Double-Curlicue	Сору	Draw the double-curlicue at an angle, from bottom left to top right.
\wedge	Caret	Paste	Draw both sides with equal length, with a sharp angle. You can draw in either direction.
\bigcap^{\uparrow}	Left-semicircle	Undo	Draw the semicircle from right to left. The two ends should be on the same horizontal line.
$\uparrow \bigcirc$	Right-semicircle	Redo	Draw the semicircle from left to right. The two ends should be on the same horizontal line.
→	Right	Insert Branch	Draw a single line from left to right.

↓	Down-right	Insert Sub-Branch	Start with the down stroke, without lifting the pen. Draw the two sides with equal length and at a right angle.
	Square	Insert New Root	Draw the square from the upper left corner, without lifting the pen. You can draw in either direction.

Using the Tablet PC Input Panel

As well as using your pen to input text into MindView, you can also use the Windows built-in Tablet PC Input Panel. On Microsoft Vista and Windows 7, this panel can also be used to edit existing text.

 Fools	•	Help	٠	EN	•			X
							De De	(→)
						Tab	1	Enter
						Space	+	-
						Num	Sym	Web

If for instance you use your pen to select a part of a branch label that you want to edit, the text will be shown in the Windows Tablet PC Input Panel. Conversely any change you make to the text shown in the panel is reflected on the branch label.

You can use the same method for text notes, comments and anywhere else in MindView where you can input text, including all edit fields.

Using an interactive whiteboard

MindView is able to detect and support interactive whiteboards. All the operations described above are supported.

If you are using a SMART Board, MindView automatically switches to Pen Mode when you pick up a pen from the pen tray. In addition, MindView automatically sets its pen color and width to the color and width of the pen you picked up. When no pen is picked up (or when you pick the eraser pen), a default black color is used.

The pen can also be used to navigate the MindView ribbon and menus in the same way as when using a mouse.

To do a right click, you can press the right click button of the pen tray, use the SMART Board Tools menu, or do a slow click with the pen by pressing it and holding it down for a few seconds.

Reference

The reference section contains a description of the following MindView features:

Properties

These topics give a full description of the properties applicable to each of the MindView elements, such as the view itself, the root, the branches and the various objects.

Shortcuts

This topic lists all the keyboard shortcuts provided by MindView.

Properties

Overview

The Properties dialog shows the properties of the MindView element currently selected, for example the root, a branch or a floating comment. If nothing is selected the properties of the current view are shown.

You can use the Properties dialog to make fine-tuning changes to these elements, as described in "Using the Properties dialog."

Rather than applying properties one by one to enhance the visual aspect of your branches, it is normally easier to use the **Format** tab shown at the right of the ribbon when the branch is selected. Using this tab, you can apply branch shapes, branch colors and other coordinated attributes in one step. Similarly, the **Design** tab lets you apply predefined layouts and styles to the entire map in one step.

The topics of this section describe in detail the properties shown in the Properties dialog for the various MindView elements.

Notes:

- If the Properties dialog is not visible, choose View | Show/Hide | Properties to open it.
- The properties described are not always applicable to all views. The Properties dialog only lists the properties applicable to the selected element in the current view.

View

View properties: General tab

When you click the workspace (in other words away from the root or any branch), the following properties are shown in the Properties dialog.

Properties		
4 General Bran	nches	⊳
Page Color		^
Word Wrap Text	•	
Show Duration Bars	7	
Show Title	Top 🔻	
Show Time Breaks		-
		~

Page Color: Click the small rectangle to choose a new color for the workspace.

Word Wrap Text: Check this box if you want the text to wrap automatically to the next line when you enter long branch names. This setting applies to all the branches of your document.

Show Duration Bars: (Timeline view only) If you have entered both a start time and an end time for a particular event, you can use this property to show the duration of the event as a bar below the time axis.

Show Title: (Timeline view only) By default, the timeline displays the root name as title, or, if you are focusing on a particular branch, the name of that branch. You can use this property to change the title position or to remove the default title altogether.

Show Time Breaks: (Timeline view only) You can use this property to replace any empty space on the time axis with one or more break marks. This optimizes the use of the horizontal space when events are not evenly distributed along the timeline.

View properties: Branches tab

The Branches tab of the View properties dialog allows you to define default properties for the branches of your map.

Properties		×
4 General Branches		Þ
Vertical Branch Gap	8	^
Horizontal Branch Gap	24	
Show Branch Connections	v	-
Auto-Layout	V	*

Vertical Branch Gap: This value represents the vertical spacing between each set of branches. The default value depends on the view used.

Horizontal Branch Gap: This value represents the horizontal spacing between each set of branches. The default value depends on the view used.

Show Branch Connections: This box is checked by default. Uncheck it if you do not want branch connections to be visually represented on your map. See "Creating branch connections" for more information.

Auto-Layout: By default, MindView automatically arranges the main branches as you insert them to prevent any overlap. You can however choose to reposition the main branches yourself after their insertion by unchecking this box to disable the auto-layout mode. See "Moving a branch" for more information.

Root

Root properties: General tab

When you select the main root or any other root contained on your map, the following properties are shown in the Properties dialog.

Properties				
4 General Text Picture	e Þ			
Text	Project Management 🔨			
Fill Type	Gradient 💌			
Fill Color 1				
Fill Color 2				
Fill Mode	Horizontal			
Outline Color				
Outline Width	1			
	*			

Text: This property shows the label of the currently selected root. You can edit it or enter a new label by typing in the input field. If you have split a long label on several lines by pressing Ctrl + Enter at the end of each line when creating the branch (rather than let the label wrap automatically), this field will not be editable and will only contain the first line of the label.
Fill Type: Choose the fill type required for the space enclosed by the root outline.

Fill Color 1: Click the small rectangle to choose a new fill color.

Fill Color 2: This property only appears if you have chosen a gradient fill type. It lets you choose the end color for the gradient.

Fill Mode: This property only appears if you have chosen a gradient fill type. It lets you choose the direction of the gradient.

Outline Color: Click the small rectangle to choose a new outline color.

Outline Width: This value defines the width of the outline.

Root properties: Text tab

The Text tab of the Root properties dialog allows you to define all the properties related to the root label.

Properties	×
d General Text Pictu	ire Þ
Font Name	Arial 🔻 🔨
Font Size	13
Bold	v
Italic	
Underline	
Strikethrough	
Text Highlight Color	
Text Color	
Alignment	Center 💌

Font Name: Click this field to choose a new font for the label.

Font Size: Use this field to specify the font size.

Bold/Italic/Underline/Strikethrough: Check the relevant box to enable the corresponding effect.

Text Highlight Color: Click the small rectangle to choose a new color for the label background.

Text Color: Click the small rectangle to choose a new color for the label.

Alignment: This property lets you right-align, left-align or center the label within the root shape.

Root properties: Picture tab

The Properties dialog of the root only contains a Picture tab if you have inserted a branch picture on the root. The Picture tab allows you to define the properties related to the branch picture.

Properties		
		Þ
Picture Name	Meeting.png	^
Path	c:\program\Meeting.pnd	
Width	228	
Height	139	
Aspect Ratio	V	
Opacity	100	
Include in Export	v	*

Picture Name: By default, this field shows the name of the picture file. You can however replace it with a name of your choice.

• If you export your document to HTML, this picture name will also be inserted in the Alt meta-tag for the picture in the .html file. When viewing the HTML page in the browser and moving the mouse pointer over the picture, you will therefore see the name of the picture appear in a small frame under the picture.

• Similarly, if you export your document to Mediator, the picture name will be inserted in the Notes tab of the Properties dialog of the picture in Mediator.

Path: This shows the path of the picture. Enter a new folder and/or file name or click the Browse button $\boxed{\cdots}$ to choose a different picture.

Width: This field shows the current width of the picture. You can resize the picture by entering a different value.

Height: This field shows the current height of the picture. You can resize the picture by entering a different value.

Aspect Ratio: This box is checked by default. Uncheck it if you do not want to preserve the proportions of the picture (in other words, the ratio between its width and its height) when resizing it.

To reset the picture to its initial size, uncheck the box and check it again.

Opacity: By default, this field has the value 100, which means that the picture is 100% visible. You can give it a transparency effect by entering a lower value, thereby decreasing its opacity. The value 1 means that the picture is completely transparent.

Include in Export: This box is checked by default. Uncheck it if you intend to export your map to another format (HTML, Mediator, Word and so on) but do not want the branch picture to be exported.

Branch

Branch properties: General tab

When you select a branch or sub-branch on your map, the following properties are shown in the Properties dialog.

Properties		
4 General Text Picture	e ⊳	
Text	Troubleshooting	
Fill Type	Gradient 🔻	
Fill Color 1		
Fill Color 2		
Fill Mode	Horizontal 🔻	
Outline Color		
Outline Width	1	
Line Color		
Line Width	1	
Boundary		
Boundary Fill Type	Gradient 💌	
Boundary Fill Color 1		
Boundary Fill Color 2		
Boundary Fill Mode	Horizontal 🔻	
Boundary Outline Color		
Boundary Outline Width	1	
Boundary Outline Roundness	35	
Boundary Outline Dash Style	Solid 🔹	
Include in Export	J	
	*	

Text: This property shows the label of the currently selected branch. You can edit it or enter a new label by typing in the input field. If you have split a long label on several lines by pressing Ctrl + Enter at the end of each line when creating the branch (rather than let the label wrap automatically), this field will not be editable and will only contain the first line of the label.

Fill Type: Choose the fill type required for the space enclosed by the branch outline.

Fill Color 1: Click the small rectangle to choose a new fill color.

Fill Color 2: This property only appears if you have chosen a gradient fill type. It lets you choose the end color for the gradient.

Fill Mode: This property only appears if you have chosen a gradient fill type. It lets you choose the direction of the gradient.

Outline Color: Click the small rectangle to choose a new outline color.

Outline Width: This value defines the width of the outline.

Line Color: Click the small rectangle to choose new color for the line connecting the branch to its parent branch.

Line Width: Enter a value between 1 and 5 to specify the width of the line connecting the branch to its parent branch.

Boundary: Check this box to show a boundary around the branch and all its sub-branches.

The next fields only appear if you have checked the Boundary property.

Boundary Fill Type: Choose the fill type required for the space enclosed by the boundary.

Boundary Fill Color 1: Click the small rectangle to choose a new fill color.

Boundary Fill Color 2: This property only appears if you have chosen a gradient fill type. It lets you choose the end color for the gradient.

Boundary Fill Mode: This property only appears if you have chosen a gradient fill type. It lets you choose the direction of the gradient.

Boundary Outline Color: Click the small rectangle to choose a new color for the boundary outline.

Boundary Outline Width: Enter a value between 1 and 5 to define the width of the boundary.

Boundary Outline Roundness: Enter a value between 1 and 50 to define how rounded the corners of the boundary should be.

Boundary Outline Dash Style: Click the down arrow to choose a style for the boundary.

Include in Export: This box is checked by default. Uncheck it if you intend to export your map to another format (HTML, Mediator, Word and so on) but do not want the branch and all its sub-branches to be exported.

Branch properties: Text tab

The Text tab of the Branch properties dialog allows you to define all the properties related to the branch label.

Properties	×
d General Text Pictu	ure D
Font Name	Arial 🔹 📩
Font Size	13
Bold	J
Italic	
Underline	
Strikethrough	
Text Highlight Color	
Text Color	
Alignment	Center 💌

This tab is identical to the Text tab of the root. See "Root properties: Text tab" for more information.

Branch properties: Picture tab

The Properties dialog of a particular branch only contains a Picture tab if a branch picture has been inserted on the branch. The Picture tab allows you to define the properties related to the branch picture.

Properties		
	⊳	
Picture Name	Meeting.png	
Path	c:\program\Meeting.pnd	
Width	228 _	
Height	139	
Aspect Ratio	v	
Opacity	100	
Include in Export	v v	

This tab is identical to the Picture tab of the root. See "Root properties: Picture tab" for more information.

Text note

Text note properties: General tab

When you select a text note in the Object list of a branch, the following properties are shown in the Properties dialog.

Properties		×
4 General		⊳
Name	The next	^
Include in Export		~

Name: This shows the default name of the text note. You can edit it or enter a different name to help you identify the text note.

Include in Export: This box is checked by default. Uncheck it if you intend to export your map to another format (HTML, Mediator, Word and so on) but do not want the text note to be exported.

Floating comment

Floating comment properties: General tab

When you select a floating comment on the workspace, the following Properties dialog is shown.

Properties		×
◀ General Text		⊳
Text	Review	~
Outline Color		
Outline Width	1	
Line Color		
Line Width	1	_
Include in Export	J	~

Text: This shows the contents of the comment. You can edit it by typing in this field.

Outline Color: Click the small rectangle to choose a new color for the frame surrounding the comment.

Outline Width: Edit this field to increase or decrease the width of the frame surrounding the comment.

The next three properties only appear if the floating comment is connected to a branch.

Line Color: Click the small rectangle to choose a new color for the line connecting the comment to the branch.

Line Width: Edit this field to increase or decrease the width of the line connecting the comment to the branch.

Include in Export: This box is checked by default. Uncheck it if you intend to export your map to another format (HTML, Mediator, Word and so on) but do not want the floating comment to be exported.

Floating comment properties: Text tab

The Text tab of the Floating comment properties dialog allows you to define all the properties related to the comment text.

Properties	×
4 General Text	⊳
Font Name	Arial 💌 🔺
Font Size	11
Bold	
Italic	
Underline	
Strikethrough	
Text Highlight Color	
Text Color	
Text Wrap Width	200
Alignment	Center 💌

Font Name: Click this field to choose a new font for the comment.

Font Size: Use this field to specify the font size.

Bold/Italic/Underline/Strikethrough: Check the relevant box to enable the corresponding effect.

Text Highlight Color: Click the small rectangle to choose a new color for the comment background.

Text Color: Click the small rectangle to choose a new color for the comment text.

Text Wrap Width: This defines the length of text that can be typed before wrapping onto the next line.

Alignment: This property lets you right-align, left-align or center the text of the floating comment within its frame.

Floating picture

Floating picture properties: General tab

When you select a floating picture on the workspace, the following properties are shown in the Properties dialog, provided that the floating picture is connected to a branch. If the floating picture is not connected to any branch, the Properties dialog only shows the Picture tab.

Properties		×
4 General Picture		⊳
Line Color		^
Line Width	1	
Include in Export	1	~

Line Color: Click the small rectangle to choose a new color for the line connecting the floating picture to the branch.

Line Width: Edit this field to increase or decrease the width of the line connecting the floating picture to the branch.

Include in Export: This box is checked by default. Uncheck it if you intend to export your map to another format (HTML, Mediator, Word and so on) but do not want the floating picture to be exported.

Floating picture properties: Picture tab

Clicking the Picture tab of the Floating picture properties dialog shows the following dialog.

Properties	×
4 General Picture	Þ
Picture Name	Meeting
Path	C:\Program\Meeting.png
Width	102
Height	60 💻
Aspect Ratio	v
Opacity	100

This tab is identical to the Picture tab of the root. See "Root properties: Picture tab" for more information.

Attachment

Attachment properties: General tab

When you select an attachment in the Object list of a branch, the following properties are shown in the Properties dialog.

Properties	×
◀ General	⊳
Name	Statistics.xls
Path	C:\My documents\Statistics.xls
Export As	Default 💌
Include in Export	V V

Name: By default, this field shows the name of the attached file. You can however replace it with a name of your choice to help you identify the attachment.

If the attachment is a picture file, the name is also used as descriptive label when exporting to HTML or Mediator:

- If you export your document to HTML, this picture name will also be inserted in the Alt meta-tag for the picture in the .html file. When viewing the HTML page in the browser and moving the mouse pointer over the picture, you will therefore see the name of the picture appear in a small frame under the picture.
- If you export your document to Mediator, the picture name will be inserted in the Notes tab of the Properties dialog of the picture in Mediator.

Path: This shows the path of the attached file. Enter a new folder and/or file name or click the Browse button $\boxed{\cdots}$ to choose a different file.

Export As: By default, the attachment is exported in the format you define during the export procedure for all attachments of this type. This property however gives you the option to export the selected attachment in a different format. If for instance you choose during the HTML export procedure to export all text attachments as buttons, you can override this choice for the selected attachment, and choose instead to export it as a hyperlink.

Include in Export: This box is checked by default. Uncheck it if you intend to export your map to another format (HTML, Mediator, Word and so on) but do not want the attached file to be exported.

Hyperlink

Hyperlink properties: General tab

When you select a hyperlink in the Object list of a branch, the following properties are shown in the Properties dialog.

Properties		×
◀ General		⊳
Text	MatchWare	^
URL	http://www.matchware.com	
Export As	Default 🔻	_
Include in Export	V	¥

Text: By default, this field shows the name of the hyperlink. If you export your map, it is the text that will make up the hyperlink. You can replace it with any other text as required.

URL: This shows the URL of the hyperlink. You can edit this field as required or enter a new URL.

Export As: By default, hyperlinks are usually exported as hyperlinks. This property gives you the option to override this default export format for the selected hyperlink, and export it instead as a button.

Include in Export: This box is checked by default. Uncheck it if you intend to export your map to another format (HTML, Mediator, Word and so on) but do not want the hyperlink to be exported.

Branch connection

Branch connection properties: General tab

When you select a branch connection in the Object list of a branch, the following properties are shown in the Properties dialog.

Properties		×
		Þ
Name	Next year	^
Line Color		
Line Width	1	
Active Color		
Dash Style	Solid 🔹	-
Include in Export	J	~

Name: This shows the name given to the branch connection, which by default is the name of the end branch.

Line Color: This defines the color of the branch connection. Click the small rectangle to choose a new color.

Line Width: Edit this field to increase or decrease the width of the branch connection.

Active Color: This defines the color of the branch connection when hovered.

Dash Style: This field lets you choose between various line styles.

Include in Export: This box is checked by default. Uncheck it if you intend to export your map to another format (HTML, Mediator, Word and so on) but do not want the branch connection to be exported.

Keyboard shortcut	Description
Enter	Add a new branch at the same level as the selected branch
Insert	Add a new sub-branch to the selected branch
Shift + Enter	Add a new branch just before the selected branch
Delete	Delete the selected branch or element
Up	Select the branch placed above the currently selected branch
Down	Select the branch placed below the currently selected branch
Left	Select the branch to the left of the currently selected branch in the map
Right	Select the branch to the right of the currently selected branch in the map
F1	Help
F2	Edit the name of the selected branch or the selected floating comment
F3	Toggle Focus mode on and off
F4	Resize the map so that it fits entirely in the workspace
F6	Apply branch focus to restrict the display to the selected branch
Ctrl + Shift + F6	Remove branch focus to display the entire map again
F7	Spellcheck the document
Ctrl + F7	Spellcheck the selected element
F8	Toggle between selected branch and Text Note editor
F9	Toggle Full Screen mode on and off
F11	Insert or edit a pop-up comment on the selected branch
F12	Specify a start time for the selected branch
Ctrl + F12	Specify an end time for the selected branch
Ctrl + A	Select all branches
Ctrl + F	Find and replace text in document
Ctrl + N	Create a new document
Ctrl + O	Open and browse for an existing document
Ctrl + P	Print the active document
Ctrl + S	Save the active document
Ctrl + Z	Undo the last action
Ctrl + Y	Reverse the last Undo
Ctrl + C	Copy the selected data to the clipboard
Ctrl + X	Cut the selected data to the clipboard

The table below lists all the keyboard shortcuts provided by MindView.

Ctrl + V	Paste the data contained in the clipboard to the selected destination
Ctrl + Shift + C	Copy the formatting from one element to another with the Format Painter
Ctrl + F6	Go from one open document to the next
Ctrl + Tab	
Ctrl + F8	Open the Text Note editor to create a new text note
Ctrl + Up	Move the selected branch up (Mind Map, Left/Right and Outline views only)
Ctrl + Down	Move the selected branch down (Mind Map, Left/Right and Outline views only)
Ctrl + Left	Move the selected branch left (Top Down view only)
	Collapses the selected branch (Outline view only)
Ctrl + Right	Move the selected branch right (Top Down view only)
	Expands the selected branch (Outline view only)
Ctrl + Home	Go to the first cell of the Outline (Outline view, Timeline view)
Ctrl + End	Go to the last cell of the Outline (Outline view, Timeline view)
Ctrl + "+"	Zoom in
Alt + mouse wheel	
Ctrl + ''-''	Zoom out
Alt + mouse wheel	
Ctrl + mouse wheel	Scroll the workspace horizontally
Shift + drag	Navigate the Mind Map by panning the view within the workspace
Ctrl + 1	Show only the main branches
Ctrl + 2, 3, 4	Show only two, three or four levels of branches
Ctrl + 5	Show all levels of branches
Ctrl + Shift + "+"	Expands the selected branch
Ctrl + Shift + "-"	Collapses the selected branch
Ctrl + Shift + 1	Display the document in Mind Map view
Ctrl + Shift + 2	Display the document in Top Down view
Ctrl + Shift + 3	Display the document in Left/Right view
Ctrl + Shift + 4	Display the document in Timeline view
Ctrl + Shift + 5	Display the document in Outline view
Alt + Shift + Right	Indent the selected branch (Outline view)
Alt + Shift + Left	Outdent the selected branch (Outline view)

Index

.mvdx
mytx 39
Accelerators 188
Access keys 29
Activating 73
Activating
a branch connection
a nyperiink
an object
Additional folders
Alt picture tag122, 181, 183, 185
Animation (effect)
Antialiasing
APA Word template
Arranging
branches 69
objects in the Object list
Aspect ratio of a picture 181, 183, 185
Attaching objects
Attachment - see Object
AutoCorrect list 105, 107
Auto-layout of branches 69, 180
Auto-recovery feature 3/ 30
Auto-recovery reature
Poolsup files 20
Dackup files
Branch
attaching objects
auto-layout 69, 180
branch picture
collapsing 42
copying
creating
cutting 42, 69
deleting
detaching
editing
expanding
finding text
focusing 71
formatting 45 67
inserting 42
moving 69
noving
navigating
pasting
properties
replacing text
selecting several
shape
showing/hiding
spellchecking105
word wrapping179
Branch connection76
activating76
creating
curve
deleting76
<u> </u>

	00.405
properties	88, 187
showing/hiding	
start and end branch	76
Branch picture	58
deleting	58
detaching	58
dragging	58
inserting	
properties 8	88 181 183
renlacing	58
Bulleted lists	
Buttons payigation	126 140
	120, 149
in HTML export	
in Mediator export	149
Clipart	
Collapsing	
a branch	42
a Mind Man	
a minu map Color dialog	
Color dialog	88
Comment (floating) - see Floating comm	nent 53
Comment (pop-up) - see Pop-up comme	ent 53
Compressing a Mind Map	81
Conversion from older versions	41
Copying a branch	42, 69
from an external application	42
from MindView	
Creating	
a branch	42
a branch connection	
a branch picture	
a filter	טס
a floating comment	
a floating picture	
a hyperlink	75
a Mediator document	144
a Mind Map	37, 80
a new root	80
a pop-up comment	53
a PowerPoint presentation	117
a RTF document	161
a text note	۲۵۱ ۸۵
a timeline	
a uniternite	
a web site	
a Word document	
an attachment	73
an outline	102
Custom dictionaries	105, 107
Customizing	29
your preferences	34
your workspace	
Cutting a branch	
Daily timescale	(0
Daily imescale	
Dates	60, 95
in a timeline	60, 95

a branch		
		42
a branch connection		76
a branch picture	•••••	58
a branch section	•••••	42
a filter	•••••	72
a floating comment	•••••	53
a floating picture	•••••	58
a nyperlink	•••••	13
a pop-up comment	•••••	20
a template	•••••	39
a text note	•••••	49
an attachment	•••••	56
Designing a Mind Man	•••••	45
Deskton search	•••••	79
Detaching 4	53 58	81
a branch	, 50,	81
a branch picture	•••••	58
a floating comment		53
a floating picture		58
Dictionaries	1	05
AutoCorrect list	105.1	07
custom	105.1	07
language		05
standard	1	05
Distributing a Mind Map		81
Docking panels	29,	34
Document - see Mind Map		37
Document properties	179, 1	180
Dragging a picture		58
Duration	60,	95
of an event	60,	95
Duration bars		95
in the Timeline view		95
Editing		42
a branch	41,	67
a floating comment	•••••	53
a hyperlink	•••••	75
		- · •
a pop-up comment		53
a pop-up comment a root	41,	53 67
a pop-up comment a root a text note	41,	53 67 49
a pop-up comment a root a text note End times definitions	41, 60,	53 67 49 95
a pop-up comment a root a text note End times definitions Expanding a branch	41, 60,	53 67 49 95 42
a pop-up comment a root a text note End times definitions Expanding a branch a Mind Map	41, 60, 	53 67 49 95 42 42 42
a pop-up comment a root a text note End times definitions Expanding a branch a Mind Map Exporting	41, 60, 42,	53 67 49 95 42 42 46
a pop-up commenta roota roota text note End times definitions Expandinga brancha Mind Map Exportingas picture	41, 60, 42,	53 67 49 95 42 42 46 11
a pop-up comment a root a text note End times definitions Expanding a branch a Mind Map Exporting as picture Export Wizard 111	41, 60, 42, 126	53 67 49 95 42 42 46 111
a pop-up comment a root a text note End times definitions Expanding a branch a Mind Map Exporting as picture Export Wizard	41, 60, 42, 1 126, 1	53 67 49 95 42 42 46 111 164
a pop-up comment a root a text note End times definitions Expanding a branch a Mind Map Exporting as picture Export Wizard	41, 60, 42, 1 126, 1	53 67 49 95 42 42 46 111 64 149
a pop-up comment a root a text note End times definitions Expanding a branch a Mind Map Exporting as picture Export Wizard	41, 60, 42, 1 126, 1	53 67 49 95 42 42 46 111 64 149 142 111 81
a pop-up comment a root a text note End times definitions Expanding a branch a Mind Map Exporting as picture Export Wizard	41, 60, 42, 126, 1	53 67 49 95 42 42 46 111 64 149 42 111 81
a pop-up commenta roota roota text note End times definitions Expandinga brancha mind Map Exportingas picture Export Wizard	41, 60, 42, 126, 1 124, 1 124, 1	53 67 49 95 42 42 46 111 64 149 142 111 81
a pop-up commenta roota roota text note End times definitions Expandinga brancha mind Map Exportingas pictureas picture	41, 60, 42, 126, 1 126, 1 124, 1 124, 1 124, 1 124, 1 124, 1	53 67 49 95 42 42 46 111 64 49 49 42 111 81 81 81 81 126 126
a pop-up commenta roota roota text note End times definitions End times definitions Expandinga brancha Mind Map Exportingas pictureas pictureas picture Export Wizard	41, 60, 42, 126, 1 124, 1 124, 1 124, 1 124, 1	53 67 49 95 42 42 46 111 64 149 142 111 81 146 126 149
a pop-up commenta roota roota text note End times definitions End times definitions Expandinga brancha dind Map a brancha more statement of the statemen	41, 60, 42, 126, 1 124, 1 124, 1 146, 2	53 67 49 95 42 42 46 111 64 149 142 146 126 149 117
a pop-up commenta roota roota text note End times definitions Expandinga brancha dind Map a brancha Mind Map Exportingas picture Export Wizard	41, 60, 42, 126, 1 124, 1 124, 1 124, 1 146, 1	53 67 49 95 42 42 46 111 64 149 42 111 81 146 126 149 112
a pop-up commenta roota text notea text notea text notea text notea text notea text notea brancha brancha brancha mind Mapa spicturea spicturea spicturea spicturea spicturea texport Wizarda 111, FTP Upload Manageroverviewa packinga packinga to HTMLa 122, to MatchWare Mediatora 144, to Microsoft PowerPointa to RTFa to RTFa spicea	41, 60, 42, 126, 1 124, 1 124, 1 146, 1	53 67 49 95 42 42 46 111 64 149 142 146 126 149 117 112
a pop-up commenta roota roota text note End times definitions	41, 60, 42, 126, 1 124, 1 124, 1 146, 1	53 67 49 95 42 42 46 111 164 149 142 111 81 146 126 149 117 112 161
a pop-up commenta roota roota text note End times definitions Expandinga brancha dind Map Exportingas pictureas picture	41, 60, 42, 126, 1 124, 1 124, 1 146, 2	53 67 49 95 42 42 46 111 64 149 142 111 81 146 126 149 117 112 161 19 72
a pop-up commenta roota text notea text notea text notea text notea minimum for the second	41, 60, 42, 126, 1 124, 1 124, 1 146, 1	53 67 49 95 42 42 46 111 64 149 142 149 146 126 149 112 161 19 72 72

clearing	72
defining7	72
deleting	72
Filtering a Mind Map 7	72
Finding and replacing text	70
in branch nemes	17 70
In branch names	19
in floating comments	/9
in object names	79
in pop-up comments7	79
in text notes	79
Floating comment	53
creating	53
deleting	53
detaching	53
	,5 52
eating	20
finding text	/9
formatting5	53
inserting5	53
properties	35
replacing text	79
spellchecking)5
Floating nicture 5	58
deleting	58
deteching	-0
)0 70
dragging)8 -0
inserting	>8
properties	35
replacing5	58
Focus mode 4	46
Focusing on a branch	71
Folder structure	26
Format Painter	57
Formatting	57 57
a branch	ונ בי
	57 57
a comment)) /7
a root or branch label	57
a text note 4	19
FTP Upload Manager 14	42
Full Screen mode 4	47
Geological timescale	50
Gestures 17	75
	15
Holp 1	10
Help	19
Hiding/Snowing	+2
branch connections	30
branches42, 71, 7	72
panels 2	29
timeline information	50
Historic timescale	50
HTML 12	22
exporting 122 124 12	26
Uvporlink 40.7	75
nyperink	13 75
acuvating	13 7-
(Troubling)	
	15
deleting	75 75
deleting	75 75 75
deleting	75 75 75 19
deleting	75 75 79 36
deleting	75 75 19 36
deleting	75 75 75 49 36 56
deleting	75 75 75 49 36 56

inserting		56
replacing		56
img folder	1	122
Importing	1	66
from MatchWare Mediator	1	172
from Microsoft PowerPoint	1	69
from Microsoft Word	1	66
from MindManager		41
overview	1	66
Include in export	1	11
Ink data	1	75
Incerting		42
attachmanta	•••••	72
han a compactions	•••••	75
branch gistures	•••••	/0
branch pictures	•••••	38
branches	•••••	42
floating comments	•••••	53
floating pictures		58
hyperlinks		75
icons		56
main branches		42
pop-up comments		53
pre-branches		42
sub-branches		42
text notes		49
timeline information	60	95
Installation	00,	17
Interactive whiteboard	1	175
	••••••	175
Keyboard shortcuts	1	88
		100
5		
Галдиаде	1	05
Language	1	105
Language changing the dictionary	1 1	105 105
Language changing the dictionary Layouts	1 1	105 105 45
Language changing the dictionary Layouts Left/Right view	1	105 105 45 93
Language changing the dictionary Layouts Left/Right view Level List navigation	126, 1	105 105 45 93 149
Language changing the dictionary Layouts Left/Right view Level List navigation in HTML export	126, 1	105 105 45 93 149 126
Language changing the dictionary Layouts Left/Right view Level List navigation in HTML export in Mediator export	126, 1	105 45 93 149 126 149
Language changing the dictionary Layouts Left/Right view Level List navigation in HTML export in Mediator export	126, 1 1	105 45 93 149 126 149
Language changing the dictionary Layouts Left/Right view Level List navigation in HTML export in Mediator export Main branch - see Branch	126, 1	105 45 93 149 126 149
Language changing the dictionary Layouts Left/Right view Level List navigation in HTML export in Mediator export Main branch - see Branch MatchWare Mediator	126, 1 1 1 1	105 45 93 149 126 149 42 172
Language	126, 1 126, 1 1 1 144, 1 146, 1	105 45 93 149 126 149 42 172 149
Language	126, 1 126, 1 144, 1 144, 1 146, 1	105 105 93 149 126 149 126 149 172 149
Language	126, 1 1 1 1 1 144, 1 146, 1 1 144, 1	105 45 93 149 126 149 126 149 172 172
Language	126, 1 126, 1 144, 1 146, 1 144, 1	105 45 93 149 126 149 42 172 149 172 172 81
Language	126, 1 126, 1 144, 1 146, 1 144, 1 144, 1	105 45 93 149 126 149 172 172 172 172 81
Language	126, 1 126, 1 144, 1 144, 1 146, 1 144, 1 144, 1	105 45 93 149 126 149 172 172 172 172 172 172
Language	126, 1 126, 1 144, 1 144, 1 144, 1 144, 1 144, 1	105 45 93 149 126 149 126 149 172 172 81 172 81 169
Language	126, 1 126, 1 144, 1 144, 1 144, 1 144, 1 144, 1 144, 1 117, 1	105 45 93 149 126 149 172 172 172 172 172 169
Language	126, 1 126, 1 144, 1 144, 1 144, 1 144, 1 144, 1 144, 1 117, 1 112, 1	105 45 93 149 126 149 126 172 172 172 81 169 169
Language	126, 1 126, 1 144, 1 144, 1 144, 1 144, 1 144, 1 117, 1 112, 1	105 45 93 149 126 149 126 172 172 172 172 172 169 117 169
Language	126, 1 126, 1 144, 1 144, 1 146, 1 144, 1 144, 1 117, 1 112, 1	105 45 93 149 126 149 126 149 122 149 172 172 81 169 117 169 166 112
Language	126, 1 126, 1 144, 1 146, 1 146, 1 144, 1 144, 1 144, 1 117, 1 1 112, 1 1	105 45 93 149 126 149 126 149 172 172 81 169 166 112 166
Language	126, 1 126, 1 144, 1 146, 1 144, 1 144, 1 144, 1 144, 1 112, 1 112, 1 112, 1	105 45 93 149 126 149 126 149 172 172 172 172 169 117 169 112 166 112
Language	126, 1 126, 1 144, 1 146, 1 146, 1 144, 1 144, 1 117, 1 112, 1 112, 1 112, 1 112, 1	105 45 93 149 126 149 126 149 172 149 172 169 117 169 112 166 112 166
Language	126, 1 126, 1 144, 1 146, 1 146, 1 144, 1 144, 1 144, 1 112, 1 112, 1 112, 1 112, 1 112, 1 1 112, 1 1 112, 1 1 112, 1 1 1 126, 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	105 45 93 149 126 149 126 149 172 149 172 149 172 169 117 169 112 166 112 166 112
Language	126, 1 126, 1 126, 1 144, 1 144, 1 146, 1 144, 1 144, 1 144, 1 117, 1 1 112, 1	105 45 93 149 126 149 126 149 172 172 172 169 166 112 166 112 166 112 166 112 166 112 166 112 166 112 166 112 166 112 166 112 166 112 166 112 166 112 112
Language	126, 1 126, 1 126, 1 144, 1 144, 1 146, 1 144, 1 144, 1 144, 1 117, 1 	105 45 93 149 126 149 126 149 172 169 112 166 112 167 16
Language	126, 1 126, 1 144, 1 144, 1 146, 1 144, 1 144, 1 144, 1 117, 1 112, 1 112, 1 112, 1 112, 1 112, 1 112, 1 1 112, 1 1 112, 1 1 112, 1 1 112, 1 1 144, 1 1 1 144, 1 1 1 144, 1 1 1 144, 1 1 1 144, 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	105 45 93 149 126 149 122 172 149 172 169 169 112 166 112 37 46 81 41 37
Language	126, 1 126, 1 144, 1 144, 1 144, 1 144, 1 144, 1 144, 1 117, 1 	105 45 93 149 126 149 126 149 172 169 112 166 112 37 466 811 411 37 45
Language	126, 1 126, 1 144, 1 144, 1 144, 1 144, 1 144, 1 117, 1 112, 1	105 45 93 149 126 149 126 149 172 169 112 166 112 37 466 811 411 37 45 82
Language	126, 1 126, 1 126, 1 144, 1 144, 1 144, 1 144, 1 117, 1 112, 1	105 45 93 149 126 149 126 149 172 169 112 166 112 37 466 811 411 37 45 82 46

filtering
formain a 16.71
locusing40, / 1
importing166
layouts
merging
navigating 46
numbering scheme 46
opening 41
packing
presenting
printing 64
properties45, 88, 179, 180
root
saving
scrolling 46
sending
showing timeline info
spellchecking 105
styles
unpacking
viewing
zooming
Mind Map view
MindManager
opening a mmap file 41
MindView Button 29
MLA Word template 112
mman MindManager file 41
Moving a branch 69
auto-lavout 69 180
Multimedia Catalog 58.82
adding elements
browsing 82
blowsing
compacting a solargom. 92
connecting a category
connecting a category
connecting a category 82 keywords 82 overview 82 mathing 24
connecting a category82keywords82overview82resetting34, 82constraint82
connecting a category82keywords82overview82resetting34, 82searching82
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46filtering46, 72
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46filtering46, 72focusing46, 71
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46, 72focusing46, 71panning46
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46, 72focusing46, 71panning46scrolling46
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46, 72focusing46, 71panning46scrolling46zooming46, 47
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46, 72focusing46, 71panning46scrolling46zooming46, 47Note - see Text note49
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46, 72focusing46, 72focusing46, 71panning46scrolling46zooming46, 47Note - see Text note49Notes tab (Mediator Properties dialog)144, 172,
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46filtering46, 72focusing46, 71panning46scrolling46zooming46, 47Note - see Text note49Notes tab (Mediator Properties dialog)144, 172, 181, 183, 185
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46filtering46, 72focusing46, 71panning46scrolling46, 47Note - see Text note49Notes tab (Mediator Properties dialog)144, 172, 181, 183, 185Numbered lists49
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46filtering46, 72focusing46, 71panning46scrolling46, 47Note - see Text note49Notes tab (Mediator Properties dialog)144, 172, 181, 183, 185Numbered lists49Numbering scheme46, 102, 112
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46, 72focusing46, 71panning46scrolling46zooming46, 47Note - see Text note49Notes tab (Mediator Properties dialog)144, 172, 181, 183, 185Numbered lists49Numbering scheme46, 102, 112
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46, 72focusing46, 71panning46scrolling46, 71panning46scrolling46, 47Note - see Text note49Notes tab (Mediator Properties dialog)144, 172, 181, 183, 185Numbered lists49Numbering scheme46, 102, 112Object73
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46, 72focusing46, 71panning46scrolling46zooming46, 47Note - see Text note49Notes tab (Mediator Properties dialog)144, 172,181, 183, 185185Numbered lists49Numbering scheme46, 102, 112Object73activating73
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46filtering46, 72focusing46, 71panning46scrolling46zooming46, 47Note - see Text note49Notes tab (Mediator Properties dialog)144, 172, 181, 183, 185Numbered lists49Numbering scheme46, 102, 112Object73activating73attaching73
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46filtering46, 72focusing46, 71panning46scrolling46, 71panning46scrolling46, 47Note - see Text note49Notes tab (Mediator Properties dialog)144, 172, 181, 183, 185Numbered lists49Numbering scheme46, 102, 112Object73activating73attaching73deleting73
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46, 72focusing46, 72focusing46, 71panning46scrolling46, 71panning46scrolling46, 102, 112Note - see Text note49Notes tab (Mediator Properties dialog)144, 172, 181, 183, 185Numbered lists49Numbering scheme46, 102, 112Object73activating73attaching73properties88, 186
connecting a category82keywords82overview82resetting34, 82searching82mvfiles folder122MVHtmlExport folder122MVPPImport folder169Navigating a Mind Map46expanding/collapsing46, 72focusing46, 72focusing46, 71panning46scrolling46, 71ponning46voming46, 47Note - see Text note49Notes tab (Mediator Properties dialog)144, 172, 181, 183, 185Numbered lists49Numbering scheme46, 102, 112Object73activating73attaching73properties88, 186Object list90

Object name 186
finding text
replacing text 79
apallahaaking 105
spenchecking105
Opacity of a picture 181, 183, 185
Opening
a Mediator file
a Microsoft PowerPoint file 169
a Microsoft Word file
a Microsoft word file
a Mind Map 41
a MindManager file 41
Outline view
Overview papel 89
overview parter
N
Packing a Mind Map81
Page properties
Panels
docking/undocking 29.34
Malting didocking
Multimedia
Object List
Overview
Properties 88
resetting 20.24
1esetting
resizing
showing/hiding
Text Note editor
Time(line) Info panel 60.95
Time(inte) into parter
1 Interine Outline
Panning a Mind Map 46
Pasting a branch 42, 69
into an external application
into MindView 42 69
175 Into Wind View
Pen input 175
Pen Mode 1/5
Picture
aspect ratio
branch pictures 58 181 183
dragging 50
uragging
exporting 164
floating pictures
inserting
Multimedia Catalog 82
101 102 105
name
opacity
picture objects
Pop-up comment
creating 53
deleting 53
deleting
editing
finding text79
finding text
finding text79inserting.53replacing text79resizing53spellchecking.105PowerPoint - see Microsoft PowerPoint 117, 169Pre-branch - see Branch42Preferences34Presenting a Mind Map46Printing a Mind Map64
finding text79inserting.53replacing text79resizing53spellchecking.105PowerPoint - see Microsoft PowerPoint117, 169Pre-branch - see Branch42Preferences34Presenting a Mind Map46Printing a Mind Map64Problems (reporting)19
finding text79inserting.53replacing text79resizing53spellchecking.105PowerPoint - see Microsoft PowerPoint117, 169Pre-branch - see Branch42Preferences34Presenting a Mind Map46Printing a Mind Map64Problems (reporting)19Properties88, 179
finding text79inserting53replacing text79resizing53spellchecking105PowerPoint - see Microsoft PowerPoint117, 169Pre-branch - see Branch42Preferences34Presenting a Mind Map46Printing a Mind Map64Problems (reporting)19Properties88, 179attachment186

branch	.179, 180,	182, 183
branch connection		187
branch picture		.181, 183
document		.179, 180
floating comment		.184, 185
floating picture		185
hyperlink		186
Mind Map		.179, 180
object		186
page		179
root		.180, 181
text note		184
view		.179, 180
workspace		.179, 180
Properties dialog		
1		
Ouick Access Toolbar		
customizing		29. 34
resetting		
Ouick Start		20
Quien Suit		
Recognizer		175
Replacing	•••••	56 58
a branch nicture	•••••	50, 50
a floating nicture	•••••	
a noaring picture	•••••	
Replacing text	•••••	
in branch names	•••••	
in floating comments	•••••	
in chiest nomes	•••••	
	•••••	
in pop-up comments	•••••	
in text notes	•••••	
Reporting a problem	•••••	
Resetting		29, 34
the Multimedia Catalog	•••••	34, 82
the workspace	•••••	29, 34
Restoring - see Resetting	•••••	29, 34
Root	•••••	37, 41
creating	•••••	37, 81
editing		41, 67
formatting		45, 67
properties		.180, 181
shape		45, 67
RTF		161
Saving a Mind Map		39
Scrolling a Mind Map		
Searching and replacing text		
in branch names		
in floating comments		
in object names		
in pop-up comments		
in text notes		
Searching the desktop		
Selecting several branches		67
Sending a Mind Map		
Service Packs		
Setting up		
vour preferences		34
your workspace		
Shortcut kevs		
Showing/Hiding		
0 0		

branch connections	180
branches	42, 71, 72
panels	
timeline information	
SMART Doard	1/3
options	. 105, 107 107
	107 105
Spellchecking	105
branch names	105
entire Mind Map	105
floating comments	
object names	105
pop-up comments	105
text notes	105
Standard timescale	60
Styles	45
Sub-branch - see Branch	
Subject of the Mind Map	
Support	19
Tables	49
Tablet PC	175
Templates	
academic use	
business use	
customized	
export112, 11/	, 126, 149
personal use	
saving	פכ דב
Terminology	
Text	13 79
finding	79 79
replacing	79 79
Text note	
creating	
default font	
deleting	49
editing	49
finding text	79
inserting	49
properties	
replacing text	79
spellchecking	
Text Note editor	
using	
Time breaks	
l'ime(line) info panel	60, 95
Using	60, 95
r interine	90, 95
compressing	
dates	
designing	00, 179 Q5
duration bars	

expanding	
exporting to HTML	95.126
filtering	
focusing	95
inserting time breaks	95 179
numbering scheme	
numbering scheme	
printing	
timescale	
title	95, 179
viewing	
zooming	
Timeline information	60, 95
entering	60, 95
showing/hiding	60, 179
Timeline Outline panel	
using	
Timeline view	60.95
Timescales - Timelines	60
Daily	
Coological	
Weekly	
Top Down view	
Touch screen	175
Tree List navigation	126
in HTML export	126
Troubleshooting	19, 34
II. I. Contain	24
Undo feature	
Undo feature Undocking panels	
Undo feature Undocking panels Unpacking a Mind Map	34 29 81
Undo feature Undocking panels Unpacking a Mind Map Updates (program)	34 29 81 34
Undo feature Undocking panels Unpacking a Mind Map Updates (program)	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View	34 29 81 34 45, 91
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	
Undo feature Undocking panels Unpacking a Mind Map Updates (program) View designing properties	